



Drilling 12 1/4" hole
below 13 3/8" Casing



SRR & A

Exhibit E-1 – 2000# BOP
Witherspoon 26-23 State #1H
Cimarex Energy Co.
26-21S-33E
SHL 330 FSL & 630 FWL
BHL 330 FNL & 400 FWL Sec 23
Lea County, NM

Drilling 8 3/4" hole
below 9 5/8" Casing



SRR & A

Exhibit E-1 – 3000# BOP
Witherspoon 26-23 State #1H
Cimarex Energy Co.
26-21S-33E
SHL 330 FSL & 630 FWL
BHL 330 FNL & 400 FWL Sec 23
Lea County, NM

Drilling 6" hole
below 7" Casing

Fill Line

Flowline

5000# (5M)
BOP

Annular Preventer

SRR & A

Pipe Rams

Blind Rams

2" Minimum Kill Line

Kill Line

Drilling
Spool

3" minimum choke line

Choke Line

2 Valves and a check valve

2 Valves Minimum
(HCR Required)

Wellhead
Assembly

11" 5000 psi x 7-1/16" 10,000 psi
Wellhead Assembly

Wellhead
Assembly

13-5/8" 3000 psi x 11" 5000 psi
Wellhead Assembly

13-5/8" 3000# psi x 13-3/8" SOW Casing Head

Exhibit E-1 – 5000# BOP
Witherspoon 26-23 State #1H
Cimarex Energy Co.
26-21S-33E
SHL 330 FSL & 630 FWL
BHL 330 FNL & 400 FWL Sec 23
Lea County, NM




Exhibit E-1 – Choke Manifold Diagram

Witherspoon 26-23 State #1H

Cimarex Energy Co.

26-21S-33E

SHL 330 FSL & 630 FWL

BHL 330 FNL & 400 FWL Sec 23

Lea County, NM

Drilling Operations

Choke Manifold

2M/3M Service




Exhibit E-1 – Choke Manifold Diagram
Witherspoon 26-23 State #1H
 Cimarex Energy Co.
 26-21S-33E
 SHL 330 FSL & 630 FWL
 BHL 330 FNL & 400 FWL Sec 23
 Lea County, NM