

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised August 1, 2011

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-25347
5. Indicate Type of Lease STATE XX FEE
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Angle State
8. Well Number 003
9. OGRID Number 371762
10. Pool name or Wildcat Vacuum; Grayburg-San Andres
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

HOBBS OCD
AUG 24 2017
RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
Abo Empire, LLC

3. Address of Operator
P.O. Box 900, Artesia, NM 88211

4. Well Location
 Unit Letter M : 330 feet from the South line and 330 feet from the West line
 Section 9 Township 17S Range 34E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> OTHER: <input type="checkbox"/>	SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	INT TO PA <input checked="" type="checkbox"/> P&A NR _____ P&A R _____
--	---	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED

NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS

All Fluids to closed loop system


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Agent DATE 8/24/2017
 Type or print name John Stearns E-mail address: bobbysterns@yahoo.com PHONE: 575-760-2482
For State Use Only
 APPROVED BY: [Signature] TITLE P.E.S. DATE 8/24/2017
 Conditions of Approval (if any):


Proposed P&A Procedures
Angle State #3
API # 30-025-25347

1. Set 4 ½" CIBP @ 4700'. Circulate MLF and test casing. Spot 25 sx cement on top of CIBP.
2. Perforate 4 ½" casing at 2913' and squeeze with 35 sx cement. WOC and tag @ 2813' or higher. Base Salt
3. Perforate 4 ½" casing at 1664' and squeeze with 70 sx cement. WOC and tag at 1495' or higher. Top Salt & 8 5/8" Shoe Plug
4. Perforate 4 ½" casing at 250' and pump cement down 4 ½" casing to perfs at 250' and up 4 ½" X 8 5/8" annulus to surface with 70 sx.
5. Cut off wellhead and insure cement is to surface in both strings of casing. Install dry hole marker.

Abo Empire, LLC
Angle State #3
API 30-025-25347
WBD Before PA



Abo Empire, LLC
Angle State #3
API 30-025-25347
WBD Before PA



Perf @ 250' & circulate
cement to surface w/70 sx

8 5/8" casing set at 1545"
Cemented w/200 sx
ETOC @ 819'

1595' ✓

Perf & Squeeze @ 1664'
w/70 sx cement. Top of salt
& 8 5/8" shoe plug

Perf & Squeeze @ 2913'
w/35 sx cement. Base Salt

ETOC @ 3818'

4 1/2" CIBP set @ 4700'
w/25 sx cement on top

Perforations 4746'-4750'

4 1/2" 10.5# casing set at 4832'
Cemented w/250 sx
ETOC @ 3818'