									2/2
<u>District I</u> 1625 N. French D	r., Hobbs, NM	88240			State of N	ew Mexico			Form C-101 Revised July 18, 2013
Phone: (575) 393- <u>District II</u> 811 S. First St., A				Energy	Minerals an	d Natural R	esources		Revised July 18, 2013
Phone: (575) 748- District III	,				Oil Conserva	tion Divisio	n		IENDED REPORT
1000 Rio Brazos I Phone: (505) 334-	, , ,			1	1220 South S	t. Francis D	C •		
District IV 1220 S. St. Franci Phone: (505) 476-	,	·			Santa Fe,	NM 87505			
		,	DEDMIT T						AZONE
APPLI			^{1.} Operator Name a	and Address			, PLUGBAC	^{2.} OGRID Numbe	
		Operating C V Taylor	company as Ager	nt for the Northe	rn Lea SWD Sys	tem	191	74	Y
		s, NM 8824	40				30.	3 API Number -025-4657	9
[*] Prope 32650	[*] Property Code 326509			3	Property Name P-15			^{0.} Wel	l No. 1
				^{7.} Su	urface Location	n	,		
UL - Lot P	Section 15	Township 21S	Range 36E	Lot Idn	Feet from 58	N/S Line S	Feet From 988	E/W Line E	County Lea
				^{8.} Propose	ed Bottom Hol	e Location			
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County

		^{9.} Pool Information			
Pool Name SWD; San Andres					
	А	dditional Well Information	SWD-1750		
^{11.} Work Type	^{12.} Well Type	^{13.} Cable/Rotary	^{14.} Lease Type	15. Ground Level Elevation	
N	N S R S 357				
^{16.} Multiple	^{17.} Proposed Depth 5100	^{18.} Formation San Andres	^{19.} Contractor TBD	^{20.} Spud Date 3/1/2020	

Depth to Ground water	Distance from nearest fresh water well	Distance to nearest surface water
250	.45 Miles South	1.26 Miles SE

We will be using a closed-loop system in lieu of lined pits

^{21.} Proposed Casing and Cement Program

Туре	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC			
Surface	17 1/2	13 3/8	48 lbs	1300	850	Circ			
Production	12 1/4	9 5/8	40 lbs	5100	3300	Circ			

Casing/Cement Program: Additional Comments

Use of DV Tool to be placed above lost circulation zone

^{22.} Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Annular & Rams	3000 psi	3000 psi	TBD

^{23.} I hereby certify that the information given above is true and complete to the best of my knowledge and belief.	OIL CONSERVATION DIVISION
I further certify that I have complied with 19.15.14.9 (A) NMAC and/or 19.15.14.9 (B) NMAC , if applicable.	Approved By:
Signature:	PEN
HV HL	1 Cout
Printed name: Hayden Holub	Title:
Title: Operations Manager	Approved Date: 12/10/2019 Expiration Date: 12/10/2021
E-mail Address: hholub@riceswd.com	
Date: 12/5/2019 Phone: 575-393-9174	Conditions of Approval Attached

OCD ORDER #SWD-1750

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 Phone (575) 393-6161 Fax: (576) 393-0720 DISTRICT II 811 S. First St., Artesia, NM 88210 Phone (575) 746-1283 Fax: (575) 746-9720 DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone (505) 334-6178 Fax: (505) 334-6170 DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone (505) 478-3400 Fax: (506) 478-3482

State of New Mexico Energy, Minerals and Natural Resources Department Form C-102 Revised August 1, 2011

Submit one copy to appropriate District Office

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

□ AMENDED REPORT

	Jumber 5-46579)	96121 SWD;SAN ANDRES									
Property Co 326509			Property Name Well Number						umber			
OGRID No. 19174	ogrid no. 19174			RICE	Opera	ator Nan			Elevation 3576'			
					Surfac	e Loc	ation					
UL or lot No.	Section	Township	Range	Lot Idn	Feet fro	m the	North/South line	Feet from the	East/West line	County		
P	15	21 S	36 E		58		SOUTH	988	EAST	LEA		
			Bottom	Hole L	ocation I	f Diffe	erent From Su	face	-			
UL or lot No.	Section	Township	Range	Lot Idn	Feet fro	m the	North/South line	Feet from the	East/West line	County		
Dedicated Acres	Joint or	r Infill (Consolidation (Code 0	Order No.							
NO ALLOW	VABLE W						NTIL ALL INTE		EEN CONSOLID	ATED		
		OR A	NON-STAN	DARD U	NIT HAS	BEEN	APPROVED BY	THE DIVISION				
N.: 542526 E:: 871746.4 (NAD83)				3575. []] 3579. 	4' _ 3571.3' 0 2' 3574.5' ACE LOCATION N 32.471831 W 103.247858		E: 877032 (NAD83)	I hereby ce contained here the best of my this organizatio interest or unL land including location or has this location pr owner of such or to a volunta compulsory poor the division.	PR CERTIFICAT that the well locat as plotted from field made by me or d that the same is e bast of my belie 11, 2010 MEX Seat of	nation lete to , and that ting that the the hole well at with an interest, or a entered by <u>12-6-19</u> Date <u>5000 Con</u> TION tion shown I notes of under my true and		
N.: 536971.1				N.: 537005.2	_N 537085.3 E 876095.8 (NAD-83)		N.: 53704 E.: 877083 (NAD83)	.9 500		2000'lN		
E.: 871797.7 (NAD83)				E.: 874440.9 (NAD83)			⁶ ω γ (INALIOS)	30	ALE: 1" = 1000' D Num.: 33963	1		

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

Ken McQueen Cabinet Secretary

Matthias Sayer Deputy Cabinet Secretary Heather Riley, Division Director Oil Conservation Division



Administrative Order SWD-1750 October 1, 2018

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Pursuant to the provisions of Division Rule 19.15.26.8(B) NMAC, Rice Operating Company (the "operator") seeks an administrative order for its P 15 Well No. 1 ("proposed well") with a proposed location of 58 feet from the South line and 988 feet from the East line, Unit P of Section 15, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico, for commercial disposal of produced water.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of Division Rule 19.15.26.8(B) NMAC and satisfactory information has been provided that affected parties have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in Division Rule 19.15.26.8 NMAC have been met and the operator is in compliance with Division Rule 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

The applicant, Rice Operating Company (OGRID 19174), is hereby authorized to utilize its P 15 Well No. 1 (API 30-025-Pending) with a proposed location of 58 feet from the South line and 988 feet from the East line, Unit P of Section 15, Township 21 South, Range 36 East, NMPM, Lea County, for disposal of oil field produced water (UIC Class II only) through perforations into an interval consisting of San Andres formation from 4200 feet to 5100 feet. Injection will occur through internally-coated, 5-^{1/2}-inch or smaller tubing with a packer set within 100 feet of the top perforation of the disposal interval.

Prior to commencing disposal, the operator shall submit mudlog and geophysical logs information, to the Division's District geologist and Santa Fe Bureau Engineering office, showing evidence agreeable that only the permitted formation is open for disposal including a summary of depths (picks) for contacts of the formations which the Division shall use to amend this order for a final description of the depth for the injection interval. If significant hydrocarbon shows occur while drilling, the operator shall notify the Division's District Office and the operator shall be required to receive written permission prior to commencing disposal.

If cement does not circulate on any casing string, the operator shall run a cement bond log (CBL) or other log to determine top of cement and shall notify the Hobbs District with the top of

Administrative Order SWD-1750 Rice Operating Company October 1, 2018 Page 2 of 4

cement on the emergency phone number prior to continuing with any further cement activity with the proposed well. If cement did not tie back in to next higher casing shoe, the operator shall perform remedial cement job to bring cement, at a minimum, 200 feet above the next higher casing shoe

The operator shall conduct a swab or production test of the approved injection interval for hydrocarbon potential and obtain a water sample for analysis of hydrocarbon content as well as general water chemistry (including major cations, major anions, and Total Dissolved Solids (TDS)). The Division's District I office shall be noticed prior to this test and given the opportunity to witness the test. The operator shall supply the results of the water sample to Division's District I office and Santa Fe Bureau office prior to commencing injection. If the analysis of the sample is found to contain a TDS concentration of 10000 milligrams per liter or less, the injection authority under this Order shall be suspended <u>ipso facto</u>.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the approved disposal interval and is not permitted to escape to other formations or onto the surface. This includes the completion and construction of the well as described in the application and, if necessary, as modified by the District Supervisor.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The well shall pass an initial mechanical integrity test ("MIT") prior to initially commencing disposal and prior to resuming disposal each time the disposal packer is unseated. All MIT procedures and schedules shall follow the requirements in Division Rule 19.15.26.11(A) NMAC. The Division Director retains the right to require at any time wireline verification of completion and packer setting depths in this well.

Without limitation on the duties of the operator as provided in Division Rules 19.15.29 and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's District I office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

If the disposal well fails a MIT or if there is evidence that the mechanical integrity of said well is impacting correlative rights, the public health, any underground sources of fresh water, or the environment, the Division Director shall require the well to be shut-in within 24 hours of discovery and the operator shall redirect all disposal waters to another facility. The operator shall take the necessary actions to address the impacts resulting from the mechanical integrity issues in accordance with Division Rule 19.15.26.10 NMAC, and the well shall be tested pursuant to Rule 19.15.26.11 NMAC prior to returning to injection.

Administrative Order SWD-1750 Rice Operating Company October 1, 2018 Page 3 of 4

The wellhead injection pressure on the well shall be limited to **no more than 840 psi.** The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formations. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate Test.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formations. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable step-rate test.

The operator shall notify the supervisor of the Division's District I office of the date and time of the installation of disposal equipment and of any MIT so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's District I office. The operator shall submit monthly reports of the disposal operations that includes number of days of operation, injection volume, and injection pressure on Division Form C-115, in accordance with Division Rules 19.15.26.13 and 19.15.7.24 NMAC.

The injection authority granted under this order is not transferable except upon Division approval. The Division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The Division may revoke this injection order after notice and hearing if the operator is in violation of Rule 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate one (1) year after the effective date of this Order if the operator has not commenced injection operations into the subject well. One year after the last date of reported disposal into this well, the Division shall consider the well abandoned, and the authority to dispose will terminate *ipso facto*. The Division, upon written request mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

Compliance with this Order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein. Administrative Order SWD-1750 Rice Operating Company October 1, 2018 Page 4 of 4

HEA IER RILEY Director

HR/mam

cc: Oil Conservation Division – Hobbs District Office New Mexico State Land Office – Oil, Gas and Minerals Division Administrative Application - pMAM1822950450

State of New Mexico Energy, Minerals and Natural Resources Department

Michelle Lujan Grisham Governor

Sarah Cottrell Propst Cabinet Secretary

Todd E. Leahy, JD, PhD Deputy Secretary Adrienne Sandoval, Director Oil Conservation Division



November 27, 2019

RICE Operating Company (OGRID 19174) c/o Hayden Holub, Manager <u>hholub@riceswd.com</u> 112 West Taylor Hobbs, NM 88240

RE: <u>Administrative Order SWD-1750; Extension of Deadline to Inject</u>

Well: P-15 Well No. 1 (API 30-025-PENDING) Located: Unit P, Sec 15, T21S, R36E, NMPM, Lea County, New Mexico Order Date: October 1, 2018 Injection formations: San Andres, 4200 feet to 5100 feet

Dear Mr. Holub:

Reference is made to your August 20, 2019 request on behalf of the operator to extend the deadline stipulated in the above titled order to commence injection for the above referenced well for reasons outlined in your correspondence. The current deadline date to commence injection under said order is one year after issuance of the order: October 1, 2019.

It is the Division's understanding from your correspondence that since the date of issuance of this permit, there have been no changes in affected parties and no additional wells drilled in the one-half mile Area of Review.

The Division finds that for reasons you have stated, the granting of this request to extend this administrative order is in the interest of conservation, will prevent waste, and will protect the environment.


The deadline to commence injection for the existing order is hereby extended until October 1, 2020.

All requirements of the above referenced administrative order and agreements in the application remain in full force and effect.

Any additional extension of the deadline to commence injection for this administrative order will not be considered unless the operator has already commenced drilling of the subject well. Otherwise, the injection authority shall expire under the terms of the extended administrative order and the operator shall be required to submit a new application to obtain injection authority for the referenced well.

ADRIENNE SANDOVAL Director

AS/lrl



API #	Operator	Well name & Number
30-025-46579	Rice Engineering Co	P 15 SWD # 001

Applicable conditions of approval marked with XXXXXX

Administrative Orders Required

XXXXXXXX	Review order SWD 1753 for additional conditions of approval

Other wells

Casing

XXXXXXX	SURFACE & PRODUCTION CASING - Cement must circulate to surface
XXXXXXX	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
Lost Circulati	ion

XXXXXXX	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186

Water flows

XXXXXXX	Must notify OCD Hobbs Office of any water flow in the Salado formation at 575-370-3186. Report depth
	and flow rate.
<u></u>	•

Stage Tool

XXXXXXX	Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186
XXXXXXX	If using Stage Tool on Surface casing, Stage Tool must be greater than 350' and a minimum 200 feet
	above surface shoe.
XXXXXXX	When using a Stage Tool on Production Casing Stage must be a minimum of 50 feet below previous
	casing shoe.

Completion & Production

XXXXXXX	Will require a deviation survey with the C-105
XXXXXX	Must notify Hobbs OCD office prior to conducting MIT (575) 393-6161 ext. 114
XXXXXXX	Must conduct & pass MIT prior to any injection
XXXXXXX	Approval of this APD does not approve your tubing sizes. Please see SWD order for approved tubing sizes.
XXXXXXX	Must conduct & pass MIT prior to any injection