

OCD - HOBBS
03/30/2020
RECEIVED



Weatherford

Drilling Services
10000 West County Rd. 116
P.O. Box 61028
Midland, TX USA 79711
Tel. (432) 561-8892 Fax (432) 561-8895

Apache Corporation
303 Veterans Airpark Lane
Midland, TX, 79705

Date: November 13, 2019

Attention: John Vacek

Re: Apache Corporation
Well: Black and Tan 27 Fed Com 401H
Lea County, New Mexico

Enclosed, please find the original survey performed on the referenced well by Precision Energy Services, Inc. (P-5 No. 676004), a Weatherford company. Other information required by your office is as follows:

<u>Name & Title Of Surveyor</u>	<u>Well Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Cory Snyder	401H	10,841 MD	11/8/2019	Measurement
MWD Ops. Coordinator		16,284 MD	11/12/2019	While Drilling


A notarized plan vs. actual is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Cory Snyder
MWD Ops. Coordinator

On this, the 13th day of November, 2019, before me a notary public, the undersigned officer, personally appeared Cory Snyder, known to me (or satisfactorily proven) to be the person whose name is subscribed to the within instrument, and acknowledged that he executed the same for the purposes therein contained.

In witness hereof, I hereunto set my hand and official seal.

Notary Public



**5D Survey Report**

Apache Corporation

Field Name: *Apache NM (Nad 83 NMEZ)*
Site Name: *Black & Tan 27 Fed Com Pad 1*
Well Name: *Black and Tan 27 Fed Com 401H*
File number: *13840991*
Survey: *Definitive survey*

13 November 2019





Black and Tan 27 Fed Com 401H

Field Name: Apache NM (Nad 83 NMEZ)	Map Units: US ft		Company Name: Apache Corporation	
	Vertical Reference Datum (VRD): Mean Sea Level			
	Projected Coordinate System: NAD83 / New Mexico East (ftUS)			
	Comment:			
Site: Black & Tan 27 Fed Com Pad 1	Units: US ft	North Reference: Grid	Convergence Angle: 0.42	
	Position:	Northing: 560131.70 US ft	Latitude: 32.537447998	
		Easting: 781352.90 US ft	Longitude: -103.554493117	
	Elevation above MSL:3728.00 US ft			
Comment: Lea Co., NM				
Slot: Black & Tan 27 Fed Com 401H	Position (Relative to Site Centre)			
	+N/-S: 3.60 US ft	Northing: 560135.30 US ft	Latitude: 32.537459098	
	+E/-W: -60.00 US ft	Easting: 781292.90 US ft	Longitude: -103.554687713	
	Slot TVD Reference: Ground Elevation			
	Elevation above MSL: 3729.00 US ft			
Comment:				
Well: Black and Tan 27 Fed Com 401H	Type:Main well		UWI:	
	File Number: 13840991	Comment:		
	Closure Distance:4968.66US ft		Closure Azimuth:0.01°	
	Vertical Section: Position of Origin (Relative to Slot centre)			
	+N/-S: -0.00 US ft		+E/-W: -0.00 US ft	
Az: 358.11°				

Drill floor: Survey Name: Definitive Survey
Rig Height (Drill Floor): 26.00 US ft **Elevation above MSL:** 3755.00 US ft **Inclination:** 0.00° **Azimuth:** 0.00°

Survey Name: Definitive Survey

Date: 20/Aug/2018 **Survey Tool:** See Survey Tool Ranges below. **Comment:** **Company:**

Magnetic Model:

Model Name: IFR **Date:** 01/Nov/2019 **Field Strength:** 48144.4 nT **Declination:** 6.59° **Dip:** 60.47°

Tie Point:

MD: 0.00 US ft **Inclination:** 0.00° **Azimuth:** 0.00° **TVD:** 0.00 US ft **North Offset:** -0.00 US ft **East Offset:** -0.00 US ft

Survey Tool Ranges:

Name	Start MD (USFt)	End MD (USFt)	Source Survey
VES GyroFlex V3	0.00	10822.47	VES Gyros
MWD+IFR1+SAG+FDIR	10822.47	11709.00	WFT MWD 04
MWD+IFR1+SAG+FDIR	11709.00	16356.00	WFT MWD 05

5D Survey Report

Wellpath created using minimum curvature.

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)										
MD (US ft)	Inc (°)	Az (°)	TVD (US ft)	VS (US ft)	N.Offset (US ft)	E.Offset (US ft)	DLS (°/100US ft)	Northing (US ft)	Easting (US ft)	Comment
10822.47	1.03	251.44	10806.70	-195.30	-190.96	134.61	1.46	559944.34	781427.51	Tieon VES Gyro
10841.00	1.77	244.08	10825.22	-195.46	-191.14	134.20	4.10	559944.16	781427.10	First WFT MWD Sv
10853.00	1.26	249.72	10837.22	-195.58	-191.27	133.91	4.42	559944.03	781426.81	
10900.00	1.14	251.36	10884.21	-195.88	-191.60	132.98	0.27	559943.70	781425.88	
10948.00	4.29	323.58	10932.16	-194.54	-190.30	131.46	8.52	559945.00	781424.36	
10995.00	10.86	348.44	10978.73	-188.72	-184.54	129.53	15.31	559950.76	781422.43	
11042.00	16.14	357.11	11024.42	-177.81	-173.67	128.31	12.00	559961.63	781421.21	
11089.00	21.02	358.60	11068.96	-162.84	-158.71	127.78	10.43	559976.59	781420.68	
11142.00	26.76	355.11	11117.40	-141.40	-137.30	126.52	11.15	559998.00	781419.42	
11189.00	35.03	352.32	11157.70	-117.37	-113.35	123.82	17.85	560021.95	781416.72	
11236.00	41.85	351.03	11194.49	-88.36	-84.46	119.56	14.61	560050.84	781412.46	
11283.00	47.07	350.78	11228.02	-55.71	-51.97	114.36	11.11	560083.33	781407.26	
11331.00	51.71	351.27	11259.26	-19.56	-15.98	108.68	9.70	560119.32	781401.58	
11378.00	55.61	352.48	11287.10	18.07	21.49	103.34	8.55	560156.79	781396.24	
11425.00	59.75	352.75	11312.23	57.60	60.87	98.24	8.82	560196.17	781391.14	
11472.00	64.33	353.71	11334.26	98.95	102.08	93.35	9.91	560237.38	781386.25	
11520.00	69.05	354.60	11353.25	142.92	145.93	88.87	9.98	560281.23	781381.77	
11567.00	72.83	354.78	11368.59	187.25	190.15	84.76	8.05	560325.45	781377.66	
11614.00	76.74	354.53	11380.93	232.51	235.30	80.54	8.33	560370.60	781373.44	
11709.00	88.05	354.47	11393.48	326.34	328.88	71.53	11.91	560464.18	781364.43	
11734.00	91.43	353.67	11393.59	351.27	353.74	68.94	13.89	560489.04	781361.84	
11829.00	89.12	356.33	11393.13	446.12	448.36	60.67	3.71	560583.66	781353.57	
11923.00	90.66	358.71	11393.32	540.10	542.26	56.60	3.02	560677.56	781349.50	
11970.00	88.84	0.85	11393.52	587.08	589.26	56.42	5.98	560724.56	781349.32	
12018.00	87.51	1.24	11395.05	634.99	637.22	57.29	2.89	560772.52	781350.19	
12112.00	83.22	2.55	11402.64	728.45	730.84	60.39	4.77	560866.14	781353.29	
12207.00	84.28	3.68	11412.99	822.52	825.13	65.52	1.63	560960.43	781358.42	
12301.00	85.40	3.94	11421.44	915.68	918.54	71.74	1.22	561053.84	781364.64	
12396.00	86.95	2.09	11427.78	1010.11	1013.19	76.72	2.54	561148.49	781369.62	
12491.00	88.00	0.59	11431.96	1104.87	1108.07	78.94	1.93	561243.37	781371.84	
12585.00	89.26	359.21	11434.21	1198.79	1202.04	78.78	1.99	561337.34	781371.68	
12680.00	89.33	358.87	11435.38	1293.77	1297.02	77.19	0.37	561432.32	781370.09	
12774.00	90.38	358.88	11435.62	1387.76	1391.00	75.34	1.12	561526.30	781368.24	
12869.00	90.03	356.00	11435.28	1482.74	1485.89	71.10	3.05	561621.19	781364.00	
12963.00	90.45	356.99	11434.88	1576.70	1579.72	65.35	1.14	561715.02	781358.25	
13058.00	90.59	359.16	11434.02	1671.69	1674.65	62.16	2.29	561809.95	781355.06	
13152.00	89.54	358.10	11433.91	1765.69	1768.62	59.91	1.59	561903.92	781352.81	
13247.00	89.89	359.09	11434.39	1860.68	1863.59	57.58	1.11	561998.89	781350.48	
13341.00	89.68	0.01	11434.74	1954.65	1957.59	56.85	1.00	562092.89	781349.75	
13436.00	91.15	0.61	11434.05	2049.57	2052.58	57.36	1.67	562187.88	781350.26	
13530.00	90.94	358.00	11432.34	2143.53	2146.55	56.22	2.79	562281.85	781349.12	
13625.00	90.52	355.91	11431.13	2238.50	2241.40	51.17	2.24	562376.70	781344.07	
13719.00	90.17	355.35	11430.56	2332.41	2335.13	44.01	0.70	562470.43	781336.91	
13814.00	89.75	356.08	11430.63	2427.32	2429.86	36.91	0.89	562565.16	781329.81	
13909.00	90.94	1.37	11430.05	2522.28	2524.80	34.80	5.71	562660.10	781327.70	
14003.00	91.99	6.39	11427.65	2615.74	2618.52	41.16	5.45	562753.82	781334.06	
14098.00	90.10	2.98	11425.92	2710.08	2713.17	48.91	4.10	562848.47	781341.81	
14192.00	89.96	1.79	11425.87	2803.82	2807.09	52.82	1.27	562942.39	781345.72	
14287.00	90.03	2.48	11425.88	2898.58	2902.02	56.36	0.73	563037.32	781349.26	
14381.00	90.31	1.40	11425.60	2992.37	2995.97	59.54	1.19	563131.27	781352.44	
14476.00	91.15	359.57	11424.39	3087.28	3090.95	60.35	2.12	563226.25	781353.25	
14571.00	91.29	0.26	11422.36	3182.21	3185.93	60.21	0.74	563321.23	781353.11	
14665.00	89.89	355.99	11421.40	3276.18	3279.85	57.13	4.78	563415.15	781350.03	
14759.00	91.08	358.29	11420.60	3370.16	3373.72	52.44	2.75	563509.02	781345.34	
14854.00	91.50	359.15	11418.46	3465.13	3468.67	50.32	1.01	563603.97	781343.22	
14949.00	91.29	1.84	11416.15	3560.01	3563.63	51.14	2.84	563698.93	781344.04	

5D Survey Report

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)										
MD (US ft)	Inc (°)	Az (°)	TVD (US ft)	VS (US ft)	N.Offset (US ft)	E.Offset (US ft)	DLS (°/100US ft)	Northing (US ft)	Easting (US ft)	Comment
15043.00	91.29	0.15	11414.03	3653.86	3657.59	52.77	1.80	563792.89	781345.67	
15138.00	90.87	358.64	11412.24	3748.82	3752.56	51.77	1.65	563887.86	781344.67	
15232.00	90.80	358.86	11410.87	3842.80	3846.53	49.72	0.25	563981.83	781342.62	
15327.00	92.90	357.20	11407.80	3937.74	3941.42	46.46	2.82	564076.72	781339.36	
15421.00	93.04	356.12	11402.93	4031.58	4035.13	40.99	1.16	564170.43	781333.89	
15516.00	91.71	355.88	11399.00	4126.44	4129.82	34.37	1.42	564265.12	781327.27	
15611.00	91.50	356.32	11396.34	4221.34	4224.56	27.91	0.51	564359.86	781320.81	
15705.00	90.03	357.40	11395.08	4315.31	4318.40	22.76	1.94	564453.70	781315.66	
15799.00	91.92	357.89	11393.48	4409.28	4412.31	18.90	2.08	564547.61	781311.80	
15894.00	92.48	357.93	11389.83	4504.21	4507.17	15.44	0.59	564642.47	781308.34	
15988.00	92.76	357.70	11385.54	4598.11	4601.01	11.86	0.39	564736.31	781304.76	
16083.00	92.27	359.05	11381.37	4693.02	4695.88	9.17	1.51	564831.18	781302.07	
16177.00	89.82	359.05	11379.65	4786.98	4789.84	7.61	2.61	564925.14	781300.51	
16272.00	88.49	357.74	11381.06	4881.97	4884.79	4.95	1.96	565020.09	781297.85	
16284.00	88.42	357.21	11381.38	4893.96	4896.77	4.42	4.45	565032.07	781297.32	Last WFT MWD Svy
16356.00	88.42	357.21	11383.36	4965.93	4968.66	0.92	0.00	565103.96	781293.82	TD@16,356' MD / PTB