

**Weatherford**

Drilling Services
 10000 West County Rd. 116
 P.O. Box 61028
 Midland, TX USA 79711
 Tel. (432) 561-8892 Fax (432) 561-8895

Apache Corporation
 303 Veterans Airpark Lane
 Midland, TX, 79705

Date: October 2, 2019

Attention: John Vacek

Re: Apache Corporation
 Well: Black and Tan 27 Fed Com 403H
 Lea County, New Mexico

Enclosed, please find the original survey performed on the referenced well by Precision Energy Services, Inc. (P-5 No. 676004), a Weatherford company. Other information required by your office is as follows:

Name & Title Of Surveyor	Well Number	Surveyed Depths	Dates Performed	Type of Survey
Cory Snyder	403H	10,879 MD	9/26/2019	Measurement
MWD Ops. Coordinator		16,336 MD	10/1/2019	While Drilling


A notarized plan vs. actual is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Cory Snyder
 MWD Ops. Coordinator

On this, the 2nd day of October, 20 19, before me a notary public, the undersigned officer, personally appeared Cory Snyder, known to me (or satisfactorily proven) to be the person whose name is subscribed to the within instrument, and acknowledged that he executed the same for the purposes therein contained.

In witness hereof, I hereunto set my hand and official seal.

Notary Public



**5D Survey Report**

Apache Corporation

Field Name: *Apache NM (Nad 83 NMEZ)*
Site Name: *Black & Tan 27 Fed Com Pad 2*
Well Name: *Black and Tan 27 Fed Com 403H*
File number: *13841005*
Survey: *Definitive survey*

2 October 2019





Black and Tan 27 Fed Com 403H

Field Name: Apache NM (Nad 83 NMEZ)	Map Units: US ft		Company Name: Apache Corporation	
	Vertical Reference Datum (VRD): Mean Sea Level			
	Projected Coordinate System: NAD83 / New Mexico East (ftUS)			
	Comment:			
Site: Black & Tan 27 Fed Com Pad 2	Units: US ft	North Reference: Grid	Convergence Angle: 0.42	
	Position:	Northing: 560138.30 US ft	Latitude: 32.537436108	
		Easting: 782842.60 US ft	Longitude: -103.549659332	
	Elevation above MSL: 3715.00 US ft			
Comment:				
Slot: Black & Tan 27 Fed Com 403H	Position (Relative to Site Centre)			
	+N/-S: 0.30 US ft	Northing: 560138.60 US ft	Latitude: 32.537436124	
	+E/-W: 40.00 US ft	Easting: 782882.60 US ft	Longitude: -103.549529536	
	Slot TVD Reference: Ground Elevation			
	Elevation above MSL: 3717.00 US ft			
	Comment:			
Well: Black and Tan 27 Fed Com 403H	Type: Main well		UWI:	
	File Number: 13841005	Comment: H&P 482		
	Closure Distance: 5025.57US ft		Closure Azimuth: 3.03°	
	Vertical Section: Position of Origin (Relative to Slot centre)			
	+N/-S: -0.00 US ft		+E/-W: 0.00 US ft	
			Az: 359.69°	

Drill floor: Survey Name: Definitive Survey
Rig Height (Drill Floor): 26.00 US ft **Elevation above MSL:** 3743.00 US ft **Inclination:** 0.00° **Azimuth:** 0.00°

Survey Name: Definitive Survey

Date: 21/Aug/2018 **Survey Tool:** See Survey Tool Ranges below. **Comment:** **Company:**

Magnetic Model:

Model Name: IFR **Date:** 05/Sep/2019 **Field Strength:** 48121.0 nT **Declination:** 6.77° **Dip:** 60.44°

Tie Point:

MD: 0.00 US ft **Inclination:** 0.00° **Azimuth:** 0.00° **TVD:** -0.00 US ft **North Offset:** -0.00 US ft **East Offset:** 0.00 US ft

Survey Tool Ranges:

Name	Start MD(USFt)	End MD(USFt)	Source Survey
VES GyroFlex V3	0.00	10811.00	VES Gyro
MWD + IFR + MS	10811.00	11730.00	WFT MWD 03
MWD + IFR + Sag Corr + MS	11730.00	16388.00	WFT MWD 04

5D Survey Report

Wellpath created using minimum curvature.

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)										
MD (US ft)	Inc (°)	Az (°)	TVD (US ft)	VS (US ft)	N.Offset (US ft)	E.Offset (US ft)	DLS (°/100US ft)	Northing (US ft)	Easting (US ft)	Comment
10811.00	1.31	189.72	10785.26	-157.69	-156.01	310.42	0.52	559982.59	783193.02	VES Gyro Tieon
10879.00	1.30	190.93	10853.25	-159.21	-157.54	310.15	0.04	559981.06	783192.75	First WFT MWD Svy
10926.00	1.17	197.58	10900.23	-160.19	-158.52	309.90	0.41	559980.08	783192.50	
10974.00	2.02	334.98	10948.23	-159.89	-158.22	309.39	6.23	559980.38	783191.99	
11021.00	9.95	358.14	10994.94	-155.07	-153.40	308.91	17.30	559985.20	783191.51	
11068.00	16.68	0.80	11040.65	-144.25	-142.59	308.87	14.37	559996.01	783191.47	
11115.00	22.65	358.73	11084.89	-128.45	-126.78	308.77	12.79	560011.82	783191.37	
11163.00	29.68	357.47	11127.94	-107.30	-105.64	308.04	14.69	560032.96	783190.64	
11210.00	35.45	356.97	11167.54	-82.04	-80.38	306.80	12.29	560058.22	783189.40	
11257.00	41.40	356.70	11204.34	-52.88	-51.23	305.19	12.66	560087.37	783187.79	
11304.00	47.18	355.06	11237.97	-20.15	-18.51	302.80	12.54	560120.09	783185.40	
11352.00	51.93	356.52	11269.10	16.28	17.91	300.14	10.16	560156.51	783182.74	
11399.00	56.63	357.67	11296.53	54.39	56.00	298.22	10.20	560194.60	783180.82	
11447.00	60.86	356.72	11321.43	95.37	96.98	296.20	8.97	560235.58	783178.80	
11494.00	64.95	356.03	11342.83	137.14	138.73	293.55	8.80	560277.33	783176.15	
11541.00	67.73	356.76	11361.69	180.11	181.69	290.85	6.08	560320.29	783173.45	
11588.00	69.69	356.82	11378.76	223.84	225.41	288.40	4.17	560364.01	783171.00	
11636.00	73.30	359.78	11393.99	269.34	270.89	287.06	9.53	560409.49	783169.66	
11683.00	77.50	1.47	11405.84	314.80	316.36	287.56	9.59	560454.96	783170.16	
11730.00	82.93	1.46	11413.82	361.08	362.64	288.75	11.55	560501.24	783171.35	
11751.00	85.49	1.04	11415.94	381.96	383.53	289.20	12.35	560522.13	783171.80	
11798.00	87.51	0.60	11418.81	428.86	430.44	289.87	4.40	560569.04	783172.47	
11845.00	89.22	1.06	11420.15	475.83	477.41	290.55	3.77	560616.01	783173.15	
11940.00	90.00	0.47	11420.80	570.81	572.40	291.82	1.03	560711.00	783174.42	
12034.00	90.13	1.93	11420.69	664.78	666.37	293.79	1.56	560804.97	783176.39	
12129.00	90.00	1.07	11420.58	759.73	761.34	296.28	0.92	560899.94	783178.88	
12223.00	90.22	1.19	11420.40	853.70	855.32	298.13	0.27	560993.92	783180.73	
12318.00	90.22	0.32	11420.04	948.68	950.31	299.38	0.92	561088.91	783181.98	
12412.00	90.76	359.34	11419.24	1042.67	1044.31	299.10	1.19	561182.91	783181.70	
12507.00	89.94	359.32	11418.66	1137.67	1139.30	297.99	0.86	561277.90	783180.59	
12601.00	91.15	0.64	11417.76	1231.66	1233.29	297.96	1.90	561371.89	783180.56	
12696.00	89.61	0.35	11417.13	1326.65	1328.28	298.78	1.65	561466.88	783181.38	
12790.00	90.50	0.70	11417.04	1420.63	1422.28	299.64	1.02	561560.88	783182.24	
12885.00	90.98	1.79	11415.81	1515.59	1517.24	301.71	1.25	561655.84	783184.31	
12979.00	90.08	1.38	11414.94	1609.53	1611.20	304.31	1.05	561749.80	783186.91	
13074.00	88.80	359.48	11415.87	1704.51	1706.19	305.02	2.41	561844.79	783187.62	
13168.00	89.55	0.22	11417.23	1798.50	1800.18	304.77	1.12	561938.78	783187.37	
13262.00	89.69	0.00	11417.85	1892.50	1894.18	304.95	0.28	562032.78	783187.55	
13357.00	89.58	0.02	11418.46	1987.49	1989.17	304.97	0.12	562127.77	783187.57	
13452.00	89.30	0.16	11419.38	2082.49	2084.17	305.12	0.33	562222.77	783187.72	
13546.00	90.50	357.59	11419.55	2176.47	2178.14	303.27	3.02	562316.74	783185.87	
13641.00	90.95	358.11	11418.35	2271.41	2273.07	299.71	0.72	562411.67	783182.31	
13736.00	89.41	358.48	11418.05	2366.38	2368.02	296.88	1.67	562506.62	783179.48	
13830.00	89.75	358.89	11418.74	2460.36	2461.99	294.73	0.57	562600.59	783177.33	
13925.00	89.86	358.40	11419.06	2555.35	2556.97	292.48	0.53	562695.57	783175.08	
14020.00	89.92	357.54	11419.24	2650.30	2651.90	289.11	0.91	562790.50	783171.71	
14114.00	89.92	356.76	11419.37	2744.21	2745.79	284.44	0.83	562884.39	783167.04	
14209.00	90.56	358.77	11418.98	2839.15	2840.71	280.74	2.22	562979.31	783163.34	
14303.00	89.72	358.62	11418.75	2933.13	2934.68	278.60	0.91	563073.28	783161.20	
14398.00	90.03	359.79	11418.95	3028.13	3029.67	277.28	1.27	563168.27	783159.88	
14492.00	90.25	359.61	11418.72	3122.13	3123.67	276.79	0.30	563262.27	783159.39	
14587.00	89.30	358.32	11419.10	3217.12	3218.65	275.07	1.69	563357.25	783157.67	
14682.00	91.04	359.00	11418.81	3312.10	3313.62	272.85	1.97	563452.22	783155.45	
14776.00	91.06	358.58	11417.09	3406.07	3407.58	270.86	0.45	563546.18	783153.46	
14871.00	92.27	359.84	11414.33	3501.02	3502.53	269.55	1.84	563641.13	783152.15	
14965.00	92.16	359.14	11410.70	3594.95	3596.46	268.72	0.75	563735.06	783151.32	

5D Survey Report

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)										
MD (US ft)	Inc (°)	Az (°)	TVD (US ft)	VS (US ft)	N.Offset (US ft)	E.Offset (US ft)	DLS (°/100US ft)	Northing (US ft)	Easting (US ft)	Comment
15060.00	92.80	0.49	11406.59	3689.86	3691.36	268.41	1.57	563829.96	783151.01	
15155.00	92.75	1.02	11401.99	3784.73	3786.24	269.66	0.56	563924.84	783152.26	
15249.00	91.34	0.97	11398.63	3878.64	3880.17	271.29	1.50	564018.77	783153.89	
15344.00	91.46	0.81	11396.31	3973.59	3975.13	272.77	0.21	564113.73	783155.37	
15438.00	90.36	1.09	11394.82	4067.56	4069.10	274.33	1.21	564207.70	783156.93	
15533.00	90.36	0.76	11394.22	4162.53	4164.09	275.86	0.35	564302.69	783158.46	
15627.00	90.98	0.47	11393.12	4256.51	4258.08	276.87	0.73	564396.68	783159.47	
15722.00	90.81	359.94	11391.64	4351.50	4353.06	277.21	0.59	564491.66	783159.81	
15816.00	90.22	358.74	11390.80	4445.49	4447.05	276.13	1.42	564585.65	783158.73	
15911.00	90.03	357.63	11390.59	4540.46	4542.00	273.12	1.19	564680.60	783155.72	
16005.00	91.90	359.32	11389.00	4634.41	4635.95	270.61	2.68	564774.55	783153.21	
16099.00	91.99	358.99	11385.81	4728.36	4729.88	269.23	0.36	564868.48	783151.83	
16194.00	92.89	359.64	11381.77	4823.27	4824.79	268.09	1.17	564963.39	783150.69	
16288.00	93.11	359.40	11376.85	4917.14	4918.66	267.31	0.35	565057.26	783149.91	
16336.00	92.55	359.05	11374.48	4965.08	4966.59	266.66	1.38	565105.19	783149.26	Last WFT MWD Svy
16388.00	92.55	359.05	11372.17	5017.02	5018.53	265.80	0.00	565157.13	783148.40	TD@16388' MD / PTB