Form 3160-5 (June 2015)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					NMNM05792  6. If Indian, Allottee or Tribe Name			
Type of Well     ☐ Gas Well ☐ Other					8. Well Name and No. ROJO 7811 34-27 FEDERAL 40H			
2. Name of Operator Contact: KATY REDDELL BTA OIL PRODUCERS LLC E-Mail: kreddell@btaoil.com					9. API Well No. 30-025-46097-00-X1			
3a. Address 104 S. PECOS MIDLAND, TX 79701	(include area code) 2-3753 Ext: 139  10. Field and Pool or Explor BOBCAT DRAW-UP							
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State			
Sec 34 T25S R33E SENW 2510FNL 1335FWL 32.087368 N Lat, 103.564430 W Lon					LEA COUNTY, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES) TO	O INDICAT	TE NATURE OF	F NOTICE,	REPORT, OR OTHE	ER DA	TA	
TYPE OF SUBMISSION	TYPE OF ACTION							
☐ Notice of Intent	☐ Acidize	□ Deep	□ Deepen		ion (Start/Resume)	☐ Water Shut-Off		
☐ Alter Casing		☐ Hydraulic Fracturing		☐ Reclamation		☐ Well Integrity		
Subsequent Report	Cashig Kepan		☐ New Construction		Recomplete		er ng Operations	
☐ Final Abandonment Notice	<ul><li>☐ Change Plans</li><li>☐ Convert to Injection</li></ul>	☐ Plug and Abandon ☐ Plug Back		☐ Temporarily Abandon ☐ Water Disposal			8 - F	
testing has been completed. Final At determined that the site is ready for fi 5/28/2020: SPUD WELL 5/30/2020: DRILLED 14 3/4" CEMENT. CEMENT CIRCUL 6/14/2020: DRILLED 9 7/8" H 6/20/2020: DRILLED 8 3/4" HOPEN DV TOOL AT 4961" CEWITH 1,245 SACKS OF CEM TEST CASING TO 2700 PSI I	HOLE AND SET 10 3/4" 40 ATED TO SURFACE. IOLE. THEN DRILLING 8 3/ OLE. SET 7 5/8" 20.7# P-1 EMENT CIRCULATED TO S ENT. CEMENT CIRCULATI	.5# J-55 ST /4" HOLE. 10 CASING SURFACE ( ED TO SUR	C CASING @ 1,  @ 12,226 WITH DEF DV TOOL S	119' WITH	765 SACKS OF			
14. I hereby certify that the foregoing is  Com Name(Printed/Typed) KATY REI	Electronic Submission #520 For BTA OIL P nmitted to AFMSS for process	RODUCERS	LLC, sent to the CILLA PEREZ on	Hobbs	(20PP2914SE)			
Signature (Electronic S	Submission)		Date 06/30/20	)20				
	THIS SPACE FOR	FEDERA	L OR STATE (	OFFICE U	SE ————————————————————————————————————			
Approved By ACCEPTED			JONATHO <sub>Title</sub> PETROELU	N SHEPAR JM ENGINE		D	ate 07/21/2020	
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conductive the conductive the applicant to	Office Hobbs							
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to ma	ike to any department or ag	gency of	the United	

## Additional data for EC transaction #520725 that would not fit on the form

## 32. Additional remarks, continued

6/27/2020: REACHED TD @ 20,416.

6/29/2020: Drilled 6-3/4" HOLE. SET 5-1/2" x 5" tapered string C @ 20,416' [(5" 18# Wedge 625 P110 20,416' - 12,016') (5-1/2" 20#P-110 ICY TXP-BTC to surface)] with 1270 SACKS OF CEMENT. Cmt circ to surface.

6/29/2020: RIG RELEASED.

## Revisions to Operator-Submitted EC Data for Sundry Notice #520725

**Operator Submitted BLM Revised (AFMSS)** 

DRG SR Sundry Type: NOI

NMNM05792 Lease: NMNM05792

Agreement:

Operator: BTA OIL PRODUCERS, LLC BTA OIL PRODUCERS LLC

104 S. PECOS MIDLAND, TX 79701 104 S. PECOS MIDLAND, TX 79701 Ph: 432-682-3753 Ph: 4326823753

KATY REDDELL Admin Contact:

KATY REDDELL REGULATORY ANALYST REGULATORY ANALYST E-Mail: kreddell@btaoil.com E-Mail: kreddell@btaoil.com Ph: 432-682-3753 Ph: 432-682-3753 Ext: 139

Tech Contact: KATY REDDELL

KATY REDDELL REGULATORY ANALYST E-Mail: kreddell@btaoil.com REGULATORY ANALYST E-Mail: kreddell@btaoil.com

Ph: 432-682-3753 Ph: 432-682-3753 Ext: 139

Location:

State: County: NM LEA NM LEA

Field/Pool: BOBCAT DRAW; UPPER WOLF **BOBCAT DRAW-UPR WOLFCAMP** 

ROJO 7811 34-27 FEDERAL 40H Sec 34 T25S R33E SENW 2510FNL 1335FWL Well/Facility:

ROJO 7811 34-27 FEDERAL 40H Sec 34 T25S R33E SENW 2510FNL 1335FWL

32.087368 N Lat, 103.561130 W Lon 32.087368 N Lat, 103.564430 W Lon