

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
NMLC065750A

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

7. If Unit or CA/Agreement, Name and/or No.  
891000326X

1. Type of Well  
 Oil Well  Gas Well  Other

8. Well Name and No.  
BIG EDDY UNIT DI BB JABBA 103H

2. Name of Operator XTO PERMIAN OPERATING LLC Contact: KELLY KARDOS  
E-Mail: kelly\_kardos@xtoenergy.com

9. API Well No.  
30-025-47227-00-X1

3a. Address  
6401 HOLIDAY HILL ROAD, BLDG 5  
MIDLAND, TX 79707

3b. Phone No. (include area code)  
Ph: 432-620-4374

10. Field and Pool or Exploratory Area  
WILDCAT - BONE SPRING

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 22 T20S R32E SWSW 270FSL 885FWL  
32.552200 N Lat, 103.760674 W Lon

11. County or Parish, State  
LEA COUNTY, NM

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change to Original APD
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

XTO Permian Operating, LLC requests permission to make the following changes to the original APD:

Change the SHL from 270FSL & 610FWL to 270FSL & 885FWL \*NO SURFACE DISTURBANCE\*

Attachments:  
C102 & Supplement

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #519058 verified by the BLM Well Information System  
For XTO PERMIAN OPERATING LLC, sent to the Hobbs  
Committed to AFMSS for processing by PRISCILLA PEREZ on 06/16/2020 (20PP2790SE)**

Name (Printed/Typed) KELLY KARDOS

Title REGULATORY COORDINATOR

Signature (Electronic Submission)

Date 06/16/2020

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By CQDY\_LAYTON

Title ASSISTANT FIELD MANAGER

Date 08/11/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

## Revisions to Operator-Submitted EC Data for Sundry Notice #519058

	<b>Operator Submitted</b>	<b>BLM Revised (AFMSS)</b>
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	NMNM33955	NMLC065750A
Agreement:		891000326X (NMNM68294X)
Operator:	XTO PERMIAN OPERATING, LLC 6401 HOLIDAY HILL RD BLDG 5 MIDLAND, TX 79707 Ph: 432-620-4374	XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD, BLDG 5 MIDLAND, TX 79707 Ph: 4326828873
Admin Contact:	KELLY KARDOS REGULATORY COORDINATOR E-Mail: kelly_kardos@xtoenergy.com  Ph: 432-620-4374	KELLY KARDOS REGULATORY COORDINATOR E-Mail: kelly_kardos@xtoenergy.com  Ph: 432-620-4374
Tech Contact:	KELLY KARDOS REGULATORY COORDINATOR E-Mail: kelly_kardos@xtoenergy.com  Ph: 432-620-4374	KELLY KARDOS REGULATORY COORDINATOR E-Mail: kelly_kardos@xtoenergy.com  Ph: 432-620-4374
Location:		
State:	NM	NM
County:	LEA	LEA
Field/Pool:	SALT LAKE BONE SPRING	WILDCAT - BONE SPRING
Well/Facility:	BIG EDDY UNIT DI BB JABBA 103H Sec 22 T20S R32E Mer NMP SWSW 270FSL 610FWL	BIG EDDY UNIT DI BB JABBA 103H Sec 22 T20S R32E SWSW 270FSL 885FWL 32.552200 N Lat, 103.760674 W Lon

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
**OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office  
 AMENDED REPORT

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

<sup>1</sup> API Number 30-025- 47227	<sup>2</sup> Pool Code	<sup>3</sup> Pool Name
<sup>4</sup> Property Code	<sup>5</sup> Property Name BIG EDDY UNIT BB JABBA	
<sup>7</sup> OGRID No. 373075	<sup>8</sup> Operator Name XTO PERMIAN OPERATING, LLC.	<sup>6</sup> Well Number 103H  <sup>9</sup> Elevation 3,534'

<sup>10</sup> Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	22	20 S	32 E		270	SOUTH	885	WEST	LEA

<sup>11</sup> Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
2	30	20 S	32 E		1,980	NORTH	50	WEST	LEA

<sup>12</sup> Dedicated Acres	<sup>13</sup> Joint or Infill	<sup>14</sup> Consolidation Code	<sup>15</sup> Order No.

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<p><sup>16</sup></p> <p style="text-align: center;"><b>LOT ACREAGE TABLE</b> LOT 2 - 39.77 ACRES</p> <table style="width: 100%; font-size: small;"> <tr> <th colspan="2">SHL (NAD83 NME)</th> <th colspan="2">LTP (NAD83 NME)</th> <th colspan="2">SHL (NAD27 NME)</th> <th colspan="2">LTP (NAD27 NME)</th> </tr> <tr> <td>Y = 565,097.1</td><td>X = 718,058.2</td> <td>Y = 562,797.8</td><td>X = 701,415.5</td> <td>Y = 565,035.4</td><td>X = 676,878.4</td> <td>Y = 562,736.1</td><td>X = 660,235.9</td> </tr> <tr> <td>LAT. = 32.552200 °N</td><td>LONG. = 103.759785 °W</td> <td>LAT. = 32.546115 °N</td><td>LONG. = 103.813833 °W</td> <td>LAT. = 32.552080 °N</td><td>LONG. = 103.759286 °W</td> <td>LAT. = 32.545994 °N</td><td>LONG. = 103.813333 °W</td> </tr> <tr> <th colspan="2">FTP (NAD83 NME)</th> <th colspan="2">BHL (NAD83 NME)</th> <th colspan="2">FTP (NAD27 NME)</th> <th colspan="2">BHL (NAD27 NME)</th> </tr> <tr> <td>Y = 562,842.5</td><td>X = 717,084.1</td> <td>Y = 562,797.9</td><td>X = 701,365.5</td> <td>Y = 562,780.9</td><td>X = 675,904.3</td> <td>Y = 562,736.2</td><td>X = 660,185.9</td> </tr> <tr> <td>LAT. = 32.546018 °N</td><td>LONG. = 103.762985 °W</td> <td>LAT. = 32.546116 °N</td><td>LONG. = 103.813995 °W</td> <td>LAT. = 32.545897 °N</td><td>LONG. = 103.762487 °W</td> <td>LAT. = 32.545995 °N</td><td>LONG. = 103.813495 °W</td> </tr> <tr> <th colspan="4">CORNER COORDINATES (NAD83 NME)</th> <th colspan="4">CORNER COORDINATES (NAD27 NME)</th> </tr> <tr> <td>A - Y = 563,453.2 N</td><td>X = 701,312.0 E</td><td>B - Y = 563,449.7 N</td><td>X = 703,956.1 E</td><td>A - Y = 563,391.5 N</td><td>X = 660,132.3 E</td><td>B - Y = 563,388.0 N</td><td>X = 662,776.4 E</td> </tr> <tr> <td>C - Y = 563,449.4 N</td><td>X = 706,600.6 E</td><td>D - Y = 563,460.7 N</td><td>X = 709,244.4 E</td><td>C - Y = 563,387.7 N</td><td>X = 665,420.9 E</td><td>D - Y = 563,399.0 N</td><td>X = 668,064.7 E</td> </tr> <tr> <td>E - Y = 563,467.9 N</td><td>X = 711,888.2 E</td><td>F - Y = 563,484.6 N</td><td>X = 714,535.1 E</td><td>E - Y = 563,406.2 N</td><td>X = 670,708.4 E</td><td>F - Y = 563,423.0 N</td><td>X = 673,355.3 E</td> </tr> <tr> <td>G - Y = 563,500.6 N</td><td>X = 717,180.9 E</td><td>H - Y = 562,128.3 N</td><td>X = 701,319.2 E</td><td>G - Y = 563,439.0 N</td><td>X = 676,001.0 E</td><td>H - Y = 562,066.6 N</td><td>X = 660,139.5 E</td> </tr> <tr> <td>I - Y = 562,127.3 N</td><td>X = 703,963.0 E</td><td>J - Y = 562,126.4 N</td><td>X = 706,607.5 E</td><td>I - Y = 562,065.7 N</td><td>X = 662,783.3 E</td><td>J - Y = 562,064.7 N</td><td>X = 665,427.7 E</td> </tr> <tr> <td>K - Y = 562,135.8 N</td><td>X = 709,253.4 E</td><td>L - Y = 562,145.2 N</td><td>X = 711,896.4 E</td><td>K - Y = 562,074.1 N</td><td>X = 668,073.7 E</td><td>L - Y = 562,083.6 N</td><td>X = 670,716.6 E</td> </tr> <tr> <td>M - Y = 562,161.7 N</td><td>X = 714,541.8 E</td><td>N - Y = 562,178.1 N</td><td>X = 717,187.4 E</td><td>M - Y = 562,100.1 N</td><td>X = 673,361.9 E</td><td>N - Y = 562,116.5 N</td><td>X = 676,007.5 E</td> </tr> </table>	SHL (NAD83 NME)		LTP (NAD83 NME)		SHL (NAD27 NME)		LTP (NAD27 NME)		Y = 565,097.1	X = 718,058.2	Y = 562,797.8	X = 701,415.5	Y = 565,035.4	X = 676,878.4	Y = 562,736.1	X = 660,235.9	LAT. = 32.552200 °N	LONG. = 103.759785 °W	LAT. = 32.546115 °N	LONG. = 103.813833 °W	LAT. = 32.552080 °N	LONG. = 103.759286 °W	LAT. = 32.545994 °N	LONG. = 103.813333 °W	FTP (NAD83 NME)		BHL (NAD83 NME)		FTP (NAD27 NME)		BHL (NAD27 NME)		Y = 562,842.5	X = 717,084.1	Y = 562,797.9	X = 701,365.5	Y = 562,780.9	X = 675,904.3	Y = 562,736.2	X = 660,185.9	LAT. = 32.546018 °N	LONG. = 103.762985 °W	LAT. = 32.546116 °N	LONG. = 103.813995 °W	LAT. = 32.545897 °N	LONG. = 103.762487 °W	LAT. = 32.545995 °N	LONG. = 103.813495 °W	CORNER COORDINATES (NAD83 NME)				CORNER COORDINATES (NAD27 NME)				A - Y = 563,453.2 N	X = 701,312.0 E	B - Y = 563,449.7 N	X = 703,956.1 E	A - Y = 563,391.5 N	X = 660,132.3 E	B - Y = 563,388.0 N	X = 662,776.4 E	C - Y = 563,449.4 N	X = 706,600.6 E	D - Y = 563,460.7 N	X = 709,244.4 E	C - Y = 563,387.7 N	X = 665,420.9 E	D - Y = 563,399.0 N	X = 668,064.7 E	E - Y = 563,467.9 N	X = 711,888.2 E	F - Y = 563,484.6 N	X = 714,535.1 E	E - Y = 563,406.2 N	X = 670,708.4 E	F - Y = 563,423.0 N	X = 673,355.3 E	G - Y = 563,500.6 N	X = 717,180.9 E	H - Y = 562,128.3 N	X = 701,319.2 E	G - Y = 563,439.0 N	X = 676,001.0 E	H - Y = 562,066.6 N	X = 660,139.5 E	I - Y = 562,127.3 N	X = 703,963.0 E	J - Y = 562,126.4 N	X = 706,607.5 E	I - Y = 562,065.7 N	X = 662,783.3 E	J - Y = 562,064.7 N	X = 665,427.7 E	K - Y = 562,135.8 N	X = 709,253.4 E	L - Y = 562,145.2 N	X = 711,896.4 E	K - Y = 562,074.1 N	X = 668,073.7 E	L - Y = 562,083.6 N	X = 670,716.6 E	M - Y = 562,161.7 N	X = 714,541.8 E	N - Y = 562,178.1 N	X = 717,187.4 E	M - Y = 562,100.1 N	X = 673,361.9 E	N - Y = 562,116.5 N	X = 676,007.5 E	<p><sup>17</sup> OPERATOR CERTIFICATION</p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p style="text-align: center;"><i>Kelly Kardos</i></p> <p>Signature _____ Date _____</p> <p><b>Kelly Kardos</b></p> <p>Printed Name _____</p> <p>E-mail Address _____</p> <hr/> <p><sup>18</sup> SURVEYOR CERTIFICATION</p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>6-2-2020 Date of Survey</p> <p>Signature and Seal of Professional Surveyor: </p> <p>MARK DILLON HARP 23786 Certificate Number _____ AW 2019061806</p>
SHL (NAD83 NME)		LTP (NAD83 NME)		SHL (NAD27 NME)		LTP (NAD27 NME)																																																																																																											
Y = 565,097.1	X = 718,058.2	Y = 562,797.8	X = 701,415.5	Y = 565,035.4	X = 676,878.4	Y = 562,736.1	X = 660,235.9																																																																																																										
LAT. = 32.552200 °N	LONG. = 103.759785 °W	LAT. = 32.546115 °N	LONG. = 103.813833 °W	LAT. = 32.552080 °N	LONG. = 103.759286 °W	LAT. = 32.545994 °N	LONG. = 103.813333 °W																																																																																																										
FTP (NAD83 NME)		BHL (NAD83 NME)		FTP (NAD27 NME)		BHL (NAD27 NME)																																																																																																											
Y = 562,842.5	X = 717,084.1	Y = 562,797.9	X = 701,365.5	Y = 562,780.9	X = 675,904.3	Y = 562,736.2	X = 660,185.9																																																																																																										
LAT. = 32.546018 °N	LONG. = 103.762985 °W	LAT. = 32.546116 °N	LONG. = 103.813995 °W	LAT. = 32.545897 °N	LONG. = 103.762487 °W	LAT. = 32.545995 °N	LONG. = 103.813495 °W																																																																																																										
CORNER COORDINATES (NAD83 NME)				CORNER COORDINATES (NAD27 NME)																																																																																																													
A - Y = 563,453.2 N	X = 701,312.0 E	B - Y = 563,449.7 N	X = 703,956.1 E	A - Y = 563,391.5 N	X = 660,132.3 E	B - Y = 563,388.0 N	X = 662,776.4 E																																																																																																										
C - Y = 563,449.4 N	X = 706,600.6 E	D - Y = 563,460.7 N	X = 709,244.4 E	C - Y = 563,387.7 N	X = 665,420.9 E	D - Y = 563,399.0 N	X = 668,064.7 E																																																																																																										
E - Y = 563,467.9 N	X = 711,888.2 E	F - Y = 563,484.6 N	X = 714,535.1 E	E - Y = 563,406.2 N	X = 670,708.4 E	F - Y = 563,423.0 N	X = 673,355.3 E																																																																																																										
G - Y = 563,500.6 N	X = 717,180.9 E	H - Y = 562,128.3 N	X = 701,319.2 E	G - Y = 563,439.0 N	X = 676,001.0 E	H - Y = 562,066.6 N	X = 660,139.5 E																																																																																																										
I - Y = 562,127.3 N	X = 703,963.0 E	J - Y = 562,126.4 N	X = 706,607.5 E	I - Y = 562,065.7 N	X = 662,783.3 E	J - Y = 562,064.7 N	X = 665,427.7 E																																																																																																										
K - Y = 562,135.8 N	X = 709,253.4 E	L - Y = 562,145.2 N	X = 711,896.4 E	K - Y = 562,074.1 N	X = 668,073.7 E	L - Y = 562,083.6 N	X = 670,716.6 E																																																																																																										
M - Y = 562,161.7 N	X = 714,541.8 E	N - Y = 562,178.1 N	X = 717,187.4 E	M - Y = 562,100.1 N	X = 673,361.9 E	N - Y = 562,116.5 N	X = 676,007.5 E																																																																																																										

Intent  As Drilled

API #									
Operator Name:					Property Name:				Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

Is this well an infill well?

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #									
Operator Name:					Property Name:				Well Number