Form 3160-5	Rec'd 08/17/2020 - NMOCD					
	UNITED STATES DEPARTMENT OF THE INTERIOR				FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018	
BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					5. Lease Serial No. NMLC064118	
					6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well					8. Well Name and No. E C HILL B FED 18	
Oil Well Gas Well Other     Contact: APRIL SANTOS					9. API Well No.	
OXY USA INCORPORATED E-Mail: APRIL_HOOD@OXY.COM					30-025-33493-00-C1	
			. (include area code) 5-7000		10. Field and Pool or Exploratory Area IMPERIAL TEAGUE	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State		
Sec 34 T23S R37E SWNE 1400FNL 2280FEL				LEA COUNTY, NM		
12. CHECK THE AI	PPROPRIATE BOX(ES) T	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	HER DATA
TYPE OF SUBMISSION		TYPE OF ACTION				
Notice of Intent	□ Acidize	🗖 Dee	pen	Product	ion (Start/Resume)	□ Water Shut-Off
—	□ Alter Casing	🗖 Hyd	Iraulic Fracturing	🗖 Reclam	ation	U Well Integrity
Subsequent Report	Casing Repair	□ New Construction		□ Recomplete		□ Other
☐ Final Abandonment Notice	Change Plans		g and Abandon	-	arily Abandon	
	Convert to Injection	🗖 Pluş	-		1	
13. Describe Proposed or Completed Op If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f	ally or recomplete horizontally, g rk will be performed or provide th l operations. If the operation resu- bandonment Notices must be filed	ive subsurface he Bond No. o ilts in a multip	locations and measu n file with BLM/BIA le completion or reco	red and true ve . Required sub moletion in a	ertical depths of all pertin bsequent reports must be new interval, a Form 316	ent markers and zones. filed within 30 days 0-4 must be filed once
TD-6650?MD PBTD-6582?MD Perfs-5048? ? 6469?MD						
12 1/4? hole, 8 5/8? csg @ 11 7 7/8? hole, 5 1/2? csg @ 665	45? w/ 630 sx, TOC-surf 50? w/ 1755 sx, TOC~1430	)?				
OXY USA Inc. respectfully requests to temporarily abandon this well. The TA is planned for March 2021. OXY is currently evaluating potential and therefore would like to TA the producing interval for future prospect and to remain in compliance.						
<ol> <li>POOH with production equipment. RIH and set CIBP @ +/- 4948?, dump 35sx CI C cement on top.</li> <li>Notify NMOCD of casing integrity test 24 hours in advance.</li> <li>RU pump truck, circulate well with treater water, pressure test casing to 500# for 30 min. RDMO.</li> </ol>						
					MS NMOCD	
14. I hereby certify that the foregoing is	Electronic Submission #52 For OXY USA	<b>INCORPOR</b>	ATÉD, sent to the	e Hobbs	•	
Committed to AFMSS for processing by PRI Name(Printed/Typed) APRIL SANTOS			Title REGULATORY SPECIALIST			
			THE RECOL			
Signature (Electronic Submission)			Date 08/03/2020			
	THIS SPACE FO	R FEDER	L OR STATE	OFFICE U	SE	
			TitlePETROELUM ENGINEER Date 08/14/2020			
Approved By_JONATHON SHEPARDConditions of approval, if any, are attached. Approval of this notice does not warrant or					EEK	Date 00/14/2020
certify that the applicant holds legal or eq which would entitle the applicant to condu	Office Hobbs					
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to m	ake to any department or	agency of the United
(Instructions on page 2) ** BLM REV	ISED ** BLM REVISED	** BLM R	EVISED ** BLN		D ** BLM REVISE	

## Additional data for EC transaction #524098 that would not fit on the form

32. Additional remarks, continued

## Revisions to Operator-Submitted EC Data for Sundry Notice #524098

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	TA NOI	TA NOI
Lease:	NMLC064118	NMLC064118
Agreement:		
Operator:	OXY USA INC 5 GREENWAY PLAZA SUITE110 HOUSTON, TX 77046 Ph: 713-215-7000	OXY USA INCORPORATED P O BOX 4294 HOUSTON, TX 77210-4294 Ph: 713.366.5303
Admin Contact:	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM
	Ph: 713-366-5771	Ph: 713-215-7000
Tech Contact:	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM Ph: 713-366-5771	APRIL SANTOS REGULATORY SPECIALIST E-Mail: APRIL_HOOD@OXY.COM Ph: 713-215-7000
Location: State: County:	NM LEA	NM LEA
Field/Pool:	BLINEBRY/TUBB-DRINKARD	IMPERIAL TEAGUE
Well/Facility:	E C HILL B FEDERAL 018 Sec 34 T23S R37E Mer NMP SWNE 1400FNL 2280FEL 32.264225 N Lat, 103.149605 W Lon	E C HILL B FED 18 Sec 34 T23S R37E SWNE 1400FNL 2280FEL

## **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## **Conditions of Approval for Temporary Abandonment of Wells**

**Definition:** A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
  - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
  - b. A description of the temporary abandonment procedure.
  - c. A clear copy or the original of the pressure test chart.