

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM0559539

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other: INJECTION8. Well Name and No.
SAND 18 FEDERAL 1

2. Name of Operator

DEVON ENERGY PRODUCTION COMPANY

Contact: JENNIFER HARMS

E-Mail: jennifer.harms@devon.com

9. API Well No.
30-025-25017-00-S3

3a. Address

P O BOX 250
ARTESIA, NM 88201

3b. Phone No. (include area code)

Ph: 405-552-6560

10. Field and Pool or Exploratory Area
SWD-DEVONIAN

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 18 T23S R32E SENE 1991FNL 657FEL
32.306171 N Lat, 103.706855 W Lon

11. County or Parish, State

LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☒ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Devon Energy Production Co., L.P. (Devon) respectfully reports the following SWD requirements below. Please see attachments.

8/25/2020 05:00 - 8/26/2020 05:00

Summary: ACIDIZE AND STEP RATE TST

RNA BHP/TEMP BHP 8153, TEMP 251, ACIDIZED 25K GALS 15%, 20K LBS ROCK SALT, 750 BBL STEP RATE TST, MIT TST AT 500 PSI

9/2/2020 05:00 - 9/3/2020 05:00

Summary: RAN MIT

REPLACED 3 1/2 1502 W/TREE CAP, SICP 300 (LEFT FROM ACID JOB), BLOW DOWN, RU PUMP TRUCK AND CHART RECORDER, MONITORED 0 PSI FOR 2 MINS, PRESS UP TO 520 PSI, CHARTED FOR 30 MINS, NO PRESSURE LOSS,

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #528660 verified by the BLM Well Information System
For DEVON ENERGY PRODUCTION COMPANY LP, sent to the Hobbs
Committed to AFMSS for processing by PRISCILLA PEREZ on 09/03/2020 (20PP3552SE)**

Name (Printed/Typed) JENNIFER HARMS

Title REGULATORY COMPLIANCE ANALYST

Signature (Electronic Submission)

Date 09/03/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROELUM ENGINEER

Date 09/22/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #528660 that would not fit on the form

32. Additional remarks, continued

BLOW DOWN, MONITORED ON CHART FOR 2 MINS, RD

Revisions to Operator-Submitted EC Data for Sundry Notice #528660

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	MIT SR	MIT SR
Lease:	NMNM0559539	NMNM0559539
Agreement:		
Operator:	DEVON ENERGY PRODUCTION COMPAN 333 W SHERIDAN AVE OKLAHOMA CITY, OK 73102 Ph: 405-552-6560	DEVON ENERGY PRODUCTION COM LP P O BOX 250 ARTESIA, NM 88201 Ph: 575-748-1854
Admin Contact:	JENNIFER HARMS REGULATORY COMPLIANCE ANALYST E-Mail: jennifer.harms@dvn.com Ph: 405-552-6560	JENNIFER HARMS REGULATORY COMPLIANCE ANALYST E-Mail: jennifer.harms@dvn.com Ph: 405-552-6560
Tech Contact:	JENNIFER HARMS REGULATORY COMPLIANCE ANALYST E-Mail: jennifer.harms@dvn.com Ph: 405-552-6560	JENNIFER HARMS REGULATORY COMPLIANCE ANALYST E-Mail: jennifer.harms@dvn.com Ph: 405-552-6560
Location:		
State:	NM	NM
County:	LEA	LEA
Field/Pool:	SWD-DEVONIAN	SWD-DEVONIAN
Well/Facility:	SAND 18 FEDERAL 1 Sec 18 T23S R32E 1980FNL 660FEL	SAND 18 FEDERAL 1 Sec 18 T23S R32E SENE 1991FNL 657FEL 32.306171 N Lat, 103.706855 W Lon

Pressure Test Report

COMPANY INFORMATION

Company Name	DEVON ENERGY
Representative	JOHNNY ELLIS
Phone	
Fax	
Address	

E-Mail Address	
Service Company	PHOENIX SERVICES, LLC

WELL INFORMATION

Well Name	SAND 18 FEDERAL SWD 1
Well Location	LEA COUNTY, NM
Field and Pool	
Status (Oil, Gas, Water, Injection)	DISPOSAL
Perforated Intervals	
Mid-point of Perforated Intervals (MPP)	
Drilling Rig Number	
Elevations	
Kelly Bushing (KB)	
Casing Flange (CF)	
KB-CF	
Ground Level	
Plug Back Total Depth	
Total Depth	
Production Casing	
Production Tubing	3 1/2

TEST INFORMATION

Type of Test	RIH STATIC GRADIENT
Date(s) of Test	8/25/20
Dead-weight Gauge Tubing Pressure	0
Dead-weight Gauge Casing Pressure	0
Shut-in Date (Duration)	
Date / Time on Bottom	8/25/20 @ 1627 HRS
Date / Time off Bottom	8/25/20 @ 1632 HRS
Probe Serial Number	91641
Probe Offset from End of Tool String	0-10000
Run Depth at Probe Pressure Port	17800

PRESSURE TEST RESULTS

Maximum Recorded Probe Pressure	8155.4 psig
Maximum Recorded Probe Temperature	251.7 deg F
Final Buildup Pressure	
Gradient Survey Information	
Extrapolated Pressure to MPP	
Final Gradient at Depth	
Job Number	

Company Name	DEVON ENERGY
Well Name	SAND 18 FEDERAL SWD 1
Type of Test	RIH STATIC GRADIENT
Date(s) of Test	8/25/20

PROBE INFORMATION

Probe Serial Number 91641
Model
Pressure
 Calibrated Pressure Range
 Accuracy
 Resolution
Temperature
 Calibrated Temperature Range
 Accuracy
 Resolution
Calibration File Used for Reports

PROGRAMMING DETAILS

<u>Step</u>	<u>Sample Mode</u>	<u>Period</u>	<u>Duration</u>	<u>Comment</u>
-------------	--------------------	---------------	-----------------	----------------

Program Start Time
Program End Time
Total Samples Taken
Usage for this Test
Generic Data File Name

Company Name	DEVON ENERGY
Well Name	SAND 18 FEDERAL SWD 1
Type of Test	RIH STATIC GRADIENT
Date(s) of Test	8/25/20

COMMENTS

Reported By

PHOENIX SERVICES, LLC

AOL-RU 1 3/4" TOOL STRING AND 1 1/2" OIL JARS-RAN 2.738 GR TO 16578'-SET DOWN-RAN 1.75 GR TO 17821'-SET DOWN-RAN TANDEM BHP GAUGES (91641, 91642) TO 17800' MAKING GRADIENT STOPS-POOH-RELEASED FROM LOCATION.

Company Name	DEVON ENERGY
Well Name	SAND 18 FEDERAL SWD 1
Type of Test	RIH STATIC GRADIENT
Date(s) of Test	8/25/20

Pressure vs. Depth

Probe Serial Number 91641


Stop Time From	Stop Time To	Depth (ft)	Pressure (psig)	Gradient (psi/ft)	(deg F)	(deg F/ft)
1443	1446	2000.000	308.573	-	80.181	-
1453	1456	4000.000	1316.012	0.5037	88.486	0.0042
1505	1508	6000.000	2347.143	0.5156	104.331	0.0079
1515	1518	8000.000	3354.772	0.5038	122.673	0.0092
15216	1529	10000.000	4368.769	0.5070	146.489	0.0119
1537	1540	12000.000	5374.422	0.5028	169.801	0.0117
1549	1552	14000.000	6376.946	0.5013	200.712	0.0155
1600	1603	16000.000	7339.661	0.4814	233.875	0.0166
1609	1614	16700.000	7657.509	0.4541	243.694	0.0140
1618	1623	17350.000	7944.409	0.4414	248.065	0.0067
1627	1632	17800.000	8154.994	0.4680	251.389	0.0074

Extrapolated to MPP:	Depth (ft)	Pressure (psig)	(deg F)
	0.000		


Company Name DEVON ENERGY
Well Name SAND 18 FEDERAL SWD 1
Type of Test RIH STATIC GRADIENT
Date(s) of Test 8/25/20

Probe Serial Number 91641

RIH Gradient Depth vs. Pressure




RIH Gradient Depth vs. Temperature



Company Name DEVON ENERGY
 Well Name SAND 18 FEDERAL SWD 1
 Type of Test RIH STATIC GRADIENT
 Date(s) of Test 8/25/20

Sand 18 Federal SWD 1



Company Name DEVON ENERGY
Well Name SAND 18 FEDERAL SWD 1
Type of Test RIH STATIC GRADIENT
Date(s) of Test 8/25/20

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/08/25	14:26:05	0.0000	0.327	91.488
2020/08/25	14:27:05	0.0167	0.184	91.987
2020/08/25	14:28:05	0.0333	0.087	92.595
2020/08/25	14:29:05	0.0500	0.001	93.344
2020/08/25	14:30:05	0.0667	0.000	93.702
2020/08/25	14:31:05	0.0833	0.000	94.014
2020/08/25	14:32:05	0.1000	3.535	94.199
2020/08/25	14:33:05	0.1167	3.574	94.267
2020/08/25	14:34:05	0.1333	3.682	93.882
2020/08/25	14:35:05	0.1500	3.856	93.393
2020/08/25	14:36:05	0.1667	3.977	92.811
2020/08/25	14:37:05	0.1833	4.096	92.208
2020/08/25	14:38:05	0.2000	4.192	91.656
2020/08/25	14:39:05	0.2167	4.341	91.130
2020/08/25	14:40:05	0.2333	4.436	90.644
2020/08/25	14:41:05	0.2500	97.775	83.028
2020/08/25	14:42:05	0.2667	229.495	80.006
RIH Gradient: 2000.000 ft				
2020/08/25	14:42:45	0.2778	308.573	80.181
2020/08/25	14:43:05	0.2833	312.371	80.375
2020/08/25	14:44:05	0.3000	313.135	80.526
2020/08/25	14:45:05	0.3167	312.922	80.562
2020/08/25	14:46:05	0.3333	336.507	80.600
2020/08/25	14:47:05	0.3500	473.217	81.316
2020/08/25	14:48:05	0.3667	611.383	82.456
2020/08/25	14:49:05	0.3833	749.501	83.606
2020/08/25	14:50:05	0.4000	887.074	84.740
2020/08/25	14:51:05	0.4167	1025.171	85.905
2020/08/25	14:52:05	0.4333	1162.727	87.069
2020/08/25	14:53:05	0.4500	1299.107	88.299
RIH Gradient: 4000.000 ft				
2020/08/25	14:53:15	0.4528	1316.012	88.486
2020/08/25	14:54:05	0.4667	1329.146	89.040
2020/08/25	14:55:05	0.4833	1329.401	89.175
2020/08/25	14:56:05	0.5000	1329.268	89.227
2020/08/25	14:57:05	0.5167	1371.869	89.377
2020/08/25	14:58:05	0.5333	1505.974	90.162
2020/08/25	14:59:05	0.5500	1649.053	91.330
2020/08/25	15:00:05	0.5667	1791.565	93.205
2020/08/25	15:01:05	0.5833	1934.997	95.659
2020/08/25	15:02:05	0.6000	2078.255	98.226
2020/08/25	15:03:05	0.6167	2220.664	100.958
2020/08/25	15:04:05	0.6333	2324.277	103.401
RIH Gradient: 6000.000 ft				
2020/08/25	15:04:40	0.6431	2347.143	104.331
2020/08/25	15:05:05	0.6500	2347.693	104.661
2020/08/25	15:06:05	0.6667	2347.930	104.918
2020/08/25	15:07:05	0.6833	2348.079	105.008
2020/08/25	15:08:05	0.7000	2366.534	105.075
2020/08/25	15:09:05	0.7167	2507.816	106.570

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/08/25	15:10:05	0.7333	2656.261	109.056
2020/08/25	15:11:05	0.7500	2804.877	111.758
2020/08/25	15:12:05	0.7667	2953.755	114.663
2020/08/25	15:13:05	0.7833	3101.656	117.478
2020/08/25	15:14:05	0.8000	3245.935	120.175
2020/08/25	15:15:05	0.8167	3349.272	122.513
RIH Gradient: 8000.000 ft				
2020/08/25	15:15:10	0.8181	3354.772	122.673
2020/08/25	15:16:05	0.8333	3361.134	123.555
2020/08/25	15:17:05	0.8500	3361.501	123.764
2020/08/25	15:18:05	0.8667	3374.189	123.877
2020/08/25	15:19:05	0.8833	3470.865	124.885
2020/08/25	15:20:05	0.9000	3601.506	126.903
2020/08/25	15:21:05	0.9167	3747.759	129.574
2020/08/25	15:22:05	0.9333	3898.034	133.221
2020/08/25	15:23:05	0.9500	4048.286	137.142
2020/08/25	15:24:05	0.9667	4198.244	141.753
2020/08/25	15:25:05	0.9833	4320.849	145.036
RIH Gradient: 10000.000 ft				
2020/08/25	15:25:40	0.9931	4368.769	146.489
2020/08/25	15:26:05	1.0000	4370.998	147.195
2020/08/25	15:27:05	1.0167	4372.466	147.693
2020/08/25	15:28:05	1.0333	4372.824	147.866
2020/08/25	15:29:05	1.0500	4373.114	147.947
2020/08/25	15:30:05	1.0667	4409.823	148.233
2020/08/25	15:31:05	1.0833	4528.437	150.192
2020/08/25	15:32:05	1.1000	4661.431	152.852
2020/08/25	15:33:05	1.1167	4799.131	155.665
2020/08/25	15:34:05	1.1333	4940.771	158.895
2020/08/25	15:35:05	1.1500	5080.699	162.385
2020/08/25	15:36:05	1.1667	5219.592	165.825
2020/08/25	15:37:05	1.1833	5348.365	168.890
RIH Gradient: 12000.000 ft				
2020/08/25	15:37:25	1.1889	5374.422	169.801
2020/08/25	15:38:05	1.2000	5378.926	170.829
2020/08/25	15:39:05	1.2167	5380.371	171.253
2020/08/25	15:40:05	1.2333	5385.816	171.379
2020/08/25	15:41:05	1.2500	5472.125	172.503
2020/08/25	15:42:05	1.2667	5588.112	175.116
2020/08/25	15:43:05	1.2833	5709.054	178.369
2020/08/25	15:44:05	1.3000	5837.417	182.044
2020/08/25	15:45:05	1.3167	5967.233	186.319
2020/08/25	15:46:05	1.3333	6095.733	191.012
2020/08/25	15:47:05	1.3500	6223.433	195.663
2020/08/25	15:48:05	1.3667	6336.895	198.988
RIH Gradient: 14000.000 ft				
2020/08/25	15:48:40	1.3764	6376.946	200.712
2020/08/25	15:49:05	1.3833	6380.618	201.585
2020/08/25	15:50:05	1.4000	6382.191	202.230
2020/08/25	15:51:05	1.4167	6382.557	202.404

Company Name DEVON ENERGY
Well Name SAND 18 FEDERAL SWD 1
Type of Test RIH STATIC GRADIENT
Date(s) of Test 8/25/20

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/08/25	15:52:05	1.4333	6399.461	202.550
2020/08/25	15:53:05	1.4500	6512.353	204.528
2020/08/25	15:54:05	1.4667	6642.326	207.252
2020/08/25	15:55:05	1.4833	6771.174	210.348
2020/08/25	15:56:05	1.5000	6899.112	213.627
2020/08/25	15:57:05	1.5167	7024.194	217.956
2020/08/25	15:58:05	1.5333	7130.893	222.507
2020/08/25	15:59:05	1.5500	7233.056	226.544
2020/08/25	16:00:05	1.5667	7317.105	231.111
RIH Gradient: 16000.000 ft				
2020/08/25	16:00:45	1.5778	7339.661	233.875
2020/08/25	16:01:05	1.5833	7339.456	234.363
2020/08/25	16:02:05	1.6000	7341.622	235.042
2020/08/25	16:03:05	1.6167	7347.051	235.258
2020/08/25	16:04:05	1.6333	7405.871	236.259
2020/08/25	16:05:05	1.6500	7471.171	237.582
2020/08/25	16:06:05	1.6667	7535.274	239.059
2020/08/25	16:07:05	1.6833	7591.802	240.543
2020/08/25	16:08:05	1.7000	7638.291	242.355
RIH Gradient: 16700.000 ft				
2020/08/25	16:08:55	1.7139	7657.509	243.694
2020/08/25	16:09:05	1.7167	7657.378	243.781
2020/08/25	16:10:05	1.7333	7658.309	244.081
2020/08/25	16:11:05	1.7500	7658.459	244.155
2020/08/25	16:12:05	1.7667	7658.385	244.177
2020/08/25	16:13:05	1.7833	7658.417	244.189
2020/08/25	16:14:05	1.8000	7658.370	244.191
2020/08/25	16:15:05	1.8167	7708.066	244.483
2020/08/25	16:16:05	1.8333	7788.665	245.737
2020/08/25	16:17:05	1.8500	7868.773	246.911
RIH Gradient: 17350.000 ft				
2020/08/25	16:18:05	1.8667	7944.409	248.065
2020/08/25	16:19:05	1.8833	7951.046	248.713
2020/08/25	16:20:05	1.9000	7951.969	248.841
2020/08/25	16:21:05	1.9167	7951.914	248.882
2020/08/25	16:22:05	1.9333	7951.945	248.891
2020/08/25	16:23:05	1.9500	7952.011	248.907
2020/08/25	16:24:05	1.9667	8002.434	249.262
2020/08/25	16:25:05	1.9833	8059.453	250.070
2020/08/25	16:26:05	2.0000	8116.911	250.824
RIH Gradient: 17800.000 ft				
2020/08/25	16:27:00	2.0153	8154.994	251.389
2020/08/25	16:27:05	2.0167	8154.882	251.438
2020/08/25	16:28:05	2.0333	8155.103	251.614
2020/08/25	16:29:05	2.0500	8155.257	251.649
2020/08/25	16:30:05	2.0667	8155.223	251.674
2020/08/25	16:31:05	2.0833	8155.194	251.679
2020/08/25	16:32:05	2.1000	8155.301	251.697
2020/08/25	16:33:05	2.1167	8148.803	251.686
2020/08/25	16:34:05	2.1333	8101.513	251.415

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/08/25	16:35:05	2.1500	8053.231	250.900
2020/08/25	16:36:05	2.1667	8005.214	250.291
2020/08/25	16:37:05	2.1833	7956.877	249.539
2020/08/25	16:38:05	2.2000	7908.736	248.763
2020/08/25	16:39:05	2.2167	7860.715	248.050
2020/08/25	16:40:05	2.2333	7812.483	247.336
2020/08/25	16:41:05	2.2500	7763.481	246.690
2020/08/25	16:42:05	2.2667	7713.612	245.885
2020/08/25	16:43:05	2.2833	7664.012	244.926
2020/08/25	16:44:05	2.3000	7613.889	243.966
2020/08/25	16:45:05	2.3167	7562.108	241.977
2020/08/25	16:46:05	2.3333	7503.941	240.292
2020/08/25	16:47:05	2.3500	7444.626	238.921
2020/08/25	16:48:05	2.3667	7384.697	237.542
2020/08/25	16:49:05	2.3833	7316.833	236.052
2020/08/25	16:50:05	2.4000	7243.583	232.576
2020/08/25	16:51:05	2.4167	7169.912	228.857
2020/08/25	16:52:05	2.4333	7094.759	225.664
2020/08/25	16:53:05	2.4500	7018.290	222.958
2020/08/25	16:54:05	2.4667	6940.365	219.843
2020/08/25	16:55:05	2.4833	6861.162	216.810
2020/08/25	16:56:05	2.5000	6771.605	214.036
2020/08/25	16:57:05	2.5167	6677.183	211.692
2020/08/25	16:58:05	2.5333	6581.089	209.332
2020/08/25	16:59:05	2.5500	6483.492	207.088
2020/08/25	17:00:05	2.5667	6384.274	204.697
2020/08/25	17:01:05	2.5833	6284.129	201.587
2020/08/25	17:02:05	2.6000	6184.600	198.959
2020/08/25	17:03:05	2.6167	6082.488	196.083
2020/08/25	17:04:05	2.6333	5981.106	192.454
2020/08/25	17:05:05	2.6500	5877.519	188.686
2020/08/25	17:06:05	2.6667	5774.841	185.137
2020/08/25	17:07:05	2.6833	5658.906	181.605
2020/08/25	17:08:05	2.7000	5529.007	178.052
2020/08/25	17:09:05	2.7167	5397.022	174.405
2020/08/25	17:10:05	2.7333	5265.052	171.057
2020/08/25	17:11:05	2.7500	5130.472	168.057
2020/08/25	17:12:05	2.7667	4989.224	164.874
2020/08/25	17:13:05	2.7833	4841.966	161.281
2020/08/25	17:14:05	2.8000	4693.367	157.627
2020/08/25	17:15:05	2.8167	4543.492	154.414
2020/08/25	17:16:05	2.8333	4392.116	151.102
2020/08/25	17:17:05	2.8500	4238.431	147.445
2020/08/25	17:18:05	2.8667	4081.859	144.115
2020/08/25	17:19:05	2.8833	3924.645	139.541
2020/08/25	17:20:05	2.9000	3766.136	135.221
2020/08/25	17:21:05	2.9167	3605.317	131.076
2020/08/25	17:22:05	2.9333	3444.012	127.650
2020/08/25	17:23:05	2.9500	3280.303	124.824
2020/08/25	17:24:05	2.9667	3113.958	121.815

Company Name DEVON ENERGY
Well Name SAND 18 FEDERAL SWD 1
Type of Test RIH STATIC GRADIENT
Date(s) of Test 8/25/20

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/08/25	17:25:05	2.9833	2947.325	118.836
2020/08/25	17:26:05	3.0000	2777.872	115.668
2020/08/25	17:27:05	3.0167	2606.867	112.361
2020/08/25	17:28:05	3.0333	2434.131	109.197
2020/08/25	17:29:05	3.0500	2260.122	106.000
2020/08/25	17:30:05	3.0667	2083.917	102.769
2020/08/25	17:31:05	3.0833	1905.109	99.403
2020/08/25	17:32:05	3.1000	1724.271	96.094
2020/08/25	17:33:05	3.1167	1541.612	93.018
2020/08/25	17:34:05	3.1333	1357.587	90.982
2020/08/25	17:35:05	3.1500	1170.861	89.299
2020/08/25	17:36:05	3.1667	982.876	87.629
2020/08/25	17:37:05	3.1833	793.493	85.977
2020/08/25	17:38:05	3.2000	610.865	84.411
2020/08/25	17:39:05	3.2167	427.971	82.845
2020/08/25	17:40:05	3.2333	243.496	81.189
2020/08/25	17:41:05	3.2500	57.362	79.480
2020/08/25	17:42:05	3.2667	4.566	78.418
2020/08/25	17:43:05	3.2833	4.209	78.199
2020/08/25	17:44:05	3.3000	4.098	78.013
2020/08/25	17:45:05	3.3167	3.997	77.763
2020/08/25	17:46:05	3.3333	3.903	77.459
2020/08/25	17:47:05	3.3500	3.799	77.194
2020/08/25	17:48:05	3.3667	0.342	77.589
2020/08/25	17:49:05	3.3833	0.128	77.922
2020/08/25	17:50:05	3.4000	0.059	78.460
2020/08/25	17:51:05	3.4167	0.000	79.527
2020/08/25	17:52:05	3.4333	0.020	80.361

