

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No. NMNM63365
6. If Indian, Allottee or Tribe Name
7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. TANK FEDERAL 02
2. Name of Operator MATADOR PRODUCTION COMPANYE-Mail: tlink@matadorresources.com		9. API Well No. 30-025-30112-00-S1
3a. Address 5400 LBJ FREEWAY SUITE 1500 DALLAS, TX 75240	3b. Phone No. (include area code) Ph: 575-627-2465	10. Field and Pool or Exploratory Area YOUNG-BONE SPRING, NORTH
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 1 T18S R32E SWSW 330FSL 990FWL		11. County or Parish, State LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BLM Bond No.NMB001079
Surety Bond No.RLB0015172

9/17/2019 Contacted/Notified local (Lea, NM) BLM District Office.
9/18/2019 MIRU, held safety meeting, latched on and unseated pump, POOH and LD rods and pump assembly. NU BOP, released TAC and POOH and LD 2-3/8" production tubing.
9/19/2019 Finished POOH and LD 2-3/8" tbg. SN and TAC. MIRU WL unit, RIH 4.5" gauge ring/CCL to 8,100' and POOH. PU 4.24" CIBP/CCL, RIH and set @ 8,010'. PU 3.5" Dump bailer and completed two dump bail runs. Total 35' cl "H" cement dump bailed on top of CIBP.
9/20/2019 PU CCL and Wt. Bar, RIH and tagged TOC 7,970'.
9/26/2019 Loaded casing with fresh water, treated with biocide and corrosion inhibitor. Tested casing to 500 psi, charted for 30 minutes and observed less than 10% pressure bleed down at

10/20/2020 - PM NMOCD

14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #488074 verified by the BLM Well Information System For MATADOR PRODUCTION COMPANY, sent to the Hobbs Committed to AFMSS for processing by PRISCILLA PEREZ on 10/17/2019 (19PP1635SE)	
Name (Printed/Typed) TAMMY R LINK	Title PRODUCTION ANALYST
Signature (Electronic Submission)	Date 10/15/2019

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROELUM ENGINEER	Date 11/07/2019
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #488074 that would not fit on the form

32. Additional remarks, continued

surface. Successful pressure test.

If any questions please contact Engineer, Walt Baker at (443-889-3116) Cell or (972-371-5497) Office.

See attached Pressure Chart performed 9/26/2019.

Revisions to Operator-Submitted EC Data for Sundry Notice #488074

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	TA SR	TA SR
Lease:	NMNM63365	NMNM63365
Agreement:		
Operator:	MATADOR PRODUCTION COMPANY 5400 LBJ FREEWAY, SUITE 1500 DALLAS, TX 75240 Ph: 575-623-6601	MATADOR PRODUCTION COMPANY 5400 LBJ FREEWAY SUITE 1500 DALLAS, TX 75240 Ph: 972.371.5200
Admin Contact:	TAMMY R LINK PRODUCTION ANALYST E-Mail: tlink@matadorresources.com Ph: 575-627-2465	TAMMY R LINK PRODUCTION ANALYST E-Mail: tlink@matadorresources.com Ph: 575-627-2465
Tech Contact:	TAMMY R LINK PRODUCTION ANALYST E-Mail: tlink@matadorresources.com Ph: 575-627-2465	TAMMY R LINK PRODUCTION ANALYST E-Mail: tlink@matadorresources.com Ph: 575-627-2465
Location:		
State:	NM	NM
County:	LEA	LEA
Field/Pool:	YOUNG; BONE SPRING NORTH	YOUNG-BONE SPRING, NORTH
Well/Facility:	TANK 1 FEDERAL 2 Sec 1 T18S R32E Mer NMP SWSW 330FSL 990FWL	TANK FEDERAL 02 Sec 1 T18S R32E SWSW 330FSL 990FWL