Form 3160-5 (June 2015) REC'D 10/21/2020- NN UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an					FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM122622		
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					 6. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No. 		
SUBMIT IN TRIPLICATE - Other instructions on page 27. If Unit or CA/Ag					7. If Unit or CA/Agree	ement, Name and/or No.	
1. Type of Well ☑ Oil Well □ Gas Well □ Other					8. Well Name and No. DOGWOOD 26 FED COM 746H		
2. Name of Operator Contact: EMILY FOLLIS EOG RESOURCES INCORPORATEDE-Mail: emily_follis@eogresources.com					9. API Well No. 30-025-47285-00-X1		
3a. Address3b. Phone No. (include area code)PO BOX 2267Ph: 432-636-3600MIDLAND, TX 79702Ph: 432-636-3600					10. Field and Pool or Exploratory Area SANDERS TANK-UPR WOLFCAMP		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State		
Sec 26 T26S R33E NWNW 250FNL 791FWL 32.021008 N Lat, 103.549088 W Lon					LEA COUNTY, NM		
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
TYPE OF SUBMISSION	TYPE OF ACTION						
□ Notice of Intent	□ Acidize	🗖 Dee	epen	Product	ion (Start/Resume)	□ Water Shut-Off	
_	□ Alter Casing	🗖 Hyd	lraulic Fracturing	🗖 Reclama	ation	Well Integrity	
Subsequent Report	Casing Repair	🗖 Nev	w Construction		lete	☑ Other Drilling Operations	
Final Abandonment Notice	□ Change Plans		g and Abandon	Tempor	arily Abandon	Drining Operations	
	Convert to Injection	🗖 Plu	g Back	U Water D	Disposal		
13. Describe Proposed or Completed Op If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f	ally or recomplete horizontally, g rk will be performed or provide d operations. If the operation res bandonment Notices must be file	give subsurface the Bond No. o ults in a multip	locations and measure n file with BLM/BIA le completion or reco	red and true ve . Required sub mpletion in a r	rtical depths of all pertin psequent reports must be new interval, a Form 316	ent markers and zones. filed within 30 days 0-4 must be filed once	
9-01-2020 20" Conductor @ 9-24-2020 13-1/2" hole 9-24-2020 Surface Hole @ 98 Casing shoe @ 962' MD Ran 10-3/4" 40.5# J-55 STC Lead Cement w/ 370 sx Class Test casing to 1,500 psi for 30 hole	31' MD, 981' TVD s C (1.60 vld. 13.8 ppg).Tra	ailed w/ 125 sement to su	sx Class C(1.33) rface resume drill	yld, 14.8 pp ing 9-7/8"	(נ		
9-29-2020 9-7/8" hole 9-29-2020 Intermediate Hole @ 11,798' MD, 11,764' TVD							
Casing shoe @ 12,874' MD 10/22/2020 - PM NMOCD							
14. I hereby certify that the foregoing is	Electronic Submission #5	RCES INCOR	PORATED, sent t	o the Hobbs	-		
Name(Printed/Typed) EMILY FOLLIS			Title SR REGULATORY ADMINISTRATOR				
Signature (Electronic Submission)			Date 10/01/2020				
	THIS SPACE FO	R FEDER	AL OR STATE (OFFICE U	SE		
Approved By ACCEPTED				JONATHON SHEPARD TitlePETROELUM ENGINEER Date 10/21/2020			
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Hobbs				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to ma	ke to any department or	agency of the United	
(Instructions on page 2) ** BLM REV	ISED ** BLM REVISED) ** BLM R	EVISED ** BLM		** BLM REVISEI	D **	

Additional data for EC transaction #532435 that would not fit on the form

32. Additional remarks, continued

Ran 8-3/4", 38.5#, ECP-110 SLIJ-II Stage 1: Cement w/ 415 sx Class H (1.18 yld, 15.6 ppg) Test casing to 2,600 psi for 30 min - good Did not circ cement to surface, TOC @ 7,000' by Calc Stage 2: Bradenhead squeeze w/ 1,000 sx Class C(1.41 yld, 14.8 ppg) Stage 3: Top out w/ 70 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 4 bbls FW, TOC @ 84' by Echometer. Resume drilling 7-7/8" hole

Revisions to Operator-Submitted EC Data for Sundry Notice #532435

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM122622	NMNM122622
Agreement:		
Operator:	EOG RESOURCES INC PO BOX 2267 MIDLAND, TX 79702 Ph: 432-636-3600	EOG RESOURCES INCORPORATED PO BOX 2267 MIDLAND, TX 79702 Ph: 432.686.3689
Admin Contact:	EMILY FOLLIS SR REGULATORY ADMINISTRATOR E-Mail: emily_follis@eogresources.com	EMILY FOLLIS SR REGULATORY ADMINISTRATOR E-Mail: emily_follis@eogresources.com
	Ph: 432.636.3600	Ph: 432-636-3600
Tech Contact:	EMILY FOLLIS SR REGULATORY ADMINISTRATOR E-Mail: emily_follis@eogresources.com	EMILY FOLLIS SR REGULATORY ADMINISTRATOR E-Mail: emily_follis@eogresources.com
	Ph: 432.636.3600	Ph: 432-636-3600
Location: State: County:	NM LEA COUNTY	NM LEA
Field/Pool:	98097 SANDERS TANK: UPPER	SANDERS TANK-UPR WOLFCAMP
Well/Facility:	DOGWOOD 26 FED COM 746H Sec 26 T26S R33E 250FNL 791FWL	DOGWOOD 26 FED COM 746H Sec 26 T26S R33E NWNW 250FNL 791FWL 32.021008 N Lat, 103.549088 W Lon