

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Operator Copy

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM84652

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other: UNKNOWN OTH8. Well Name and No.
HAMON FED COM 1

2. Name of Operator

LEGACY RESERVES OPERATING LP-Mail: mreyes@legacyreserves.com

Contact: MELANIE REYES

9. API Well No.
30-025-30848

3a. Address

303 W WALL SUITE 1800
MIDLAND, TX 79702

3b. Phone No. (include area code)

Ph: 432-221-6358

10. Field and Pool or Exploratory Area
QUAIL RIDGE

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 7 T20S R34E NWNE 660FNL 1980FEL

11. County or Parish, State

LEA COUNTY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

11/20/2020 - PM NMOCD

04/01/20 MIRU plugging equipment. 04/06/20 Dug out cellar, NU BOP. POH with tbg. RIH w/ 4 3/4" drill bit and bailer to 6556'. 04/07/20 Continued in hole to 8078'. POH. Perf'd csg @ 8000'.
04/08/20 Set Packer @ 7724'. Circulated hole clean. Pressured up on perms to 1500 psi. Spotted 50 sacks class H cement @ 8050'-7583'. WOC. 04/09/20 Tagged plug @ 7510'. Perf'd csg @ 6600'. Long Bo w/ NM BLM approved a gravity squeeze @ 6650'. Spotted 60 sacks class C cement @ 6650'-6050'. WOC. 04/13/20 No tag. Re-spotted 50 sacks class C cement with 1 bag LCM & 2% CACL @ 6650'-6150'. WOC. Tagged plug @ 6399'. Perf'd csg @ 5600'. 04/14/20 Squeezed 50 sx class C cement @ 5600'-5450'. WOC. No tag. Spotted 50 sx class C cement w/ 1 bag LCM & 2% CACL @ 5654'-5154'. WOC. 04/15/20 Tagged plug @ 5285'. Perf'd csg @ 5259'. Spotted 50 sx class C cement @ 5285'-4785'. WOC. Tagged plug @ 5038'. Spotted 50 sacks class C cement @ 3987'-3487' per Mila Hackford w/ BLM's request. WOC. 04/16/20 Tagged plug @ 3860'. Circulated hole with salt gel. Pressure tested csg, test did not hold. Spotted 25 sacks class C cement @ 3860'-3610'. WOC. No tag. Re-spotted 30 sx

Accepted for Record Only

See Attached Reclamation Objectives - Reclamation Due 10-28-20

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #515076 verified by the BLM Well Information System
For LEGACY RESERVES OPERATING LP, sent to the Hobbs
Committed to AFMSS for processing by PRISCILLA PEREZ on 05/13/2020 ()

Name (Printed/Typed) STEPHEN OWEN

Title SR ENGINEERING ADVISOR

Signature (Electronic Submission)

Date 05/12/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE*Accepted for Record*

Approved By

James R. Ames

Title

SAET

Date

10-14-20

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

CAO

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

Additional data for EC transaction #515076 that would not fit on the form

32. Additional remarks, continued

class C cement w/ 1 bag LCM & 2% CACL @ 3860'-3560'. WOC. 04/17/20 No tag. Pumped 2 bags LCM @ 3860'. Waited 30 minutes. Spotted 25 sacks class C cement w/ 1 bag LCM & 2% CACL @ 3860'-3610'. WOC. No Tag. Spotted 25 sacks class C cement w/ 1 bag LCM @ 3860'-3610'. WOC. 04/20/20 Tagged plug @ 3631'. Circulated hole with salt gel. Perf'd csg @ 3210'. Squeezed 200 sx class C cement @ 3210'-2410'. WOC. Tagged plug @ 3010'. Perf'd csg @ 3000'. Pressured up to 500 psi. Spotted 25 sacks class C cement @ 3010'-2760'. WOC. 04/21/20 Tagged plug @ 2597'. Perf'd csg @ 2595'. Pressured up on perms to 800 psi. Spotted 25 sx class C cement @ 2597'-2350'. WOC. Tagged plug @ 2400'. Perf'd csg @ 2400'. Pressured up to 800 psi. Spotted 25 sacks class C cement @ 2400'-2150'. WOC. 04/22/20 Tagged plug @ 1995'. Spotted 30 sacks class C cement @ 1995'-1695'. (per Long Bo w/ BLM's approval) WOC. Tagged plug @ 1685'. Perf'd csg @ 1685' per Mila w/ BLM's request. Squeezed 50 sacks class C cement @ 1685'-1500'. WOC. 04/23/20 Tagged plug @ 1568'. Perf'd @ 1400'. Squeezed 200 sacks class C cement @ 1400' & circulated to surface on 8 5/8" csg. Pushed cement to 1450'. WOC. 04/24/20 Well had water flow. Spotted 50 sacks cement @ 1400'-1019'. WOC. 04/27/20 No water flow. Pressure tested casing, held 500 psi. Tagged plug @ 965'. Spotted 100 sacks class C cement @ 965' & circulated to surface. Rigged down & moved off. 04/28/20 Moved in backhoe & welder, dug out cellar, cut off well head, and Mila Hackford w/ BLM verified cement to surface. Welded on "Below Ground Dry Hole Marker." Backfilled cellar, cut off deadman, cleaned location & moved off.

4.28.20 ABD



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office
620 E. Greene St.
Carlsbad, New Mexico 88220-6292
www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its pre-disturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (**Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure**). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos
Supervisory Petroleum Engineering Tech
575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias
Environmental Protection Specialist
575-234-6230

Crisha Morgan
Environmental Protection Specialist
575-234-5987

Melissa Horn
Environmental Protection Specialist
575-234-5951

Kelsey Wade
Environmental Protection Specialist
575-234-2220

Trishia Bad Bear, Hobbs Field Station
Natural Resource Specialist
575-393-3612



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE
620 EAST GREENE STREET
CARLSBAD, NEW MEXICO 88220

OFFICIAL USE
PENALTY FOR PRIVATE USE \$300

LUBBOCK TX 794
15 OCT 2020PM 1 L

FIRST-CLASS MAIL

Hasler

10/14/2020

US POSTAGE \$000.50⁰



ZIP 88220
011E11520047

LEGACY RESERVES OPERATING
303 WEST WALL SUITE 1800
MIDLAND TX
79702

Copy

79701-510650

