

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address		² OGRID Number	
		³ Reason for Filing Code/ Effective Date	
⁴ API Number	⁵ Pool Name		⁶ Pool Code
⁷ Property Code	⁸ Property Name		⁹ Well Number

II. ¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Lse Code	¹³ Producing Method Code		¹⁴ Gas Connection Date		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBDT	²⁵ Perforations	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Fatima Vasquez</i>			OIL CONSERVATION DIVISION		
Printed name:			Approved by: Kurt Simmons		
Title:			Title: NMOCD, Santa Fe		
E-mail Address:			Approval Date: 04/13/2021		
Date:		Phone:			

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-45502		² Pool Code 98158	³ Pool Name WC-025 G-09 S253236A; UPR WOLFCAMP	
⁴ Property Code 326032	⁵ Property Name RED HILLS 32-5 Federal Com			⁶ Well Number 127H
⁷ OGRID No. 215099	⁸ Operator Name CIMAREX ENERGY CO.			⁹ Elevation 3396.8'


¹⁰ Surface Location

UL or lot no. D	Section 32	Township 25S	Range 33E	Lot Idn	Feet from the 390	North/South line NORTH	Feet from the 510	East/West line WEST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. N	Section 5	Township 26S	Range 33E	Lot Idn	Feet from the 92	North/South line SOUTH	Feet from the 1415	East/West line WEST	County LEA
¹² Dedicated Acres 640		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





Final Surveys - Cimarex Red Hills 32-5 Fed Com #127H MWD 0ft-22412ft (Surcon Corrected) Survey Geodetic Report (Def Survey)



Report Date: January 28, 2021 - 09:17 AM Client: Cimarex Field: NM Lea County (NAD 83) Structure / Slot: Cimarex Red Hills 32-5 Fed Com #127H / Cimarex Red Hills 32-5 Fed Com #127H Well: Cimarex Red Hills 32-5 Fed Com #127H Borehole: Original Borehole UWI / API#: Unknown / Unknown Survey Name: Final Surveys - Cimarex Red Hills 32-5 Fed Com #127H MWD 0ft-22412ft (Surcon Corrected) Survey Date: January 24, 2020 Tort / AHD / DDI / ERD Ratio: 320.028 ° / 11052.242 ft / 6.802 / 0.883 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 5' 35.69256", W 103° 36' 4.35039" Location Grid N/E Y/X: N 398430.030 ftUS, E 768060.200 ftUS CRS Grid Convergence Angle: 0.3890 ° Grid Scale Factor: 0.99996796 Version / Patch: 2.10.824.0	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 179.604 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3419.800 ft above MSL Seabed / Ground Elevation: 3396.800 ft above MSL Magnetic Declination: 6.569 ° Total Gravity Field Strength: 998.4293mgn (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47673.090 nT Magnetic Dip Angle: 59.668 ° Declination Date: March 10, 2020 Magnetic Declination Model: HDGM 2019 North Reference: Grid North Grid Convergence Used: 0.3890 ° Total Corr Mag North->Grid North: 6.1804 ° Local Coord Referenced To: Structure Reference Point	Minimum Curvature / Lubinski 179.604 ° (Grid North) 0.000 ft, 0.000 ft RKB 3419.800 ft above MSL 3396.800 ft above MSL 6.569 ° 998.4293mgn (9.80665 Based) GARM 47673.090 nT 59.668 ° March 10, 2020 HDGM 2019 Grid North 0.3890 ° 6.1804 ° Structure Reference Point
---	--	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure Azimuth (°)	Closure (ft)
SHL [390' FNL, 510' FWL]	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	398430.03	768060.20	N 32 5 35.69	W 103 36 4.35	0.00	0.00
	138.00	0.52	297.87	138.00	-0.30	0.29	-0.55	0.38	398430.32	768059.65	N 32 5 35.70	W 103 36 4.36	297.87	0.63
	225.00	0.84	20.21	224.99	-1.08	1.08	-0.68	1.07	398431.11	768059.52	N 32 5 35.70	W 103 36 4.36	327.62	1.27
	321.00	0.80	22.46	320.98	-2.36	2.36	-0.18	0.05	398432.39	768060.02	N 32 5 35.72	W 103 36 4.35	355.55	2.36
	412.00	0.69	35.57	411.98	-3.39	3.39	0.38	0.22	398433.42	768060.58	N 32 5 35.73	W 103 36 4.35	6.37	3.41
	502.00	0.79	29.29	501.97	-4.36	4.37	1.00	0.14	398434.40	768061.20	N 32 5 35.74	W 103 36 4.34	12.85	4.48
	594.00	0.67	31.49	593.96	-5.37	5.38	1.59	0.13	398435.41	768061.79	N 32 5 35.75	W 103 36 4.33	16.44	5.61
	685.00	0.73	18.70	684.95	-6.37	6.38	2.05	0.18	398436.41	768062.25	N 32 5 35.76	W 103 36 4.33	17.82	6.71
	776.00	0.76	24.73	775.95	-7.46	7.48	2.49	0.09	398437.51	768062.69	N 32 5 35.77	W 103 36 4.32	18.41	7.89
	867.00	0.76	16.28	866.94	-8.59	8.61	2.91	0.12	398438.64	768063.11	N 32 5 35.78	W 103 36 4.32	18.69	9.09
	942.00	0.75	7.51	941.93	-9.55	9.57	3.12	0.15	398439.60	768063.32	N 32 5 35.79	W 103 36 4.31	18.03	10.07
	1056.00	0.66	12.50	1055.92	-10.93	10.95	3.36	0.10	398440.98	768063.56	N 32 5 35.80	W 103 36 4.31	17.03	11.46
	1150.00	0.64	21.98	1149.92	-11.94	11.97	3.67	0.12	398442.00	768063.87	N 32 5 35.81	W 103 36 4.31	17.04	12.52
	1244.00	0.57	35.25	1243.91	-12.81	12.84	4.14	0.17	398442.87	768064.34	N 32 5 35.82	W 103 36 4.30	17.85	13.49
	1339.00	0.60	18.80	1338.91	-13.66	13.70	4.57	0.18	398443.72	768064.77	N 32 5 35.83	W 103 36 4.30	18.45	14.44
	1433.00	0.64	359.16	1432.90	-14.65	14.69	4.72	0.23	398444.72	768064.92	N 32 5 35.84	W 103 36 4.29	17.81	15.43
	1528.00	0.65	355.44	1527.90	-15.72	15.75	4.67	0.05	398445.78	768064.87	N 32 5 35.85	W 103 36 4.29	16.51	16.43
	1623.00	0.58	351.38	1622.89	-16.73	16.77	4.55	0.09	398446.80	768064.75	N 32 5 35.86	W 103 36 4.30	15.20	17.37
	1717.00	0.60	344.20	1716.89	-17.68	17.71	4.35	0.08	398447.74	768064.55	N 32 5 35.87	W 103 36 4.30	13.80	18.24
	1812.00	0.50	346.71	1811.88	-18.56	18.59	4.12	0.11	398448.62	768064.32	N 32 5 35.88	W 103 36 4.30	12.49	19.04
	1907.00	0.46	330.31	1906.88	-19.30	19.33	3.83	0.15	398449.36	768064.03	N 32 5 35.88	W 103 36 4.30	11.22	19.70
	2002.00	0.34	40.76	2001.88	-19.84	19.87	3.83	0.50	398449.90	768064.03	N 32 5 35.89	W 103 36 4.30	10.91	20.24
	2095.00	0.59	62.94	2094.87	-20.27	20.30	4.44	0.33	398450.33	768064.64	N 32 5 35.89	W 103 36 4.30	12.33	20.78
	2190.00	0.67	56.98	2189.87	-20.79	20.82	5.34	0.11	398450.85	768065.54	N 32 5 35.90	W 103 36 4.29	14.37	21.50
	2285.00	0.80	61.21	2284.86	-21.40	21.45	6.38	0.15	398451.48	768066.58	N 32 5 35.90	W 103 36 4.27	16.58	22.38
	2380.00	0.94	54.53	2379.85	-22.16	22.22	7.60	0.18	398452.25	768067.80	N 32 5 35.91	W 103 36 4.26	18.88	23.48
	2475.00	0.99	57.16	2474.84	-23.05	23.11	8.92	0.07	398453.14	768069.12	N 32 5 35.92	W 103 36 4.24	21.11	24.78
	2569.00	0.97	61.36	2568.82	-23.86	23.94	10.30	0.08	398453.97	768070.50	N 32 5 35.93	W 103 36 4.23	23.29	26.06
	2663.00	1.15	61.29	2662.81	-24.69	24.77	11.83	0.19	398454.80	768072.03	N 32 5 35.94	W 103 36 4.21	25.53	27.45
	2758.00	2.24	73.90	2757.76	-25.64	25.74	14.45	1.21	398455.77	768074.65	N 32 5 35.95	W 103 36 4.18	29.31	29.52
	2853.00	4.08	83.07	2852.61	-26.53	26.67	19.59	2.00	398456.70	768079.79	N 32 5 35.96	W 103 36 4.12	36.30	33.09
	2948.00	5.72	87.46	2947.26	-27.09	27.28	27.67	1.77	398457.31	768087.87	N 32 5 35.96	W 103 36 4.03	45.41	38.86
	3043.00	7.43	90.99	3041.64	-27.12	27.39	38.55	1.85	398457.42	768098.74	N 32 5 35.96	W 103 36 3.90	54.61	47.28

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure Azimuth (°)	Closure (ft)
	3137.00	8.95	93.28	3134.68	-26.50	26.86	51.92	1.65	398456.89	768112.12	N 32 5 35.95	W 103 36 3.74	62.64	58.46
	3232.00	9.08	92.39	3228.50	-25.67	26.13	66.79	0.20	398456.16	768126.99	N 32 5 35.95	W 103 36 3.57	68.63	71.72
	3327.00	8.80	89.62	3322.35	-25.30	25.86	81.55	0.54	398455.89	768141.74	N 32 5 35.94	W 103 36 3.40	72.40	85.55
	3422.00	8.98	92.05	3416.21	-24.98	25.65	96.22	0.44	398455.68	768156.42	N 32 5 35.94	W 103 36 3.23	75.08	99.58
	3517.00	9.08	92.72	3510.03	-24.26	25.03	111.12	0.15	398455.06	768171.32	N 32 5 35.93	W 103 36 3.06	77.31	113.90
	3612.00	9.24	88.99	3603.82	-23.93	24.81	126.23	0.65	398454.83	768186.43	N 32 5 35.93	W 103 36 2.88	78.88	128.65
	3707.00	8.93	92.79	3697.63	-23.60	24.58	141.22	0.71	398454.61	768201.42	N 32 5 35.93	W 103 36 2.71	80.13	143.35
	3801.00	8.99	91.19	3790.48	-23.00	24.07	155.85	0.27	398454.10	768216.05	N 32 5 35.92	W 103 36 2.54	81.22	157.70
	3896.00	8.51	89.16	3884.38	-22.84	24.02	170.30	0.60	398454.05	768230.50	N 32 5 35.92	W 103 36 2.37	81.97	171.99
	3990.00	8.49	93.80	3977.34	-22.39	23.66	184.18	0.73	398453.69	768244.38	N 32 5 35.91	W 103 36 2.21	82.68	185.70
	4085.00	8.31	95.73	4071.33	-21.14	22.51	198.01	0.35	398452.54	768258.20	N 32 5 35.90	W 103 36 2.05	83.51	199.29
	4179.00	8.15	95.22	4164.36	-19.77	21.23	211.40	0.19	398451.26	768271.60	N 32 5 35.89	W 103 36 1.89	84.27	212.47
	4274.00	8.46	97.33	4258.36	-18.17	19.73	225.04	0.46	398449.75	768285.23	N 32 5 35.87	W 103 36 1.73	84.99	225.90
	4369.00	7.96	96.01	4352.39	-16.50	18.15	238.51	0.56	398448.17	768298.71	N 32 5 35.86	W 103 36 1.58	85.65	239.20
	4464.00	7.96	97.30	4446.47	-14.88	16.62	251.58	0.19	398446.65	768311.77	N 32 5 35.84	W 103 36 1.42	86.22	252.13
	4559.00	8.07	101.75	4540.54	-12.60	14.43	264.63	0.66	398444.46	768324.83	N 32 5 35.82	W 103 36 1.27	86.88	265.03
	4654.00	7.53	99.81	4634.67	-10.09	12.01	277.30	0.63	398442.04	768337.49	N 32 5 35.79	W 103 36 1.13	87.52	277.56
	4749.00	6.72	91.94	4728.93	-8.76	10.76	288.99	1.33	398440.79	768349.18	N 32 5 35.78	W 103 36 0.99	87.87	289.19
	4843.00	7.46	89.09	4822.21	-8.59	10.67	300.58	0.87	398440.70	768360.77	N 32 5 35.78	W 103 36 0.86	87.97	300.77
	4939.00	8.04	91.16	4917.34	-8.47	10.63	313.53	0.67	398440.66	768373.72	N 32 5 35.78	W 103 36 0.71	88.06	313.71
	5034.00	8.39	92.06	5011.36	-7.99	10.25	327.10	0.39	398440.28	768387.28	N 32 5 35.77	W 103 36 0.55	88.21	327.26
	5129.00	8.51	91.07	5105.33	-7.51	9.87	341.05	0.20	398439.90	768401.24	N 32 5 35.77	W 103 36 0.39	88.34	341.19
	5223.00	8.61	90.76	5198.28	-7.19	9.65	355.04	0.12	398439.68	768415.23	N 32 5 35.76	W 103 36 0.22	88.44	355.17
	5318.00	8.43	90.37	5292.24	-6.96	9.51	369.11	0.20	398439.54	768429.30	N 32 5 35.76	W 103 36 0.06	88.52	369.24
	5413.00	8.17	89.70	5386.24	-6.85	9.50	382.83	0.29	398439.53	768443.01	N 32 5 35.76	W 103 35 59.90	88.58	382.94
	5508.00	8.19	88.96	5480.27	-6.92	9.66	396.34	0.11	398439.68	768456.53	N 32 5 35.76	W 103 35 59.74	88.60	396.46
	5604.00	8.75	91.18	5575.23	-6.79	9.63	410.48	0.68	398439.66	768470.67	N 32 5 35.76	W 103 35 59.58	88.66	410.59
	5699.00	8.78	91.03	5669.12	-6.41	9.35	424.95	0.04	398439.38	768485.14	N 32 5 35.76	W 103 35 59.41	88.74	425.06
	5793.00	8.66	90.00	5762.03	-6.19	9.22	439.20	0.21	398439.25	768499.39	N 32 5 35.75	W 103 35 59.24	88.80	439.30
	5888.00	9.16	92.31	5855.88	-5.78	8.92	453.91	0.65	398438.95	768514.10	N 32 5 35.75	W 103 35 59.07	88.87	454.00
	5982.00	8.91	93.10	5948.72	-4.98	8.22	468.66	0.30	398438.25	768528.84	N 32 5 35.74	W 103 35 58.90	89.00	468.73
	6076.00	8.77	91.58	6041.60	-4.29	7.63	483.09	0.29	398437.66	768543.27	N 32 5 35.74	W 103 35 58.73	89.10	483.15
	6170.00	8.73	91.01	6134.51	-3.87	7.31	497.38	0.10	398437.34	768557.57	N 32 5 35.73	W 103 35 58.57	89.16	497.44
	6264.00	8.47	89.40	6227.45	-3.72	7.25	511.44	0.38	398437.28	768571.62	N 32 5 35.73	W 103 35 58.40	89.19	511.49
	6358.00	8.48	91.30	6320.42	-3.54	7.17	525.29	0.30	398437.20	768585.47	N 32 5 35.73	W 103 35 58.24	89.22	525.34
	6453.00	8.66	92.66	6414.36	-2.95	6.68	539.44	0.29	398436.71	768599.62	N 32 5 35.72	W 103 35 58.08	89.29	539.48
	6547.00	8.60	91.89	6507.30	-2.29	6.12	553.53	0.14	398436.15	768613.71	N 32 5 35.72	W 103 35 57.92	89.37	553.56
	6641.00	8.47	91.69	6600.26	-1.76	5.68	567.47	0.14	398435.71	768627.66	N 32 5 35.71	W 103 35 57.75	89.43	567.50
	6737.00	8.09	90.80	6695.26	-1.36	5.38	581.30	0.42	398435.41	768641.48	N 32 5 35.71	W 103 35 57.59	89.47	581.32
	6831.00	7.95	90.05	6788.34	-1.17	5.28	594.41	0.19	398435.31	768654.59	N 32 5 35.70	W 103 35 57.44	89.49	594.43
	6926.00	8.06	88.23	6882.41	-1.28	5.48	607.64	0.29	398435.51	768667.82	N 32 5 35.71	W 103 35 57.29	89.48	607.66
	7021.00	7.97	87.71	6976.48	-1.66	5.95	620.87	0.12	398435.98	768681.05	N 32 5 35.71	W 103 35 57.13	89.45	620.90
	7116.00	7.85	90.14	7070.58	-1.81	6.20	633.94	0.37	398436.23	768694.12	N 32 5 35.71	W 103 35 56.98	89.44	633.97
	7211.00	7.60	90.61	7164.72	-1.64	6.11	646.71	0.27	398436.14	768706.89	N 32 5 35.71	W 103 35 56.83	89.46	646.74
	7306.00	8.07	91.86	7258.83	-1.27	5.83	659.66	0.53	398435.86	768719.84	N 32 5 35.71	W 103 35 56.68	89.49	659.68
	7400.00	7.86	90.35	7351.93	-0.93	5.58	672.68	0.32	398435.61	768732.86	N 32 5 35.70	W 103 35 56.53	89.52	672.70
	7495.00	8.54	92.11	7445.95	-0.53	5.28	686.23	0.76	398435.31	768746.40	N 32 5 35.70	W 103 35 56.37	89.56	686.25
	7590.00	8.32	93.37	7539.93	0.23	4.61	700.14	0.30	398434.64	768760.31	N 32 5 35.69	W 103 35 56.21	89.62	700.15
	7685.00	7.79	93.48	7633.99	1.11	3.82	713.42	0.56	398433.85	768773.60	N 32 5 35.68	W 103 35 56.06	89.69	713.43
	7779.00	7.27	92.89	7727.18	1.88	3.13	725.72	0.56	398433.16	768785.90	N 32 5 35.67	W 103 35 55.91	89.75	725.73
	7873.00	7.67	93.10	7820.38	2.61	2.49	737.93	0.43	398432.52	768798.10	N 32 5 35.67	W 103 35 55.77	89.81	737.93
	7968.00	8.21	91.78	7914.47	3.25	1.94	751.04	0.60	398431.97	768811.21	N 32 5 35.66	W 103 35 55.62	89.85	751.04
	8063.00	8.26	91.80	8008.49	3.77	1.51	764.64	0.05	398431.54	768824.81	N 32 5 35.66	W 103 35 55.46	89.89	764.64
	8157.00	7.87	91.47	8101.56	4.24	1.14	777.82	0.42	398431.17	768837.99	N 32 5 35.65	W 103 35 55.31	89.92	777.82
	8252.00	7.59	91.76	8195.70	4.69	0.78	790.59	0.30	398430.81	768850.77	N 32 5 35.65	W 103 35 55.16	89.94	790.59
	8346.00	7.14	92.00	8288.92	5.16	0.38	802.64	0.48	398430.41	768862.81	N 32 5 35.64	W 103 35 55.02	89.97	802.64
	8441.00	6.63	91.49	8383.24	5.59	0.03	814.02	0.54	398430.06	768874.19	N 32 5 35.64	W 103 35 54.89	90.00	814.02
	8536.00	6.19	90.77	8477.64	5.88	-0.18	824.62	0.47	398429.85	768884.79	N 32 5 35.64	W 103 35 54.77	90.01	824.62
	8630.00	5.54	90.20	8571.15	6.03	-0.26	834.23	0.69	398429.77	768894.40	N 32 5 35.63	W 103 35 54.65	90.02	834.23
	8725.00	5.10	88.61	8665.74	6.00	-0.17	843.03	0.49	398429.86	768903.21	N 32 5 35.63	W 103 35 54.55	90.01	843.03
	8819.00	4.55	86.59	8759.41	5.73	0.15	850.93	0.61	398430.18	768911.10	N 32 5 35.64	W 103 35 54.46	89.99	850.93
	8914.00	4.25	84.09	8854.13	5.20	0.74	858.20	0.37	398430.77	768918.37	N 32 5 35.64	W 103 35 54.37	89.95	858.20
	9009.00	3.79	78.72	8948.89	4.26	1.71	864.78	0.63	398431.74	768924.95	N 32 5 35.65	W 103 35 54.30	89.89	864.78
	9104.00	2.57	70.68	9043.74	2.98	3.03	869.87	1.36	398433.06	768930.04	N 32 5 35.66	W 103 35 54.24	89.80	869.87
	9198.00	0.98	31.43	9137.70	1.61	4.41	872.27	2.04	398434.44	768932.44	N 32 5 35.68	W 103 35 54.21	89.71	872.29
	9293.00	0.68	36.72	9232.69	0.47	5.56	873.03	0.33	398435.59	768933.21	N 32 5 35.69	W 103 35 54.20	89.64	873.05
	9388.00	1.24	87.02	9327.68	-0.02	6.06	874.40	1.01	398436.09	768934.57	N 32 5 35.69	W 103 35 54.19	89.60	874.42

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure Azimuth (°)	Closure (ft)
	9483.00	1.92	87.18	9422.64	-0.14	6.20	877.01	0.72	398436.23	768937.18	N 32 5 35.69	W 103 35 54.16	89.60	877.04
	9579.00	1.10	100.41	9518.61	-0.03	6.11	879.53	0.92	398436.14	768939.70	N 32 5 35.69	W 103 35 54.13	89.60	879.55
	9674.00	0.71	85.28	9613.59	0.10	5.99	881.01	0.48	398436.02	768941.18	N 32 5 35.69	W 103 35 54.11	89.61	881.03
	9769.00	1.04	18.77	9708.59	-0.76	6.86	881.87	1.05	398436.89	768942.04	N 32 5 35.70	W 103 35 54.10	89.55	881.90
	9864.00	1.42	4.29	9803.56	-2.75	8.85	882.24	0.51	398438.88	768942.41	N 32 5 35.72	W 103 35 54.09	89.43	882.28
	9959.00	0.43	358.38	9898.55	-4.28	10.38	882.32	1.05	398440.41	768942.49	N 32 5 35.74	W 103 35 54.09	89.33	882.38
	10053.00	1.01	134.05	9992.55	-4.05	10.15	882.90	1.44	398440.18	768943.07	N 32 5 35.73	W 103 35 54.09	89.34	882.96
	10147.00	2.71	141.88	10086.49	-1.71	7.83	884.87	1.82	398437.86	768945.04	N 32 5 35.71	W 103 35 54.06	89.49	884.91
	10242.00	1.88	155.01	10181.42	1.48	4.65	886.92	1.03	398434.68	768947.09	N 32 5 35.68	W 103 35 54.04	89.70	886.93
	10336.00	0.93	295.47	10275.40	2.55	3.58	886.88	2.83	398433.61	768947.05	N 32 5 35.67	W 103 35 54.04	89.77	886.89
	10431.00	2.66	296.25	10370.35	1.22	4.89	884.20	1.82	398434.92	768944.37	N 32 5 35.68	W 103 35 54.07	89.68	884.22
	10525.00	3.36	281.37	10464.22	-0.32	6.40	879.55	1.11	398436.43	768939.72	N 32 5 35.70	W 103 35 54.13	89.58	879.57
	10620.00	3.75	280.15	10559.04	-1.45	7.49	873.76	0.42	398437.52	768933.93	N 32 5 35.71	W 103 35 54.19	89.51	873.79
	10715.00	3.13	279.04	10653.87	-2.45	8.45	868.14	0.66	398438.48	768928.31	N 32 5 35.72	W 103 35 54.26	89.44	868.18
	10810.00	2.17	263.71	10748.77	-2.69	8.66	863.79	1.25	398438.69	768923.96	N 32 5 35.72	W 103 35 54.31	89.43	863.84
	10904.00	1.79	229.36	10842.71	-1.56	7.51	860.91	1.30	398437.54	768921.08	N 32 5 35.71	W 103 35 54.34	89.50	860.94
	10998.00	1.36	234.33	10936.68	0.04	5.90	858.89	0.48	398435.93	768919.06	N 32 5 35.69	W 103 35 54.37	89.61	858.91
	11093.00	0.63	280.41	11031.66	0.59	5.34	857.46	1.08	398435.37	768917.63	N 32 5 35.69	W 103 35 54.38	89.64	857.48
	11187.00	2.04	289.21	11125.64	-0.07	5.98	855.37	1.51	398436.01	768915.54	N 32 5 35.69	W 103 35 54.41	89.60	855.39
	11282.00	2.11	288.92	11220.57	-1.21	7.10	852.12	0.07	398437.13	768912.29	N 32 5 35.71	W 103 35 54.44	89.52	852.15
	11376.00	0.78	267.23	11314.54	-1.76	7.63	849.84	1.51	398437.66	768910.01	N 32 5 35.71	W 103 35 54.47	89.49	849.88
	11470.00	0.81	125.68	11408.54	-1.34	7.22	849.74	1.60	398437.25	768909.92	N 32 5 35.71	W 103 35 54.47	89.51	849.77
	11565.00	1.01	122.61	11503.53	-0.49	6.37	850.99	0.22	398436.40	768911.17	N 32 5 35.70	W 103 35 54.46	89.57	851.02
	11659.00	0.37	159.02	11597.52	0.24	5.64	851.80	0.79	398435.67	768911.97	N 32 5 35.69	W 103 35 54.45	89.62	851.82
	11754.00	0.49	265.80	11692.52	0.56	5.33	851.51	0.73	398435.36	768911.68	N 32 5 35.69	W 103 35 54.45	89.64	851.52
	11849.00	0.88	286.95	11787.51	0.37	5.51	850.40	0.48	398435.54	768910.57	N 32 5 35.69	W 103 35 54.47	89.63	850.42
	11936.00	1.14	293.58	11874.50	-0.18	6.05	848.97	0.33	398436.08	768909.14	N 32 5 35.70	W 103 35 54.48	89.59	848.99
First SLB Survey	11981.00	1.18	293.34	11919.49	-0.55	6.41	848.14	0.09	398436.44	768908.31	N 32 5 35.70	W 103 35 54.49	89.57	848.16
	12013.00	1.02	259.07	11951.48	-0.63	6.49	847.55	2.08	398436.52	768907.72	N 32 5 35.70	W 103 35 54.50	89.56	847.58
KOP [389' FNL, 1357' FWL]	12040.00	2.66	204.13	11978.47	-0.02	5.87	847.06	8.29	398435.90	768907.23	N 32 5 35.69	W 103 35 54.50	89.60	847.08
	12045.00	3.05	201.22	11983.46	0.21	5.64	846.97	8.29	398435.67	768907.14	N 32 5 35.69	W 103 35 54.51	89.62	846.98
	12076.00	6.69	192.03	12014.35	2.74	3.11	846.29	11.97	398433.14	768906.46	N 32 5 35.67	W 103 35 54.51	89.79	846.30
	12108.00	10.66	188.36	12045.98	7.49	-1.65	845.47	12.52	398428.38	768905.64	N 32 5 35.62	W 103 35 54.52	90.11	845.47
	12140.00	13.36	189.39	12077.27	14.06	-8.22	844.44	8.46	398421.81	768904.61	N 32 5 35.55	W 103 35 54.54	90.56	844.48
	12171.00	16.09	189.04	12107.25	21.83	-16.00	843.18	8.81	398414.03	768903.35	N 32 5 35.48	W 103 35 54.55	91.09	843.33
	12202.00	19.19	188.17	12136.79	31.11	-25.29	841.78	10.04	398404.74	768901.95	N 32 5 35.39	W 103 35 54.57	91.72	842.16
	12234.00	22.10	186.50	12166.73	42.29	-36.48	840.35	9.28	398393.55	768900.52	N 32 5 35.28	W 103 35 54.59	92.49	841.14
	12265.00	24.41	182.56	12195.21	54.47	-48.67	839.40	8.98	398381.36	768899.57	N 32 5 35.15	W 103 35 54.60	93.32	840.81
	12296.00	27.51	176.01	12223.09	68.02	-62.22	839.61	13.61	398367.81	768899.79	N 32 5 35.02	W 103 35 54.60	94.24	841.92
	12328.00	30.82	169.16	12251.03	83.47	-77.65	841.67	14.68	398352.38	768901.84	N 32 5 34.87	W 103 35 54.57	95.27	845.25
	12360.00	35.51	168.93	12277.81	100.67	-94.84	845.00	14.66	398335.20	768905.17	N 32 5 34.70	W 103 35 54.54	96.40	850.30
	12407.00	42.86	172.21	12314.22	129.98	-124.11	849.79	16.24	398305.92	768909.97	N 32 5 34.41	W 103 35 54.48	98.31	858.81
	12455.00	50.46	172.59	12347.14	164.59	-158.69	854.40	15.84	398271.34	768914.57	N 32 5 34.06	W 103 35 54.43	100.52	869.01
	12502.00	56.08	171.77	12375.24	201.93	-195.99	859.53	12.04	398234.04	768919.70	N 32 5 33.70	W 103 35 54.37	102.85	881.60
	12550.00	60.42	171.02	12400.49	242.32	-236.34	865.65	9.14	398193.70	768925.82	N 32 5 33.30	W 103 35 54.31	105.27	897.33
	12597.00	62.76	171.75	12422.85	283.23	-277.21	871.83	5.16	398152.83	768932.01	N 32 5 32.89	W 103 35 54.24	107.64	914.84
	12645.00	68.44	173.69	12442.68	326.61	-320.55	877.35	12.39	398109.49	768937.52	N 32 5 32.46	W 103 35 54.18	110.07	934.08
	12798.00	78.18	175.35	12486.57	472.41	-466.26	891.28	6.45	398096.79	768951.45	N 32 5 31.02	W 103 35 54.03	117.62	1005.87
First Take Point [955' FNL, 1404' FWL]	12893.00	81.89	176.48	12503.00	565.76	-559.57	897.94	4.08	397870.48	768958.11	N 32 5 30.10	W 103 35 53.96	121.93	1058.02
	12987.00	86.17	178.06	12512.78	659.15	-652.93	902.38	4.85	397777.12	768962.55	N 32 5 29.17	W 103 35 53.91	125.89	1113.83
	13082.00	89.41	179.59	12516.44	754.06	-747.82	904.33	3.77	397682.23	768964.50	N 32 5 28.23	W 103 35 53.90	129.59	1173.48
	13177.00	90.38	180.65	12516.62	849.05	-842.82	904.13	1.51	397587.24	768964.30	N 32 5 27.29	W 103 35 53.91	132.99	1236.04
	13272.00	90.08	182.02	12516.23	944.00	-937.79	901.92	1.48	397492.27	768962.09	N 32 5 26.35	W 103 35 53.94	136.12	1301.12
	13367.00	91.39	182.69	12515.02	1038.88	-1032.70	898.01	1.55	397397.36	768958.18	N 32 5 25.41	W 103 35 53.99	138.99	1368.54
	13461.00	91.19	180.75	12512.90	1132.79	-1126.63	895.19	2.07	397303.44	768955.36	N 32 5 24.48	W 103 35 54.03	141.53	1438.98
	13556.00	93.82	177.80	12508.75	1227.68	-1221.51	896.39	4.16	397208.56	768956.56	N 32 5 23.55	W 103 35 54.03	143.73	1515.13
	13651.00	91.63	174.69	12504.23	1322.39	-1316.19	902.61	4.00	397113.89	768962.78	N 32 5 22.61	W 103 35 53.96	145.56	1595.95
	13746.00	90.37	174.29	12502.57	1417.00	-1410.73	911.73	1.39	397019.35	768971.90	N 32 5 21.67	W 103 35 53.86	147.13	1679.70
	13841.00	89.11	175.96	12503.00	1511.70	-1505.38	919.80	2.20	396924.70	768979.97	N 32 5 20.73	W 103 35 53.78	148.57	1764.14
	13935.00	88.55	178.29	12504.92	1605.59	-1599.24	924.51	2.55	396830.85	768984.68	N 32 5 19.81	W 103 35 53.73	149.97	1847.24
	14030.00	89.01	180.02	12506.94	1700.56	-1694.20	925.91	1.88	396735.89	768986.08	N 32 5 18.87	W 103 35 53.72	151.34	1930.71
	14125.00	90.90	180.52	12507.02	1795.55	-1789.19	925.47	2.06	396640.90	768985.64	N 32 5 17.93	W 103 35 53.73	152.65	2014.37
	14219.00	90.17	181.46	12506.14	1889.51	-1883.17	923.84	1.27	396546.92	768984.01	N 32 5 17.00	W 103 35 53.76	153.87	2097.58

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure Azimuth (°)	Closure (ft)
	14314.00	89.95	180.68	12506.04	1984.48	-1978.16	922.07	0.85	396451.94	768982.24	N 32 5 16.06	W 103 35 53.79	155.01	2182.50
	14408.00	90.01	180.80	12506.07	2078.46	-2072.15	920.86	0.14	396357.95	768981.02	N 32 5 15.13	W 103 35 53.81	156.04	2267.55
	14503.00	90.68	181.16	12505.50	2173.43	-2167.13	919.23	0.80	396262.97	768979.40	N 32 5 14.19	W 103 35 53.84	157.01	2354.03
	14597.00	89.00	180.67	12505.77	2267.41	-2261.12	917.73	1.86	396168.99	768977.90	N 32 5 13.26	W 103 35 53.86	157.91	2440.26
	14692.00	89.65	181.17	12506.88	2362.37	-2356.10	916.20	0.86	396074.01	768976.37	N 32 5 12.32	W 103 35 53.89	158.75	2527.97
	14788.00	91.21	181.92	12506.16	2458.31	-2452.06	913.62	1.80	395978.06	768973.78	N 32 5 11.37	W 103 35 53.92	159.57	2616.73
	14882.00	89.45	179.58	12505.62	2552.28	-2546.04	912.39	3.11	395884.08	768972.55	N 32 5 10.44	W 103 35 53.95	160.28	2704.58
	14977.00	91.05	179.29	12505.21	2647.28	-2641.03	913.32	1.71	395789.09	768973.49	N 32 5 9.50	W 103 35 53.94	160.92	2794.49
	15072.00	89.98	178.67	12504.35	2742.27	-2736.01	915.01	1.30	395694.12	768975.18	N 32 5 8.56	W 103 35 53.93	161.51	2884.96
	15167.00	90.65	179.12	12503.83	2837.26	-2830.99	916.85	0.85	395599.14	768977.01	N 32 5 7.62	W 103 35 53.92	162.05	2975.75
	15261.00	88.84	178.38	12504.25	2931.24	-2924.96	918.90	2.08	395505.17	768979.06	N 32 5 6.69	W 103 35 53.90	162.56	3065.90
	15355.00	90.63	180.43	12504.68	3025.23	-3018.94	919.87	2.90	395411.19	768980.04	N 32 5 5.76	W 103 35 53.90	163.05	3155.98
	15451.00	90.44	179.57	12503.79	3121.22	-3114.94	919.87	0.92	395315.20	768980.04	N 32 5 4.81	W 103 35 53.90	163.55	3247.92
	15545.00	91.19	179.03	12502.45	3215.21	-3208.92	921.02	0.98	395221.22	768981.19	N 32 5 3.88	W 103 35 53.90	163.99	3338.48
	15640.00	90.27	179.68	12501.24	3310.20	-3303.91	922.09	1.19	395126.24	768982.26	N 32 5 2.94	W 103 35 53.89	164.41	3430.17
	15735.00	91.50	179.53	12499.77	3405.19	-3398.89	922.74	1.30	395031.26	768982.91	N 32 5 2.00	W 103 35 53.89	164.81	3521.92
	15830.00	90.24	179.32	12498.33	3500.17	-3493.87	923.70	1.34	394936.28	768983.87	N 32 5 1.06	W 103 35 53.89	165.19	3613.91
	15925.00	90.72	180.37	12497.54	3595.17	-3588.87	923.95	1.22	394841.28	768984.12	N 32 5 0.12	W 103 35 53.89	165.56	3705.90
	16020.00	91.14	182.00	12495.99	3690.12	-3683.83	921.99	1.77	394746.32	768982.16	N 32 4 59.18	W 103 35 53.93	165.95	3797.46
	16115.00	90.15	183.65	12494.92	3784.96	-3778.71	917.31	2.03	394651.45	768977.48	N 32 4 58.24	W 103 35 53.99	166.35	3888.45
	16210.00	91.22	184.36	12493.79	3879.67	-3873.46	910.67	1.35	394556.70	768970.84	N 32 4 57.30	W 103 35 54.07	166.77	3979.08
	16305.00	90.62	183.12	12492.26	3974.40	-3968.25	904.48	1.45	394461.92	768964.65	N 32 4 56.37	W 103 35 54.15	167.16	4070.02
	16400.00	90.69	181.88	12491.18	4069.28	-4063.15	900.34	1.31	394367.02	768960.50	N 32 4 55.43	W 103 35 54.21	167.51	4161.70
	16495.00	91.02	181.57	12489.76	4164.20	-4158.10	897.48	0.48	394272.08	768957.65	N 32 4 54.49	W 103 35 54.25	167.82	4253.85
	16590.00	90.11	181.36	12488.82	4259.14	-4253.06	895.05	0.98	394177.12	768955.22	N 32 4 53.55	W 103 35 54.28	168.12	4346.22
	16685.00	90.76	180.59	12488.10	4354.11	-4348.04	893.43	1.06	394082.14	768953.60	N 32 4 52.61	W 103 35 54.31	168.39	4438.88
	16780.00	90.56	180.84	12487.01	4449.09	-4443.03	892.25	0.34	393987.15	768952.41	N 32 4 51.67	W 103 35 54.33	168.64	4531.73
	16875.00	90.75	180.86	12485.92	4544.06	-4538.01	890.84	0.20	393892.17	768951.01	N 32 4 50.73	W 103 35 54.35	168.89	4624.62
	16970.00	89.94	179.00	12485.35	4639.05	-4633.00	890.95	2.14	393797.18	768951.12	N 32 4 49.79	W 103 35 54.36	169.11	4717.89
	17065.00	91.36	176.34	12484.27	4733.98	-4727.91	894.81	3.17	393702.28	768954.98	N 32 4 48.85	W 103 35 54.32	169.28	4811.84
	17160.00	90.67	175.53	12482.59	4828.77	-4822.65	901.55	1.12	393607.54	768961.72	N 32 4 47.91	W 103 35 54.25	169.41	4906.20
Private Leaseline Crossing [1386' FWL]	17224.40	90.03	172.77	12482.19	4892.87	-4886.71	908.11	4.40	393543.49	768968.28	N 32 4 47.28	W 103 35 54.18	169.47	4970.37
	17255.00	89.73	171.46	12482.26	4923.21	-4917.02	912.31	4.40	393513.18	768972.48	N 32 4 46.98	W 103 35 54.14	169.49	5000.94
	17349.00	89.67	172.43	12482.75	5016.37	-5010.09	925.48	1.03	393420.11	768985.65	N 32 4 46.05	W 103 35 53.99	169.53	5094.85
	17444.00	91.52	176.68	12481.76	5110.97	-5104.63	934.49	4.88	393325.57	768994.66	N 32 4 45.12	W 103 35 53.89	169.63	5189.46
	17539.00	90.74	178.12	12479.89	5205.88	-5199.51	938.80	1.72	393230.70	768998.97	N 32 4 44.18	W 103 35 53.85	169.77	5283.58
	17634.00	89.65	177.78	12479.56	5300.83	-5294.45	942.20	1.20	393135.76	769002.36	N 32 4 43.24	W 103 35 53.82	169.91	5377.63
	17729.00	88.98	178.14	12480.70	5395.79	-5389.38	945.58	0.80	393040.83	769005.75	N 32 4 42.30	W 103 35 53.79	170.05	5471.70
	17824.00	89.65	179.59	12481.84	5490.77	-5484.35	947.46	1.68	392945.86	769007.63	N 32 4 41.36	W 103 35 53.77	170.20	5565.59
	17919.00	90.89	180.01	12481.39	5585.77	-5579.35	947.79	1.38	392850.87	769007.96	N 32 4 40.42	W 103 35 53.78	170.36	5659.28
	18013.00	89.83	179.89	12480.80	5679.76	-5673.34	947.87	1.13	392756.88	769008.04	N 32 4 39.49	W 103 35 53.78	170.51	5751.98
	18108.00	91.06	180.32	12480.06	5774.75	-5768.34	947.70	1.37	392661.89	769007.87	N 32 4 38.55	W 103 35 53.79	170.67	5845.67
	18203.00	89.01	180.17	12480.00	5869.74	-5863.33	947.29	2.16	392566.90	769007.46	N 32 4 37.61	W 103 35 53.80	170.82	5939.36
	18297.00	91.38	180.38	12479.68	5963.73	-5957.33	946.84	2.53	392472.91	769007.01	N 32 4 36.68	W 103 35 53.82	170.97	6032.10
	18392.00	89.88	181.06	12478.64	6058.70	-6052.31	945.65	1.73	392377.93	769005.82	N 32 4 35.74	W 103 35 53.84	171.12	6125.74
	18486.00	90.45	180.98	12478.37	6152.67	-6146.29	943.97	0.61	392283.95	769004.14	N 32 4 34.81	W 103 35 53.86	171.27	6218.36
Private - NMNM0106040 4 Crossing [1412' FWL]	18548.70	89.83	180.27	12478.21	6215.36	-6208.99	943.29	1.51	392221.25	769003.46	N 32 4 34.19	W 103 35 53.88	171.36	6280.23
	18581.00	89.51	179.90	12478.40	6247.66	-6241.29	943.25	1.51	392188.95	769003.41	N 32 4 33.87	W 103 35 53.88	171.41	6312.16
	18676.00	89.35	179.98	12479.35	6342.65	-6336.28	943.34	0.19	392093.96	769003.51	N 32 4 32.93	W 103 35 53.89	171.53	6406.12
	18771.00	90.79	180.57	12479.23	6437.64	-6431.28	942.89	1.64	391998.97	769003.06	N 32 4 31.99	W 103 35 53.90	171.66	6500.03
	18866.00	91.43	180.13	12477.39	6532.62	-6526.26	942.31	0.82	391903.99	769002.48	N 32 4 31.05	W 103 35 53.91	171.78	6593.94
	18961.00	91.18	180.39	12475.23	6627.58	-6621.23	941.88	0.38	391809.02	769002.05	N 32 4 30.11	W 103 35 53.93	171.90	6687.89
	19056.00	89.44	177.99	12474.71	6722.57	-6716.21	943.22	3.12	391714.05	769003.39	N 32 4 29.17	W 103 35 53.92	172.01	6782.12
	19151.00	92.18	179.06	12473.37	6817.53	-6811.16	945.67	3.10	391619.10	769005.83	N 32 4 28.23	W 103 35 53.90	172.10	6876.50
	19246.00	89.78	178.30	12471.74	6912.50	-6906.11	947.85	2.65	391524.15	769008.02	N 32 4 27.29	W 103 35 53.88	172.19	6970.86
	19340.00	91.17	177.99	12470.96	7006.46	-7000.06	950.90	1.52	391430.21	769011.06	N 32 4 26.36	W 103 35 53.85	172.26	7064.35
	19435.00	89.58	178.54	12470.34	7101.43	-7095.01	953.77	1.77	391335.26	769013.94	N 32 4 25.42	W 103 35 53.83	172.34	7158.83
	19530.00	89.44	177.45	12471.15	7196.39	-7189.95	957.10	1.16	391240.33	769017.26	N 32 4 24.48	W 103 35 53.79	172.42	7253.37
	19625.00	89.20	178.89	12472.28	7291.35	-7284.89	960.13	1.54	391145.39	769020.30	N 32 4 23.54	W 103 35 53.77	172.49	7347.89
	19719.00	88.48	178.70	12474.19	7385.32	-7378.85	962.11	0.79	391051.43	769022.27	N 32 4 22.61	W 103 35 53.75	172.57	7441.31
	19815.00	88.16	178.49	12477.00	7481.27	-7474.78	964.46	0.40	390955.51	769024.63	N 32 4 21.66	W 103 35 53.73	172.65	7536.74

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure Azimuth (°)	Closure (ft)
NMNM0106040 4 - NMNM0160973 Crossing [1424' FWL]	19871.50	89.16	179.76	12478.32	7537.75	-7531.25	965.32	2.86	390899.03	769025.49	N 32 4 21.10	W 103 35 53.73	172.70	7592.87
	19909.00	89.82	180.61	12478.66	7575.24	-7568.75	965.20	2.86	390861.54	769025.36	N 32 4 20.73	W 103 35 53.73	172.73	7630.05
	20004.00	91.86	180.88	12477.26	7670.21	-7663.73	963.96	2.17	390766.56	769024.13	N 32 4 19.79	W 103 35 53.75	172.83	7724.12
	20099.00	91.23	182.17	12474.70	7765.12	-7758.66	961.43	1.51	390671.64	769021.60	N 32 4 18.85	W 103 35 53.79	172.94	7818.00
	20194.00	90.15	181.40	12473.56	7860.04	-7853.60	958.48	1.40	390576.69	769018.64	N 32 4 17.92	W 103 35 53.83	173.04	7911.87
	20289.00	89.76	181.18	12473.63	7955.00	-7948.58	956.34	0.47	390481.72	769016.50	N 32 4 16.98	W 103 35 53.86	173.14	8005.90
	20384.00	90.22	178.49	12473.65	8049.99	-8043.57	956.61	2.87	390386.73	769016.78	N 32 4 16.04	W 103 35 53.87	173.22	8100.25
	20479.00	89.83	179.60	12473.61	8144.98	-8138.55	958.19	1.24	390291.75	769018.36	N 32 4 15.10	W 103 35 53.86	173.29	8194.77
	20573.00	90.26	179.69	12473.53	8238.98	-8232.55	958.78	0.47	390197.76	769018.94	N 32 4 14.17	W 103 35 53.86	173.36	8288.19
	20668.00	90.55	181.78	12472.86	8333.96	-8327.54	957.56	2.22	390102.78	769017.72	N 32 4 13.23	W 103 35 53.88	173.44	8382.41
	20763.00	91.25	182.32	12471.37	8428.86	-8422.46	954.16	0.93	390007.85	769014.33	N 32 4 12.29	W 103 35 53.93	173.54	8476.34
	20858.00	90.50	179.96	12469.92	8523.80	-8517.43	952.27	2.61	389912.89	769012.44	N 32 4 11.35	W 103 35 53.96	173.62	8570.49
	20953.00	89.58	177.35	12469.85	8618.78	-8612.39	954.50	2.91	389817.93	769014.67	N 32 4 10.41	W 103 35 53.94	173.68	8665.12
	21047.00	88.70	177.35	12471.26	8712.70	-8706.28	958.85	0.94	389724.05	769019.01	N 32 4 9.48	W 103 35 53.89	173.72	8758.92
	21142.00	89.57	177.42	12472.70	8807.61	-8801.17	963.18	0.92	389629.16	769023.35	N 32 4 8.54	W 103 35 53.85	173.75	8853.71
	21237.00	90.88	177.35	12472.33	8902.54	-8896.07	967.51	1.38	389534.27	769027.68	N 32 4 7.60	W 103 35 53.81	173.79	8948.52
	21331.00	89.01	179.84	12472.42	8996.51	-8990.03	969.82	3.31	389440.31	769029.98	N 32 4 6.67	W 103 35 53.79	173.84	9042.19
	21426.00	89.27	178.69	12473.84	9091.50	-9085.01	971.04	1.24	389345.33	769031.20	N 32 4 5.73	W 103 35 53.78	173.90	9136.75
	21521.00	89.78	180.35	12474.63	9186.49	-9180.00	971.83	1.83	389250.35	769032.00	N 32 4 4.79	W 103 35 53.78	173.96	9231.29
	21615.00	89.48	181.14	12475.24	9280.47	-9273.98	970.61	0.90	389156.36	769030.78	N 32 4 3.86	W 103 35 53.80	174.03	9324.64
	21710.00	91.21	181.62	12474.66	9375.42	-9368.95	968.32	1.89	389061.40	769028.49	N 32 4 2.92	W 103 35 53.84	174.10	9418.86
	21805.00	89.34	180.37	12474.21	9470.39	-9463.93	966.67	2.37	388966.42	769026.84	N 32 4 1.98	W 103 35 53.86	174.17	9513.17
	21900.00	92.12	181.12	12473.00	9565.35	-9558.90	965.44	3.03	388871.45	769025.61	N 32 4 1.04	W 103 35 53.89	174.23	9607.53
	21995.00	90.28	180.91	12471.01	9660.29	-9653.86	963.76	1.95	388776.49	769023.92	N 32 4 0.10	W 103 35 53.91	174.30	9701.85
	22090.00	92.58	180.76	12468.64	9755.24	-9748.82	962.37	2.43	388681.54	769022.54	N 32 3 59.16	W 103 35 53.94	174.36	9796.20
	22185.00	89.30	176.86	12467.08	9850.18	-9843.75	964.35	5.36	388586.61	769024.51	N 32 3 58.22	W 103 35 53.92	174.40	9890.88
	22280.00	89.68	177.45	12467.92	9945.09	-9938.63	969.06	0.74	388491.74	769029.23	N 32 3 57.28	W 103 35 53.87	174.43	9985.76
Last Take Point [174' FSL, 1412' FWL]	22330.00	89.50	177.60	12468.28	9995.06	-9988.58	971.22	0.48	388441.79	769031.38	N 32 3 56.79	W 103 35 53.85	174.45	10035.69
Final Survey	22364.00	89.37	177.71	12468.62	10029.04	-10022.55	972.61	0.48	388407.82	769032.77	N 32 3 56.45	W 103 35 53.84	174.46	10069.64
TD, PTB [92' FSL, 1415' FWL]	22412.00	89.37	177.71	12469.15	10077.01	-10070.51	974.52	0.00	388359.86	769034.69	N 32 3 55.98	W 103 35 53.82	174.47	10117.56



Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 0 *** 3-D 95.000% Confidence 2.7955 sigma

Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	23.000	1/98.425	17.500	13.375	NAL_MWD_IFR1+MS-Depth Only	Original Borehole / Final Surveys - Cimarex Red Hills 32-5 Fed Com #127H MWD 0ft-22412ft (Surcon
	1	23.000	23.000	Act Stns	17.500	13.375	NAL_MWD_IFR1+MS-Depth Only	Original Borehole / Final Surveys - Cimarex Red Hills 32-5 Fed Com #127H MWD 0ft-22412ft (Surcon
	1	23.000	140.000	Act Stns	17.500	13.375	NAL_MWD_IFR1+MS	Original Borehole / Final Surveys - Cimarex Red Hills 32-5 Fed Com
	1	140.000	1010.000	Act Stns	14.750	10.750	NAL_MWD_IFR1+MS	Original Borehole / Final Surveys - Cimarex Red Hills 32-5 Fed Com
	1	1010.000	12008.000	Act Stns	9.875	7.625	NAL_MWD_IFR1+MS	Original Borehole / Final Surveys - Cimarex Red Hills 32-5 Fed Com
	1	12008.000	12716.000	Act Stns	8.750	7.625	NAL_MWD_IFR1+MS	Original Borehole / Final Surveys - Cimarex Red Hills 32-5 Fed Com
	1	12716.000	22412.000	Act Stns	6.750	5.000	NAL_MWD_IFR1+MS	Original Borehole / Final Surveys - Cimarex Red Hills 32-5 Fed Com

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
SHL [390' FNL, 510' FWL]	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
First SLB Survey	11981.00	1.18	293.34	11919.49	-0.55	6.41	848.14	0.09
KOP [389' FNL, 1357' FWL]	12040.00	2.66	204.13	11978.47	-0.02	5.87	847.06	8.29
First Take Point [955' FNL, 1404' FWL]	12893.00	81.89	176.48	12503.00	565.76	-559.57	897.94	4.08
Private Leaseline Crossing [1386' FWL]	17224.40	90.03	172.77	12482.19	4892.87	-4886.71	908.11	4.40
Private - NMNM01060404 Crossing [1412' FWL]	18548.70	89.83	180.27	12478.21	6215.36	-6208.99	943.29	1.51
NMNM01060404 - NMNM0160973 Crossing [1424' FWL]	19871.50	89.16	179.76	12478.32	7537.75	-7531.25	965.32	2.86
Last Take Point [174' FSL, 1412' FWL]	22330.00	89.50	177.60	12468.28	9995.06	-9988.58	971.22	0.48
Final Survey	22364.00	89.37	177.71	12468.62	10029.04	-10022.55	972.61	0.48
TD, PTB [92' FSL, 1415' FWL]	22412.00	89.37	177.71	12469.15	10077.01	-10070.51	974.52	0.00



Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: RED HILLS UNIT	Well Location: T25S / R33E / SEC 32 / NWNW / 32.093248 / -103.601208	County or Parish/State: LEA / NM
Well Number: 127H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0106040A	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254550200X1	Well Status: Approved Application for Permit to Drill	Operator: CIMAREX ENERGY COMPANY

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 02/09/2021	Time Sundry Submitted: 10:41
Date Operation Actually Began: 10/25/2020	

Actual Procedure: 10/02/2020 Test csg to 12,800 psi for 30 min. Good test. PBTD @ 22,335'. 10/25/2020 to 11/18/2020 Perf Wolfcamp @ 12,893' - 22,330', 1512 holes, .42". Frac w/ 537,750 bbls total fluid & 26,987,768# sand. 11/19/2020 to 11/20/2020 Drill out 32 of 53 plugs. 11/21/2020 to 11/29/2020 Fish in hole - Fish #1 @ 16,024' - 16,050'. Fish #2 @ 10,121' - 15,871'. Approximately 5700' of 2-3/8" coil tbg in hole. Perfs are open from 12,893' - 18,667'. Perfs are closed from 18,667' - 22,330'. SI well.** 12/09/2020 Turn to production. **Engineer is evaluating plans to retrieve both fish in March 2021.

Well Name: RED HILLS UNIT	Well Location: T25S / R33E / SEC 32 / NWNW / 32.093248 / -103.601208	County or Parish/State: LEA / NM
Well Number: 127H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0106040A	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254550200X1	Well Status: Approved Application for Permit to Drill	Operator: CIMAREX ENERGY COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: VASQUEZ	Signed on: FEB 09, 2021 10:41 AM
Name: CIMAREX ENERGY COMPANY	
Title: Regulatory Analyst	
Street Address: 600 N MARIENFELD STREET ST SUITE 600	
City: MIDLAND	State: TX
Phone: (432) 571-7800	
Email address: tstathem@cimarex.com	

Field Representative

Representative Name: Fatima Vasquez		
Street Address: 600 N Marienfeld St., Suite 600		
City: Midland	State: TX	Zip: 79701
Phone: (432)620-1933		
Email address: fvasquez@cimarex.com		

BLM Point of Contact

BLM POC Name: ZOTA M STEVENS	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345998	BLM POC Email Address: ZSTEVEN@BLM.GOV
Disposition: Accepted	Disposition Date: 02/11/2021
Signature: Zota Stevens	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017														
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																				
4. Reason for filing: ☐ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								1. WELL API NO. 2. Type of Lease ☐ STATE ☐ FEE ☐ FED/INDIAN 3. State Oil & Gas Lease No.												
7. Type of Completion: ☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____								5. Lease Name or Unit Agreement Name 6. Well Number:												
8. Name of Operator						9. OGRID														
10. Address of Operator						11. Pool name or Wildcat														
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County										
Surface:																				
BH:																				
13. Date Spudded		14. Date T.D. Reached		15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)												
18. Total Measured Depth of Well				19. Plug Back Measured Depth		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run												
22. Producing Interval(s), of this completion - Top, Bottom, Name																				
23. CASING RECORD (Report all strings set in well)																				
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED										
24. LINER RECORD						25. TUBING RECORD														
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET													
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:50%;">DEPTH INTERVAL</th> <th style="width:50%;">AMOUNT AND KIND MATERIAL USED</th> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>						DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED								
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																			
28. PRODUCTION																				
Date First Production		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>)				Well Status (<i>Prod. or Shut-in</i>)														
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio													
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)														
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>)							30. Test Witnessed By													
31. List Attachments																				
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:													
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																				
Latitude _____ Longitude _____ NAD83																				
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>																				
Signature <i>Fatima Vasquez</i>			Printed Name			Title			Date											
E-mail Address																				

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 20605

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
CIMAREX ENERGY CO. 600 N. Marienfeld Street Suite 600 Midland, TX79701	215099	20605	C-104C

OCD Reviewer	Condition
ksimmons	None