Submit I Copy To Appropriate District Office	State of New Mexico	Form C-103			
<u>District 1</u> = (575) 393-6161	Energy, Panerals and Natural Resources	Revised August 1, 2011 WELL API NO. 30-025-03221			
1625 N. Trench Dr., Hobbs. NM 88240 <u>District II</u> = (575) 748-1283	GED A.	WELL API NO. 30-025-03221			
811 S. Fust St., Artesia. NM 88210	SEP OIL COMSERVATION DIVISION	5 Indicate Type of Lease			
District III – (505) 334-6178 1000 Rio Biazos Rd , Aziec, NM 87410	1220 South St. Francis Dr. Santa Fe, NM 87505	STATE FEE			
<u>District IV</u> = (505) 476-3460	6 State Oil & Gas Lease No.				
1220 S. St. Francis Dr., Santa Le, NM 87505		i			
	ICES AND REPORTS ON WELLS	7 Lease Name or Unit Agreement Name			
(DO NOT USE THIS FORM FOR PROPE DIFFERENT RESERVOIR—USE "APPLI PROPOSALS.)	East Pearl Queen Unit				
1 Type of Well Oil Well	8 Well Number #36				
2 Name of Operator State of NM (forme	9 OGRID Number 25482				
3 Address of Operator	10 Pool name or Wildcat				
1625 N. French Driv	re, Hobbs, NM 88240	Pearl Queen			
4 Well Location					
Umit LetterN	660 feet from the South Inc and	1980 feet from the West Inc			
Section 27	Township 19S Range 35E	NMPM County Lea			
	11 Elevation (Show whether DR, RKB, RT, GR, etc.)	c)			
,					
12. Check	Appropriate Box to Indicate Nature of Notice	e, Report or Other Data			
NOTICE OF IN	ITENTION TO:	DOCUMENT DEDOCT OF:			
PERFORM REMEDIAL WORK	NTENTION TO: SU PLUG AND ABANDON ☐ REMEDIAL WO	BSEQUENT REPORT OF: ORK			
TEMPORARILY ABANDON	ILLING OPNS. P AND A				
PULL OR ALTER CASING	CHANGE PLANS COMMENCE DI MULTIPLE COMPL CASING/CEME				
DOWNHOLE COMMINGLE	_				
0.77.17.75					
OTHER 13 Deverbe proposed or com-	Deted operations (Clearly state all pertinent details, a	and give portioent dates, including estimated date			
	ork) SEE RULE 19.15.7 14 NMAC For Multiple C				
proposed completion or rec		emprenens / mach went ere ang. mr er			
	,				
See Attached	P/A Procedure.				
	Di inion Mu	et be notified			
	The Oil Conservation Division Mu 24 hours prior to the beginning of	f nlugging operations.			
	24 hours prior to the beginning of				
Spud Date	Rig Release Date.				
Space Date	Kig Kelease Date.				
I hereby certify that the information	above is true and complete to the best of my knowled	lge and belief			
	0				
SIGNATURE Majey J.	Brown TITLE Compliance Of	Eficer 9/1/2011 DATE			
Maxox	Brown				
Type or print name Flaxey G. For State Use Only	E-mail address:	PHONE:			
1 or State One Offin					
APPROVED BY	TITLE STAFF IN	BR DATE 9-1-204			
Conditions of Approval (if any):					

State of New Mexico formerly Xeric Oil & Gas Corp East Pearl Queen Unit No. 36

Set CIBP at 4950' and cap w/ 25 sx cmt.

Circulate hole w/ 9.5 ppg brine w/ 25 sx salt gel per 100 bbls.

Perforate at 3200'.

Squeeze w/ 25 sx cmt. WOC and Tag.

Perforate at 1750'.

Squeeze w/ 25 sx cmt. WOC and Tag.

Perforate at 160'.

Circulate cmt to surface.

Cut off wellhead and install dry hole marker.

JGGING & ABAN	OPERATOR LEASENAME	EAST	· P	EARL C	DUEEN	UNIT	#36
111	LEAGEITAIII				WELL	#	36
	SECT	27	TW	4			35 E
	FROM	27 660	N(S)	1 1		EWL	<u> </u>
111	TD:	503.2 FOR			MATION @ TD		
	PBTD:	<u> </u>		FORM	ATION	@ PBi	D
	1010.			. 0		© <u>.</u>	
		SIZE	SI	ET@	TOC	TOC DETE	ERMINED BY
85%	SURFACE	85/8	$\frac{-\bar{i}}{l}$	10'			
	INTMED 1	0.6		10			
@ 110' TOC	INTMED 2						
1	PROD	5/2	5	24			
(100 sx)	11100	SIZE		OP	BOT	TOC	DETERMINED BY
	LINER 1	VI2-L-	 '		<u> </u>		
	LINER 2	 					
	LINERZ	CUT &)	6		TOP	- BOTTOM
	/ INTMED 1	001 & I	ULI	<u>- W</u>	PERFS		3-4746
	INTMED 1	-				TIDE	3 - 71 70
TOC	PROD	ļ			OPENHOLE		
1002	-		7F.F			1	
	* REQUIRED PL		(11 [*]	PLUG	TYPE	SACKS	DEPTH
	RUSTLER (AMEYE)	1750	·	1200	PLUG	CMNT	DETII
	THETE B. SALT	3200			1223	CWAN	
	QUEEK	<u> </u>	1	EXAMPLES	OH	25 \$25	9850'
}	GRAYBURG		ł	PLUG#1	SHOE	50.5%5	8700'-8800'
	SAN ANDRES	 	ł	[CIBP/35'	301111	5300
	<u> </u>			ermon.	CIBP	25.533	5300
	CAPITAN REEF		1	PLUGI3	STUB	50.505	4600'-4700'
	<u> </u>	 	1	PCD314	REINR SQ	 	100
	DELAWARE	-	1	PLUG 6	SURF	10.505	0-10
1	BELLCANYON	_	┨	PLUD # T	SOA	1 1020	0-10
	CHERRY CANYON	-	-	PLUON			
	BRUBET CANYON	- 	-{	ntone2	 	 	
51/2	BOKE SPILIKE	 	-	PLUG #3		- 	
L <u>3 -</u> ,	,		┨.	PLUG#4	 	-	
@ 5024	OLORIETA	-	-[runa es	1		
100	BLINERRY	- 	-1	SERVICE .	 	+	
5 ¹ / ₂ @ <u>5024'</u> TOC(200 sx)	TU85		-	EW017	 		
	DERGEAGE	-	-{	20048	1	- 	-
	ABO		-	STAGES	 		- -
			-{	STOO!	┪──	- 	
	WC		-1	ETTO 8	 	1	
	PERON		-	1200	1		
	STRAWK -	- 	1	 	1	1	
	ATOKA				-		
TD	SON SON		1		1		
	Polis			1	- 	 	

٠.

;