

The Oil Conservation Division Must be notified 24 hours prior to the beginning of plugging operations

 As Is

No. 3

No. 1


No. 2

NM S STATE 25
LEA COUNTY, NM.

	Size	Wt.	Grde	Thrd	Depth	(E)TOC	Sks/Cmt
SURFACE	13-3/8"	48	H-40	ST&C	305	Surface	235
INTERMEDIATE	9-5/8"	32.3	H-40	ST&C	2660	1275 000	600
PRODUCTION 1	2-7/8"	6.4	J-55	NON-EUE	7,393	1500 000	1475
PRODUCTION 2	2-7/8"	6.4	J-55	NON-EUE	7,393	1500 000	
PRODUCTION 3	2-7/8"	6.4	J-55	NON-EUE	5,456	1500 000	
TUBING	1 900"				980		

[illegible]

PBTD MD	7361
TVD	
T DPTH MD	7395
TVD	
FLUID LIH	
DATE LIH	
PREPARED BY:	
ABE HARDER	
DATE:	9/1/2011



**NM S STATE 25
LEA COUNTY, NM.**

	Size	Wt.	Grde	Thrd	Depth	(E)TOC	Sks/Cmt
SURFACE	13-3/8"	48	H-40	ST&C	305	Surface	235
INTERMEDIATE	9-5/8"	32 3	H-40	ST&C	2660	1275 000	600
PRODUCTION 1	2-7/8"	6 4	J-55	NON-EUE	7,393	1500 000	1475
PRODUCTION 2	2-7/8"	6 4	J-55	NON-EUE	7,393	1500 000	
PRODUCTION 3	2-7/8"	6 4	J-55	NON-EUE	5,456	1500 000	
TUBING	1 900"				980		

Description	OD	ID	Depth
Spot 25 sx plug 60' to surface			
Perforate 9-5/8" casing at 360' Circulate cement to surface behind the 9-5/8" casing with 165 sx cement and displace TOC to 200' WOC & TAG			
Spot 45 sx of cement at top of salt at 1250' WOC & TAG			
Tag top of cut at 1500' Spot 40 sx cement			
Perforate casing at top of salt at 1200'			
STRING #1 NORTH			
Cut and remove string #1 at 1500'			
Rih 1 9" tbg and pump 100 sks cement 5590-1500' covering the shoe and salt			
CIBP W/20' CEMENT STRING 1			5590
BLINEBRY PERFS 5672-5740, 5778-5814			
CIBP W/20' CEMENT STRING 1			6200
DRINKARD PERFS 6255-6486			
CIBP W/35' CEMENT STRING 1			7250
GRANITE WASH PERFS 7300-7318, 7342-7359			
STRING #2 EAST			
Cut and remove strng #2 at 1500'			
Rih 1 9" tbg and pump 100 sks cement 5590-1500' covering the shoe and salt			
CIBP W/20' CEMENT STRING 2			5590
OTIS MODEL DD RETRIEVABLE TUBING STOP w/PLUG			
WANTZ ABO PERFS 6520-7155			6000
STRING #3 WEST			
Back off cemented 2-7/8" csg at 1500' and remove.			
STRING #3 PLUGGED CEMENTED GRAYBURG PERFS & TUBING STRING TO SURFACE 12-05-91 WITH 110 SX CEMENT			
GRAYBURG PERFS 3678-3746			
	PBTD MD	TVD	7361
	T DPTH MD	TVD	7395
	FLUID LIH		
	DATE LIH		
	PREPARED BY:		
	ABE HARDER		
	DATE:		9/1/2011