

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

HOBBS OCD

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SEP 02 2011

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-04737
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator XTO Energy, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701		7. Lease Name or Unit Agreement Name: Eunice Monument South Unit
4. Well Location Unit Letter E : 1980' feet from the North line and 660' feet from the West line Section 21 Township 21S Range 36E NMPM County Lea		8. Well Number 441
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 005380
		10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: **Reactivation**

☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU FU. ND WH. NU BOP. RU Rev Unit.
2. DO CIBP @ 3598' & CO to TD @ 3891'. Circ hole clean.
3. PB +/- 4030' with 20/40 mesh sand. RIH & tag sand.
4. RU WL. RIH & spot 20' CL C cmnt on top of sand @ 4030' (20' cmnt plug).
5. RIH w/sonci hammer to 3771'. Test lines to 4000 psig. Sonic hammer wash OH fr 3771' - 4010' w/BW. Sonic Hammer acidize OH fr 4010' up to 3771' w/3000 G 20% NEFE 90/10. Over flush acid w/30 bbls BW.
6. RIH w/2-7/8" tbg & prod equip. ND BOP. RDMO FU. connect electrical & flow line connections. RWTP.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sherry Pack TITLE Regulatory Analyst DATE 08/31/2011
Type or print name Sherry Pack E-mail address: sherry_pack@xtoenergy.com PHONE 432-620-6709


For State Use Only

APPROVED BY [Signature] TITLE PETROLEUM ENGINEER DATE SEP 06 2011
Conditions of Approval (if any):

SEP 06 2011

Eunice Monument So. Unit #441

WELLBORE DIAGRAM



DATA

LOC: 1980' FNL & 660' FWL, SEC 21, T-21S & R-36E
COUNTY/STATE: LEA, NM
FORMATION: GRAYBURG/SAN ANDRES
SPUD DATE: 02-21-36
INITIAL IP: F/1208 BOPD

FIELD: EUNICE MONUMENT
CURRENT STATUS: TA'D
COMPLETION DATE: 02-28-36
API #: 30-025-04737

WELL HISTORY

COMPLETION DATA:
 NATURAL OH COMPLETION

WORKOVER HISTORY:

11-41: INSTALL FLOW VALVES. TST: 232 BO/100 BWPD
03-51: INSTALL CLOSED GAS LIFT SYSTEM, TST: 47 BO/881 BWPD
02-53: INSTALL PMPG EQUIP TST: 62 BO/93 BWPD/ GOR 514
08-71: ACDZ W/500 GALS 15% NE, TST: 63 BO/114 BWPD, B-4: 29 BO/114 BWPD
05-72: ACDZ W/500 GALS 15% NE, TST: 72 BO/166 BWPD, B-4: 42 BO/70 BWPD
05-73: ACDZ W/750 GALS 15% NE, TST: 58 BO/172 BWPD, B-4: 39 BO/147 BWPD
11-78: DUMP ACID 750 GALS 15% NE, TST: 25 BO/390 BWPD,
07-79: DUMP ACID 750 GALS 15% NE, TST: 23 BO/323 BWPD/ 64 MCFPD
04-80: DUMP ACID 500 GALS 15% NE, TST: 20 BO/282 BWPD/ 57 MCFPD
07-81: DUMP 500 GALS 15% NE, TST: 20 BO/210 BW/44 MCF, B-4: 12 BO/187 BW/ 48 MCF
01-82: DUMP 1000 GALS 15% NE, TST: 22 BO/227 BW/77 MCF, B-4: 12 BO/189 BW/ 29 MCF
08-82: DUMP 750 GALS 15% NE, TST: 22 BO/210 BW/88 MCF, B-4: 14 BO/180 BW/ 77 MCF
04-83: DUMP 750 GALS 15% NE, TST: 18 BO/186 BW/75 MCF, B-4: 11 BO/165 BW
10-83: DUMP 750 GALS 15% NE, TST 18 BO/175 BW/94 MCF, B-4: 14 BO/133 BW/ 81 MCF
10-85: SCALE SQZ'D
05-86: COMMENTS IN FILE ABOUT OFFSET #442 COMPL DATE & CORRESP'NG DROP IN #441'S
 PROD TO 4 BO/38 BWPD. FL-31' ASN INDICATED A DIRECT CONNECTION BETWEEN 441 & 442
06-86: SCALE SQZ'D
07-87: XO WH. AIR DEEPEN'D TO 4061', WELL WOULDN'T HOLD COLUMN OF FLUID WHILE
 TRYING TO LOG. PWBOP. TST: 6 BO/218 BW/ 67 MCFPD. FL @ 186' ASN, B-4: 5 BO/102 BW/
 12 MCFPD.
01-89: SCALE SQZ'D
01-90: SCALE SQZ'D
04-90: SCALE SQZ'D
11-03: RIH W/5 1/2\" CIBP ON 2 3/8\" WS & SET @ 3735'. TST TO 580 PSI FOR 30 MIN, GOOD TST,
 WELL TA'D.
09-05-08: PREFORMED MIT FOR NMOC, PRESS'D 5 1/2\" TCA TO 550 PSIG FOR 45\", HELD OK.
 WELL STILL TA'D.

ADDITIONAL DATA:

T/PENROSE FORMATION @ 3694'
 T/GRAYBURG Z1 @ 3880'
 T/GRAYBURG Z2 @ 3926'
 T/GRAYBURG Z2A @ 3975'
 T/GRAYBURG Z3 @ 4012'
 T/GRAYBURG Z4 @ 4054'
 T/GRAYBURG Z5 @ 4103'
 T/GRAYBURG Z6 @ 4135'
 T/SAN ANDRES @ 4150'

Eunice Monument So. Unit #441

WELLBORE DIAGRAM

GL: 3611'

DATA

LOC: 1980' FNL & 660' FWL, SEC 21, T-21S & R-36E

COUNTY/STATE: LEA, NM

FORMATION: GRAYBURG/SAN ANDRES

SPUD DATE: 02-21-36

INITIAL IP: F/1208 BOPD

FIELD: EUNICE MONUMENT

CURRENT STATUS: TA'D

COMPLETION DATE: 02-28-36

API #: 30-025-04737

WELL HISTORY

COMPLETION DATA:

NATURAL OH COMPLETION

WORKOVER HISTORY:

11-41: INSTALL FLOW VALVES. TST: 232 BO/100 BWPD

03-51: INSTALL CLOSED GAS LIFT SYSTEM, TST: 47 BO/881 BWPD

02-53: INSTALL PMPG EQUIP TST: 62 BO/93 BWPD/ GOR 514

08-71: ACDZ W/500 GALS 15% NE, TST: 63 BO/114 BWPD, B-4: 29 BO/114 BWPD

05-72: ACDZ W/500 GALS 15% NE, TST: 72 BO/166 BWPD, B-4: 42 BO/70 BWPD

05-73: ACDZ W/750 GALS 15% NE, TST: 58 BO/172 BWPD, B-4: 39 BO/147 BWPD

11-78: DUMP ACID 750 GALS 15% NE, TST: 25 BO/390 BWPD,

07-79: DUMP ACID 750 GALS 15% NE, TST: 23 BO/323 BWPD/ 64 MCFPD

04-80: DUMP ACID 500 GALS 15% NE, TST: 20 BO/282 BWPD/ 57 MCFPD

07-81: DUMP 500 GALS 15% NE, TST: 20 BO/210 BW/44 MCF, B-4: 12 BO/187 BW/ 48 MCF

01-82: DUMP 1000 GALS 15% NE, TST: 22 BO/227 BW/77 MCF, B-4: 12 BO/189 BW/ 29 MCF

08-82: DUMP 750 GALS 15% NE, TST: 22 BO/210 BW/88 MCF, B-4: 14 BO/180 BW/ 77 MCF

04-83: DUMP 750 GALS 15% NE, TST: 18 BO/186 BW/75 MCF, B-4: 11 BO/165 BW

10-83: DUMP 750 GALS 15% NE, TST 18 BO/175 BW/94 MCF, B-4: 14 BO/133 BW/ 81 MCF

10-85: SCALE SQZ'D

05-86: COMMENTS IN FILE ABOUT OFFSET #442 COMPL DATE & CORRESP'NG DROP IN #441'S PROD TO 4BO/33BWPD. FL-31' ASN INDICATED A DIRECT CONNECTION BETWEEN 441 & 442

06-86: SCALE SQZ'D

07-87: XO WH. AIR DEEPEN'D TO 4061', WELL WOULDN'T HOLD COLUMN OF FLUID WHILE TRYING TO LOG. PWBOP. TST: 6 BO/218 BW/ 67 MCFPD. FL @ 186' ASN, B-4: 5 BO/102 BW/ 12 MCFPD.

01-89: SCALE SQZ'D

01-90: SCALE SQZ'D

04-90: SCALE SQZ'D

11-03: RIH W/5 1/2" CIBP ON 2 3/8" WS & SET @ 3735'. TST TO 580 PSI FOR 30 MIN, GOOD TST, WELL TA'D.

09-05-08: PREFORMED MIT FOR NMOC, PRESS'D 5 1/2" TCA TO 550 PSIG FOR 45", HELD OK WELL STILL TA'D.

ADDITIONAL DATA:

T/PENROSE FORMATION @ 3694'

T/GRAYBURG Z1 @ 3880'

T/GRAYBURG Z2 @ 3926'

T/GRAYBURG Z2A @ 3975'


T/GRAYBURG Z3 @ 4012'

T/GRAYBURG Z4 @ 4054'

T/GRAYBURG Z5 @ 4103'

T/GRAYBURG Z6 @ 4135'

T/SAN ANDRES @ 4150'



TD:4061'