Hydrogen Sulfide Drilling Operations Plan

East Lusk 15 Federal Com No. 1

Cimarex Energy Co. of Colorado Unit P, Section 15 T19S-R32E, Lea County, NM

- 1 All Company and Contract personnel admitted on location must be trained by a qualified H₂S safety instructor to the following:
 - A. Characteristics of H₂S

. 1

- B. Physical effects and hazards
- C. Proper use of safety equipment and life support systems.
- D. Principle and operation of H₂S detectors, warning system and briefing areas.
- E Evacuation procedure, routes and first aid.
- F. Proper use of 30 minute pressure demand air pack.

2 H₂S Detection and Alarm Systems:

A. H₂S detectors and audio alarm system to be located at bell nipple, end of flow line (mud pit) and on derrick floor or doghouse.

3 Windsock and/or wind streamers:

- A. Windsock at mudpit area should be high enough to be visible.
- B. Windsock at briefing area should be high enough to be visible.

4 Condition Flags and Signs:

- A. Warning sign on access road to location.
- B. Flags to be displayed on sign at entrance to location. Green flag indicates normal safe condition. Yellow flag indicates potential pressure and danger. Red flag indicates danger (H₂S present in dangerous concentration). Only emergency-personnel admitted to location.

5 Well control equipment:

A. See exhibit "E"

6 Communication:

- A. While working under masks chalkboards will be used for communication.
- B. Hand signals will be used where chalk board is inappropriate.
- C. Two way radio will be used to communicate off location in case of emergency help is required. In most cases cellular telephones will be available at most drilling foreman's trailer or living quarters.

7 <u>Drillstem Testing</u>:

No DSTs or cores are planned at this time.

- 8 Drilling contractor supervisor will be required to be familiar with the effects H₂S has on tubular goods and other mechanical equipment.
- 9 If H₂S is encountered, mud system will be altered if necessary to maintain control of formation. A mud gas seperator will be brought into service along with H₂S scavengers if necessary.

H₂S Contingency Plan

East Lusk 15 Federal Com No. 1

Cimarex Energy Co. of Colorado Unit P, Section 15 T19S-R32E, Lea County, NM

Emergency Procedures

In the event of a release of gas containing H₂S, the first responder(s) must:

- ★ Isolate the area and prevent entry by other persons into the 100 ppm ROE.
- ★ Evacuate any public places encompassed by the 100 ppm ROE.
- \star Be equipped with H₂S monitors and air packs in order to control the release.
- ★ Use the "buddy system" to ensure no injuries occur during the response.
- ★ Take precautions to avoid personal injury during this operation.
- ★ Contact operator and/or local officials to aid in operation. See list of phone numbers attached.
- ★ Have received training in the:
 - ♦ Detection of H₂S, and
 - Measures for protection against the gas,
 - Equipment used for protection and emergency response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally, the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas.

Characteristics of H₂S and SO₂

Common	Chemical	Specific	Threshold	Hazardous	Lethal
Name	Formula	Gravity	Limit	Limit	Concentration
Hydrogen Sulfide	H₂S	1.189 Air=1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO ₂	2.21 Air=1	2 ppm	N/A	1000 ppm

Contacting Authorities

Cimarex Energy Co. of Colorado's personnel must liaise with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available including directions to site. The following call list of essential and potential responders has been prepared for use during a release. Cimarex Energy Co. of Colorado's response must be in coordination with the State of New Mexico's "Hazardous Materials Emergency Response Plan" (HMER).

H₂S Contingency Plan Emergency Contacts

East Lusk 15 Federal Com No. 1

Cimarex Energy Co. of Colorado Unit P, Section 15

T19S-R32E, Lea County, NM

Cimarex Energy Co. of Color	800-969-4789						
Co Office and After-Hours							
Key Personnel							
Name	Title	Office		Mobile			
Doug Park	Drilling Manager	432-620-1934		972-333-1407			
Dee Smith	Drilling Super	432-620-1933		972-882-1010			
Jim Evans	Drilling Super	432-620-1929		972-465-0564			
Roy Shirley	Field Super	102 020 2323		432-634-2136			
	क क्षेत्रक क स्थापन क स्थापन के प्रथम के प्रथम के प्रथम क प्रथम न नामकों के स्थापन के फिल्टा के स्थापन क वर्गकों के प्र	우구 전 주프를 B 보건의 박 1211년 등 1822년 유 1222년 및 122	50 to 400	* *** * *** * ***			
Artesia	ಂದರ್ಮ ರೇಮರುಂದರ್ಮಂದರ್ಮಕ ಜಮಂಕಿ ಮಹಿಳಿದಿ ಮಹಿಳಿದಿ ಮಹಿಳಿದಿ ಮಂದಿ ಕೆ ಮಹಿಳಿದಿ ಮಹಿಳಿದಿ ಮಹಿಳಿದಿ ಮಹಿಳಿದಿ ಮಹಿಳಿದಿ ಮಹಿಳಿದಿ ಮಹಿಳಿದಿದೆ.	مه به الشهر و المنها و الشهر و الشهر و المنها و المنها	- · ·				
Ambulance		911					
State Police		575-746-2703					
City Police		575-746-2703					
Sheriff's Office		575-746-9888		· · · · · · · · · · · · · · · · · · ·			
Fire Department	575-746-2701						
Local Emergency Planning	575-746-2122						
New Mexico Oil Conserva	575-748-1283						
Carlsbad	.,	011					
Ambulance	911						
State Police	575-885-3137						
City Police	575-885-2111						
Sheriff's Office	575-887-7551						
Fire Department	575-887-3798						
Local Emergency Planning	575-887-6544						
US Bureau of Land Manag	575-887-6544						
Santa Fe							
New Mexico Emergency I	505-476-9600						
New Mexico Emergency I	505-827-9126						
New Mexico State Emerg	505-476-9635						
: National							
National National Emergency Resp	800-424-8802	—					
manorial Efficiency Nest	onse certer (washington, o.e.)	000-424-0002					
Medical							
Flight for Life - 4000 24th	806-743-9911						
Aerocare - R3, Box 49F; L	806-747-8923						
Med Flight Air Amb - 230	505-842-4433						
SB Air Med Service - 2505	Clark Carr Loop S.E.; Albuquerque, NM	505-842-4949					
Other							
Boots & Coots IWC	800-256-9688	or	281-931-8884				
Cudd Pressure Control	432-699-0139	or	432-563-3356				
Halliburton	575-746-2757		425,707,222				
		J/J=/4U=//J/					