State of New Mexico

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 ·

HOBBS OEnergy Minerals and Natural Resources
Department

Form C-144 CLEZ July 21, 2008

<u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u>

1000 Rio Brazos Road, Aztec, NM 87410 SEP 3 0 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

1220 S. St. Francis Dr , Santa Fe, NM 87505

District IV

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: McElvain Energy, Inc. OGRID #: 22044 Address: 1050 – 17th Street, Suite 2500 <u>Denve</u>r, Colorado 80265_____ Facility or well name: Branch Ranch State 35 # 1 API Number: 30-025-40305 OCD Permit Number: P1-03774 U/L or Qtr/Qtr SWNE (Unit G) Section 35 Township 15S Range 33E County: Lea County, New Mexico Center of Proposed Design: Latitude N 719282.595 Longitude _E 771804.829 NAD: □1927 ⋈ 1983 Surface Owner: ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotment **Closed-loop System:** Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A ☐ Above Ground Steel Tanks or ☐ Haul-off Bins Signs: Subsection C of 19.15.17.11 NMAC ☑ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☑ Signed in compliance with 19.15.3.103 NMAC Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC API Number: Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API Number: Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Permit Number: NM-0003 Disposal Facility Name: Sundance Services, Inc. Disposal Facility Permit Number: ____ NM-0006_ Disposal Facility Name: Controlled Recovery, Inc. Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications - - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC **Operator Application Certification:** I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. E. Reed Eischer Name (Print): Title: Senior Operations Engineer Signature: Date: ___September 29, 2011_____

> _reedf@mcelvain.com_ Form C-144 CLEZ

e-mail address:

Oil Conservation Division

Page 1 of 2

Telephone: (303) 893-0933 xtn 330

OCD Approval: Permit Application (including closure plan) Closure Plan (only)	
OCD Representative Signature:	Approval Date: [C] [3]
Title: PETROLANA ENGINEER	OCD Permit Number: <u>P1-D3774</u>
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:	
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.	
Disposal Facility Name:Sundance Services, Inc	
Disposal Facility Name:Controlled Recovery, Inc	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No	
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

Closed Loop Mud System

Drilling fluids will circulate through a "closed system" consisting of above ground steel tanks, mud pumps, a chemical injection and flocculation system and various pieces of solids control equipment located in series and above ground along the "drilling fluid returns" side of the mud circulation system. Solids will be removed from the returns and temporarily stored in steel roll-off bins prior to haul-off to an approved NMOCD facility. This closed loop system will consist of steel piping and various pieces of equipment as follows:

- 1. Conventional shale shakers with graduated screens will handle the initial removal of drill cuttings from the mud return stream.
- 2. A conventional mud cleaner will then remove still finer solid particles.
- 3. Flocculants will be added via a chemical injection system (which includes a settling tank) in order to flocculate and settle additional solid particles.
- 4. A centrifuge may be utilized to receive effluent downstream of the mud cleaner and remove additional cuttings and drill particles.
- 5. Roll off bins will be utilized to store the solids removed by the shale shaker, mud cleaner, flocculation settling tank and centrifuge. These waste solids will either drop directly into the bins or be transferred immediately upon cleanout of any settling or catch tank. Once a bin is full it will be hauled to, emptied and cleaned out at an NMOCD approved disposal site.

Operation and Maintenance

Personnel with appropriate training and experience will be on-site 24 hours per day to operate and maintain the solids control equipment. If equipment problems occur the repairs or parts replacement will be done by qualified personnel. Personnel will monitor the solids levels in the roll off bins. Trucking companies will be notified to pick up the full bins and move the new bins into place.

Closure Plan

Cuttings and solids will be disposed of at an OCD permitted facility according to OCD guidelines. Where possible fluids will be recycled. If unable to use the fluids the fluids will be hauled to an approved disposal facility. Fluids will be temporarily stored in tanks of sufficient volume to maintain the liquids on-site.