

District I
1625 N French Dr, Hobbs, NM 88240
District II
811 S. First St, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St Francis Dr, Santa Fe, NM 87505

HOBBS OCO

OCT 05 2011

RECEIVED

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 CLEZ
Revised August 1, 2011

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: ☐ Permit ☒ Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1. Operator: CHEVRON USA INC OGRID #: 4323
Address: 15 SMITH RD MIDLAND, TX 779705
Facility or well name: C.C. Fristoe A Federal NCT-1 #6
API Number: 30-025-11371 OCD Permit Number: P1-03610
U/L or Qtr/Qtr D Section 35 Township 24S Range 37E County: Lea
Center of Proposed Design: Latitude _____ Longitude _____ NAD. ☐ 1927 ☐ 1983
Surface Owner: ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2. ☒ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC
Operation: ☐ Drilling a new well ☒ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ☐ P&A
☐ Above Ground Steel Tanks or ☐ Haul-off Bins

3. **Signs:** Subsection C of 19.15.17.11 NMAC
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
☐ Signed in compliance with 19.15.16.8 NMAC

4. **Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Design (attach copy of design) API Number: _____
☐ Previously Approved Operating and Maintenance Plan API Number: _____

5. **Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19.15.17.13.D NMAC)
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.
Disposal Facility Name: _____ Disposal Facility Permit Number: _____
Disposal Facility Name: _____ Disposal Facility Permit Number: _____
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?
☐ Yes (If yes, please provide the information below) ☐ No
Required for impacted areas which will not be used for future service and operations:
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

6. **Operator Application Certification:**
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Jamie Castagno Title: Production Engineer
Signature: [Signature] Date: 10/03/2011
e-mail address: jamie.castagno@chevron.com Telephone: (432) 687-7688

7
OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only)

OCD Representative Signature: _____

Approval Date: 10-6-2011

Title: _____

OCD Permit Number: P1-03610

8
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☐ Closure Completion Date: _____

9.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:

Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:

☐ Site Reclamation (Photo Documentation)

☐ Soil Backfilling and Cover Installation

☐ Re-vegetation Application Rates and Seeding Technique

10.
Operator Closure Certification:


I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

CHEVRON REVERSE UNIT SCHEMATIC OPERATING AND
MAINTENANCE CLOSURE PLAN



Notes:

1. This is a generic layout; exact equipment orientation will vary from location to location.

2. This is a schematic representation, so drawing is not to scale.

Operating and Maintenance Plan

1. All recovered fluids and solids will be discharged into reverse tank.

2. Reverse tank will be continuously monitored by designated rig crew. Reverse tank will not be overfilled.

3. Rig crew will visually inspect and integrity of reverse tank on a daily basis.

4. Documentation of visual inspection of reverse tank will be captured on daily completion monitoring report.

Closure Plan

1. All recovered fluids and solids will be removed from reverse tank and hauled off site.

2. All recovered fluids and solids will be disposed of at a suitable off location, which is designated for this.



WELL NAME: Fristoe A NCT 1 #6


API # 30-025-11371

OPERATOR CHEVRON USA INC

Location. 660FNL & 660 FWL Township/Range/Section. 24S 37E 35

Spud Date: 02/09/1940

Original Well Construction



13" 40# CSG in 18" Hole

set @ 174' w/ 50 sx cmt

TOC = surface by circulation

Tubing Detail (as of 9/15/11)

1 joint - 3-1/2" L-80 IPC	32
4 subs - 3.5" L-80 IPC (10, 8, 6, 4)	60
95 joints - 3 5" L-80 IPC	3,148
5 joints - 3-1/2" J-55 IPC	3,310
1 - 3-1/2" X 2-7/8" Cross-over joint	3,315
1 - 5-1/2" X 2-7/8" on/off tool	3,320
1 - AS1-X PKR 5-1/2" - 3325'	3,325
1 - Pump-Out Plug (2-7/8") - 3331'	3,331

8 5/8" 28# in 10 3/4" Hole

set @ 1295' w/ 100 sx cmt

TOC = 168'

Yates Perfs 2708' - 2796', perfed in 1963, SQUEEZED IN 1975

Acidized w/ 300 gals acid in each perf, Frac'ed w/ 1 ppg sand

09/2011 MMWW:

Ran new 5.5" casing inside 7" casing to isolate leaks (2708, 2720, 2786, 2796)
and bad casing (below 3150')

7" 24# J-55 in 7-1/2" Hole

set @ 3369' w/ 125 sx cmt

TOC = 2200'

Arrowset PKR set @ 3325' (09/11)

5 5" 15 5# J-55 CSG set @ 3352'


w/ 200 sx cement, TOC = 1050' by TS

Open Hole - 6 1/4"

3369' - 3518'

TD = 3514' PBTD = 3490'

Junk in hole: 7" Bridge Plug, 3510' - 3514'



Chevron

PBTD @ 3518