

Submit 3 Copies To Appropriate District Office

District I
1625 N French Dr, Hobbs, NM 88240

District II
1301 W Grand Ave., Artesia, NM 88210

District III
1000 Rio Brazos Rd, Aztec, NM 87410

District IV
1220 S St Francis Dr, Santa Fe, NM 87505

HOBBS OCD

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

March 4, 2004

OCT 06 2011

RECEIVED

CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-32896

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

L. Van Etten

8. Well Number

17

9. OGRID Number

4323

10. Pool name or Wildcat

Monument, Paddock

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well:

Oil Well ☐

Gas Well ☒

Other ☐

2. Name of Operator

Chevron USA Inc

3. Address of Operator

#15 Smith Rd., Midland, TX 79705

4. Well Location

Unit Letter K : 1650 feet from the South line and 1650 feet from the West line

Section 9 Township 20-S Range 37-E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL K Sect 9 Twp 20-S Rng 37-E Pit type Steel Depth to Groundwater Distance from nearest fresh water well

Distance from nearest surface water Below-grade Tank Location UL Sect Twp Rng ;

1650 feet from the South line and 1650 feet from the West line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice of Intention to:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

REM

COMMENT

CASING TEST CEMENT JOB

OTHER

Report or Other Data
The Oil Conservation Division Must be notified 24 hours prior to the beginning of plugging operations.

ALTERING CASING ☐

PLUG AND ABANDONMENT ☐

OTHER ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore log or recompletion.

1. Notify OCD 24 hrs. prior to MI and RU.

2. RIH, spot 25sx of class "C" cement plug from 5178'-4978' (perfs) . WOC&TAG.

3. Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL.

4. Spot 60sx class "C" cement plug from 4385'-3849' (DV tool/S.Andres est.). WOC&TAG.

5. Spot 45sx class "C" cement plug from 2615'-2258' (Yates est./B.Salt est.). WOC&TAG.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent for Chevron USA, Inc. DATE 10-04-2011

Type or print name M. Lee Roark E-mail address: Telephone No. 432-561-8600

(This space for State use)

APPROVED BY [Signature] TITLE STAFF MGR DATE 10-6-2011
Conditions of approval, if any:

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-32896
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name L. Van Etten
8. Well Number 17
9. OGRID Number 4323
10. Pool name or Wildcat Monument. Paddock

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
Chevron USA Inc.

3. Address of Operator
#15 Smith Rd., Midland, TX 79705

4. Well Location
Unit Letter K : 1650 feet from the South line and 1650 feet from the West line
Section 9 Township 20-S Range 37-E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL K Sect 9 Twp 20-S Rng 37-E Pit type Steel Depth to Groundwater _____ Distance from nearest fresh water well _____
Distance from nearest surface water _____ Below-grade Tank Location UL _____ Sect _____ Twp _____ Rng _____ ;
660 feet from the North line and 660 feet from the West line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

7. Perf and squeeze 160sx cement plug from 1662'-1035' (T.Salt est./shoe). WOC&TAG.
8. Perf and squeeze 110sx cement plug from 400'-surface' (Fr.Wtr./surface). Verify TOC.
9. Install dryhole marker and clean location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Reark TITLE Agent for Chevron USA, Inc. DATE 10-04-2011

Type or print name M. Lee Reark E-mail address: _____ Telephone No. 432-561-8600

(This space for State use)

APPROVED BY [Signature] TITLE State Rep DATE 10-6-2011
Conditions of approval, if any: _____

Well: L. Van Etten # 17

Field: Monument

Reservoir Paddock


Location:

1650' FSL & 1650' FWL
Section: 9
Township: 20S
Range: 37E
County: Lea State: NM

Elevations:

GL: 3,540'
KB: 3,555'
DF: 3,555'

**Current
Wellbore Diagram**



Well ID Info:

Chevno:
API No. 30-025-32896
L5/L6:
Spud Date: 11.29.1995
Compl. Date: Jan 1996

Surf. Csg: 8 5/8", 24# WE-50

Set: @ 1,135'

Hole Size: 11"

Circ: Yes **TOC:** Surface

TOC By: Circulated

This wellbore diagram is based on the most recent information regarding wellbore configuration and equipment that could be found in the Midland Office well files and computer databases as of the update date below. Verify what is in the hole with the well file in the Eunice Field Office. Discuss w/ WEO Engineer, WO Rep, OS, ALS, & FS prior to rigging up on well regarding any hazards or unknown issues pertaining to the well.

DV Tool 4,284.7'

Anchor 5,045'

CIBP 5200'

CIBP @ 5,475'
w/ 10' Sand

COTD:

PBTD:
TD: 5,557'

Updated: 6.03.2011

By: D. Nash

Perfs:
5178-86'
5208-23'

Status:
Paddock - Open
Paddock - Open

1.1996

Perfs:
5512-24'

Status:
Paddock

12.1995

Prod. Csg: 5 1/2", 15 50#, K-55 & 17# L-80
Set: @ 5,575'

Hole Size: 7 7/8"

Circ: Yes **TOC:** Surface
TOC By: Circulated

PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG)

OPERATOR CHEVRON U.S.A. Inc.
LEASENAME L. Van Etten

WELL # 17
SECT 9 TWN 20S RNG 37E
FROM 1450' N(3) 1450' E(W) L
TD: 5557' FORMATION @ TD
PBTD: FORMATION @ PBTD

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	8 5/8"	1135'	surface	circulated ✓
INTMED 1				
INTMED 2				
PROD	5 1/2"	5575'	surface	circulated ✓
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERF	5178' - 5524'
INTMED 2			OPENHOLE	-
PROD				

REQUIRED PLUGS DISTRICT I

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CNMT	
EXAMPLES			
PLUG #1	OH	35 SXS	6400'
PLUG #2	SHOE	50 SXS	3350'-5450'
PLUG #3	CIBP/35'		4800'
PLUG #4	CIBP	25 SXS	4800'
PLUG #5	STUB	50 SXS	3600'-3700'
PLUG #6	REINR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #8	perfs	25sx	5178'-4978'
PLUG #9	DV tool	60sx	4385'-3849'
PLUG #10	S. Andres est.		
PLUG #11	Yates est.	45sx	2015' - 2258'
PLUG #12	B. Salt est.		
PLUG #13	T. Salt est.	140sx	1462' - 1035'
PLUG #14	shoe		
PLUG #15	Ft. Wtr.	110sx	400' - surface
PLUG #16	surface		
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CNMT	
EXAMPLES			
PLUG #1	OH	35 SXS	6400'
PLUG #2	SHOE	50 SXS	3350'-5450'
PLUG #3	CIBP/35'		4800'
PLUG #4	CIBP	25 SXS	4800'
PLUG #5	STUB	50 SXS	3600'-3700'
PLUG #6	REINR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #8	perfs	25sx	5178'-4978'
PLUG #9	DV tool	60sx	4385'-3849'
PLUG #10	S. Andres est.		
PLUG #11	Yates est.	45sx	2015' - 2258'
PLUG #12	B. Salt est.		
PLUG #13	T. Salt est.	140sx	1462' - 1035'
PLUG #14	shoe		
PLUG #15	Ft. Wtr.	110sx	400' - surface
PLUG #16	surface		
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			

TD 5557'