

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 87240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

HOBBS OGD

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

OCT 21 2011

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-30452
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator XTO Energy, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701		7. Lease Name or Unit Agreement Name: Eunice Monument South Unit
4. Well Location Unit Letter M : 860 feet from the South line and 675 feet from the West line Section 15 Township 21S Range 36E NMPM County Lea		8. Well Number 425
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3610' KB		9. OGRID Number 005380
		10. Pool name or Wildcat Monument; Grayburg-San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

RE-ENTRY ☐ ALTERING CASING ☐
COMPLETION ☐ P AND A ☐
CASING/CEMENT ☐

OTHER: ☐

RE-ENTRY REPORT OF:
The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of well or recompletion.

- MIRU PU. MI & rack 200' of 2 7/8" tbg ND WH. NU BOP.
- RU ESP spooler POOH and LD TD-1200 ESP.
- PU & RIH w/CIBP on tbg. To 3670'. Set CIBP @ 3670'. PUH to 3665'. L&T 5 1/2" prod. csg. w/brine to 500 psig to test CIBP.
- MIRU cmt. Co. Circ 5 1/2", prod. csg. w/9ppg mud (min 90 bbls).
- Spot balance cmt. Plug (25 sx) f/CIBP (3670') to 3540'. PUH to 2800' & rev. circ. tbg. clean w/plug mud WOC for 4 hrs. RIH & tag TOC. PUH to 1400' **2800' Spot 25sx**
- Spot balance cmt. Plug (25 sx) f/1400' to 1270'. PUH to 700' & rev. circ. Tbg clean with plug mud. WOC for 4 hrs. RIH & tag TOC POOH & LD 2 7/8" tbg
- RU wireline. PU & RIH w/csg. Gun & perf. 5 1/2" prod. csg. POOH & RD WL.
- ND BOP NU WH. RU pmp. Trk to 5 1/2" prod. csg. Circ. Thru 8 5/8" x 5 1/2" annulus w/brine. Circ. Cmt. Plug (min. 35 sx) f/175' to surf.
- RD cmt. Co. RDMO PU Cut off WH & anchors, install dry hole marker, reseed and reclaim location.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sharon Hindman TITLE Regulatory Analyst DATE 10/20/2011

Type or print name Sharon Hindman E-mail address: sharon_hindman@xtoenergy.com PHONE 432-620-6741

For State Use Only

APPROVED BY [Signature] TITLE STAFF MGR DATE 10-24-2011

Conditions of Approval (if any):

OCT 25 2011

EUNICE MONUMENT SO. UNIT #425

WELLBORE DIAGRAM

TOC @ 178'

ELEV: GL: 3600'
KB: 3610'

DATA

LOCATION: 860' FSL & 675' FWL, SEC 15, UNIT M, T21S, R36E

COUNTY/STATE: LEA, NM

FIELD: EUNICE MONUMENT

FORMATION: GRAYBURG/SAN ANDRES

SPUD DATE: 9/7/88 COMPLETION DATE: 10/17/88

API #: 30-025-30452

STATUS: SUB

IIP: 1 BPD, 14 MCFD, 210 BW

09/06/11: 113 JTS 2-7/8", 6.5#, J-55 TBG,
1 - GE TD-1250 PMP, 144 STGS,
INTAKE, SEAL ASSEMBLY, 1 - 80 HP
MTR, DH SENSOR. PI @ 3576'. EOT @
3614'.

8-5/8" OD 24# CSG SET @ 1335'.
CMT'D W/800SX. CIRC.

3711'-18'
3738'-46'
3748'-52'
3756'-68'
3774'-85'
3789'-96'
3798'-3808'
3815'-22'
3830'-38'
3852'-54'
3870'-72'
3876'-78'
3888'-92'
3903'-05'
3916'-19'
3924'-26'

2 JHPF

FILL & DO CIBP @ 3966'

5-1/2" OD 15.5# CSG SET @ 4000'
CMT'D W/825SX. TOC @ 178' (TS).

PBTD 3970'
TD: 4000'

EUNICE MONUMENT SO. UNIT #425

WELLBORE DIAGRAM

DATA

LOCATION: 860' FSL & 675' FWL, SEC 15, UNIT M, T21S, R36E

COUNTY/STATE: LEA, NM

FIELD: EUNICE MONUMENT

FORMATION: GRAYBURG/SAN ANDRES

SPUD DATE: 9/7/88 **COMPLETION DATE:** 10/17/88

API #: 30-025-30452

STATUS: SUB

IIP: 1 BPD, 14 MCFD, 210 BW

