

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

HOBBS OCD

OCT 26 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-10135
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name J L Greenwood
8. Well Number 14
9. OGRID Number 07673
10. Pool name or Wildcat PADDOCK

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
ExxonMobil Corporation Attn: Roy Springfield

3. Address of Operator
P.O. Box 4358 Corp-MI-203 Houston, Tx 77210-4358

4. Well Location
Unit Letter L : 1905 feet from the South line and 990 feet from the West line
Section 9 Township 22S Range 36E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
GR 3,417' RDB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRUWSU. NUBOPE.
- TIH tubing and tag CIBP at 4950'.
- Circulate well with plugging mud.
- Pressure Test casing to 500 PSI.
- Spot 25 sx C cement at 4950'-4703'.
- Spot 25 sx of C cement 2850'-2603' CTOC. - WOC - TAG
- Perf and squeeze 40 sx of C cement 2200'-2100'. WOC & TAG.
- Perf and squeeze 40 sx of C cement 1200'-1100'. WOC & TAG.
- Perf and circulate 100 sx of C cement 377'-surface. WOC & TAG
- NDBOP. RDWSU.
- Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

DATE

Type or print name

E-mail address:

PHONE: 432-523-5155

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

OCT 26 2011

☐ **Proposed**

As Is


**GREENWOOD 14
LES COUNTY, NM.**

	Size	Wt.	Grde	Thrd	Depth	(E)TOC	Sks/Cmt
CONDUCTOR							
SURFACE	10 3/4	40.5	H-40		327	Surface	
PRODUCTION	7 5/8	26.4			2799	Surface	
OPEN HOLE							
TUBING							

[illegible]

Wrkg Interest		Location
Rev Interest		Unit L; 1905 FFS line 990 FFW line
Spud Date		Section 9, Township 22S, Range 37E
Lease #		Greenwood-Lea County NM

PBTD MD	5189
TVD	
T DPTH MD	5200
TVD	
FLUID LIH	
DATE LIH	
PREPARED BY:	
DATE:	10/24/2011

☐ **As Is**

**GREENWOOD 14
LES COUNTY, NM.**

	Size	Wt.	Grde	Thrd	Depth	(E)TOC	Sks/Cmt
CONDUCTOR							
SURFACE	10 3/4	40.5	H-40		327	Surface	
PRODUCTION	7 5/8	26.4			2799	Surface	
OPEN HOLE							
TUBING							

[illegible]

Wrkg Interest		Location
Rev Interest		Unit L, 1905 FFS line 990 FFW line
Spud Date		Section 9, Township 22S, Range 37E
Lease #		Greenwood-Lea County NM

PBTD MD	5189
TVD	
T DPTH MD	5200
TVD	
FLUID LIH	
DATE LIH	
PREPARED BY:	
DATE:	10/24/2011