

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St. Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		WELL API NO. <u>30-025-20559</u>
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> SALT WATER DISPOSAL		5. Indicate Type of Lease: FEDERAL <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator BURK ROYALTY CO., LTD.		6. State Oil & Gas Lease No. LC-066126
3. Address of Operator P.O. BOX 94903, WICHITA FALLS, TX 76308		7. Lease Name or Unit Agreement Name HANSON C
4. Well Location Unit Letter <u>K</u> : <u>1650</u> feet from the <u>SOUTH</u> line and <u>1650</u> feet from the <u>WEST</u> line Section <u>23</u> Township <u>20S</u> Range <u>34E</u> NMPM LEA County		8. Well Number <u>004</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3681 DF		9. OGRID Number <u>3053</u>
		10. Pool name or Wildcat YATES

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. PULL TUBING & LAY DOWN.
2. SET CIBP AT 3600'. CEMENT PLUG ON TOP WITH 7 SACKS FROM 3550-360'.
3. SET CEMENT PLUG IN CASING FROM 3080-3280' WITH 30 SACKS CLASS C CEMENT.
4. SET CEMENT PLUG IN CASING FROM 1650-1850' WITH 30 SACKS CLASS C CEMENT.
5. WAIT ON CEMENT AND TAG.
6. SET CEMENT PLUG FROM 0-300' WITH 40 SACKS CLASS C CEMENT.

Accepted for Record Only

ECG 11-2-2011


Accepted for Record Only

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE AGENT

DATE 10-21-2011

Type or print name JON H. BEAR

E-mail address: jon@burkroyalty.com

PHONE: 940-397-8638

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

NOV 02 2011

PLUGGING & ABANDONMENT WORKSHEET

OPERATOR: BURK ROYALTY CO., LTD.

LEASE NAME: HANSON C

WELL #: 04
 SECT 23 TWN 205 RNG 34E
 FROM N/S L E/W L
 TD: 3700' FORMATION @ TD: QUEEN
 PBTD: 3692' FORMATION @ PBTD: QUEEN

8-5/8"
 @ 258'
 TOC SURFACE

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	8-5/8"	258'	SURFACE	VISUAL
INTMED 1				
INTMED 2				
PROD	5-1/2"	3692'	SURFACE	VISUAL
	SIZE	SET @	TOC	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @			TOP - BOTTOM
INTMED 1			PERFS	
INTMED 2			OPEN HOLE	
PROD	NONE PULLED			

* REQUIRED PLUGS DISTRICT I

YATES	
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPITAN REEF	
DELAWARE	
BELL CANYON	
CHEREY CANYON	
CANYON	
SOME SPRING	
GLORIETA	
BL	
TURD	
DRINCAID	
ABO	
WC	
PENN	
STRAWX	
ATOKA	
MORROW	
KIII	
DEVONIAN	

PLUG	TYPE PLUG	SACKS CMNT	DEPTH
PLUG #1	CIBP		3610'
PLUG #2	CMT	7	3550-3600'
PLUG #3	CMT	30	3080-3280'
PLUG #4	CMT	30	1650-1850' TAG
PLUG #5	CMT	40	0-300'
PLUG #6			
PLUG #1			
PLUG #2			
PLUG #3			
PLUG #4			
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #			
PLUG #			

3583
 3650 -

5-1/2"
 @ 3692'
 TOC SURFACE

TD 3700'

BURK ROYALTY CO., LTD.
HANSON C #04
LYNCH FIELD
SEC 23 T 205 R 34 E
1650 FSL 1650 FWL OF SEC 23
API # 30-025-20559
BLM LC 066126

