Form (160- HOBBS OCD (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

New Mexico Oil Conservation Division, District I 1625 N. French Drive

OMB No. 1004-0137

Hobbs, NM 88240 5. Lease Serial No.

Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS Do notified this form for proposals to drill or to re-enter an abandoned well. Use Form 2160.2 (ADD) form	
Do portuse this form for proposals to drill or to re-enter an	
abandoned well Use Form 2460.2 (Appl. 5	

03210 6. If Indian, Allottee or Tribe Name

abandoned well. Use Form 3160-3 (APD) for such proposals.			, and the manner	
SUBM	7. If Unit of CA/Agi	reement, Name and/or No.		
1. Type of Well		.,	-	, and at 110.
X Oil Well Gas	Well Other		8. Well Name and N	0.
2. Name of Operator		West Cap Queen Sand Unit #1		
Celero Énergy II, LP			30-005-01093	
100 W Hingin Str. 1001		No. (include area code)	10. Field and Pool or	Exploratory Area
4. Location of Well (Footage, Sec., T.	$\frac{\text{Midland IX 79701}}{R M \text{ or Surpay Denomination}} \tag{43}$	<u>32)686-1883</u>	Caprock; Que	een /
OOU THE GOOD FEL	, K., M., Or Survey Description)		11. Country or Parish	n, State
(A) Sec 17, T14S, R31E			Chaves, NM	
12. CHEC	CK THE APPROPRIATE BOX(ES) TO I	NDICATE NATURE OF NOTIC	CE, REPORT OR OTH	IER DATA
TYPE OF SUBMISSION		TYPE OF ACT	ION	
X Notice of Intent	Acidize D	eepen . Produ	uction (Start/Resume)	Water Shut-Off
			mation	Well Integrity
Subsequent Report			mplete	X Other
T First 41	Change Plans		orarily Abandon	<u> </u>
Final Abandonment Notice	Convert to Injection Pl peration: Clearly state all pertinent details ally or recomplete horizontally, give subst	ug Back Water	· Dienocal	
well in the the event a C02 field wide. 1. POOH w/ production equ. 2. RIH w/ CIBP & set @ 26	192'. Dump bail 35' of cmt on Cole with FW pkr fluid. POOH with FW pkr fluid. POOH with Field Office At Least 24 sing Integrity Test. For punty, During Office 1975) 627-0205. Engineer 1996; (575) 627-0275. Or	CIBP. // tubing & perform MIT.	the well has pote ccessful & the p	ttle injection support ential as a producing roject is expanded TH PERIOD
	J	ENDINGJA	N 7 2 7017	
. Libereby certify that the formaning in the	-			
1 hereby certify that the foregoing is true	e and correct. Name (Printed/Typed)			
Lisa Hunt		Title Regulatory Analys	st	,
Signature Lusa	Hunt	Date 10/18/2011		
	THIS SPACE FOR FEDE	RAL OR STATE OFFIC	E USF	
	R. GLASS	PETROLEUM E		007.37.22
ditions of approval, if any, are attached. A the applicant holds legal or equitable title the applicant to conduct operations the	Approval of this notice does not warrant or contours to those lights in the subject lease which wo		L FIELD OFFICE	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

SEE ATTACHED FOR **CONDITIONS OF APPROVAL**

CELERO ENERGY

FIELD:

Caprock

DATE: BY:

Oct. 17, 2011

LEASE/UNIT:

West Cap Queen Sand Unit

WELL:

MWM

COUNTY:

Chaves

STATE:

New Mexico

Location: 660' FNL & 660' FEL, Sec 17A, T14S, R31ECM

SPUD: 9/55 COMP: 9/55

CURRENT STATUS: Producer Original Well Name: Cleat #2

KB = 4126'

GL =

API = 30-005-01093

8-5/8" 32# J-55 @ 180' w/180 sx-calc'd TOC at surface

Cement at 280'-925'(CBL,7/11)-probably from a prior leak around 740'.

T-Rustler Anhy @ 1015'

T-Yates @ 1970'

T-Queen @ 2726'

-88 jts, 2-3/8", 4.7#, J-55, 8rd EUE at 2693'

TOC @ 1970' (7/11 CBL)

CIBP at 2692' w/35' cmt

5-1/2" 14&15.5# @ 2742' w/100 sx

Top of Queen @ 2726':

Queen Open Hole: 2742' - 2758' (9-55)

5-1/2" "as run" Top: 2125' 14#

Bottom: 605' 15.5#

PBTD - 2758' TD - 2758'

BUREAU OF LAND MANAGEMENT

Roswell Field Office 2909 West Second Street Roswell, New Mexico 88201 575-627-0272

Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporary abandoned well is defined as a completion that is not capable of production in paying quantities but may have value as a service well. Pursuant to 43 CFR 3162.3-4(c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
- A. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging.
- B. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leakoff.
- C. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
- D. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- E. Contact the BLM Roswell Field Office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Chaves and Roosevelt County, during office hours or after office hours call (575) 627-0205. Engineer on call during office hours phone (575) 627-0275 or phone (after hours) call (575) 626-5749.

Wells that successfully pass the casing integrity test may be approved for Temporary Abandonment (TA) status up to 12 months.

- 1. Submits a subsequent Sundry Notice (Form 3160-5) requesting TA approval.
- 2. Attaches a clear copy of the original pressure test chart.
- 3. Provided justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.
- 4. Describes the temporary abandonment procedure.

The TA status could be extended without another casing integrity test provided there was no leak-off during the test and the test was witnesses by a BLM representative.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Ref: IM: NM-95-022 (12/16/1994)