Office	tate of New Mexico	Form C-103
District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1000 Rio Brazos Rd, Aztec, NM 87410 NOV 0 9 20 1220 South St. Francis Dr. Santa Fe, NM 87505		May 27, 2004
		30-025-05891
		5. Indicate Type of Lease STATE FEE
District IV 1220 S St Francis Dr , Santa Fe, NM	anta Fe, NM 87505	6. State Oil & Gas Lease NO.
87505		
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		7. Lease Name or Unit Agreement Name North Monument Grayburg/SA Unit Blk. 22
1. Type of Well: Oil Well 🔽 Gas Well 🗌 Other 🗌		8. Well Number
2. Name of Operator Apache Corporation		9. OGRID Number 873
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX. 79705		10. Pool name or Wildcat Eunice Monument;Grayburg/SA
4. Well Location		
Unit Letter O : 660 feet from the S line and 1980 feet from the E line		
Section 4 Township 20S Range 37E NMPM County Lea		
	Show whether DR, RKB, RT, GR, etc.,	
	3555' DF	
Pit or Below-grade Tank Application Closure		
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water N/A		
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION T	0: SU	BSEQUENT REPORT OF:
TEMPORARILY ABANDON CHANGE PLA		
PULL OR ALTER CASING MULTIPLE CO		
OTHER:	OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion		
or recompletion.		
10-25-2011- MIRU plugging equipment. Tag existi Test 5 ½ casing to 1000psi. Spot 50 sac	ng 5 ½ CIBP @ 3744 ft. Circulate h	ole with 90 barrels mud laden fluid.
10-26-2011-Tag cement plug @ 3267 ft. Perforate		
Displace to 1800 ft. WOC. Tag Cement plug @ 1805 ft.		
10-27-2011- Perforate 6 holes @ 1351 ft. Packer @ 819 ft. Circulate 80 sacks cement down 5 ½ x 7 5/8 casing. WOC + (a) (050.		
10-28-2011 - Perforate 6 holes @ 204 ft. Establish circulation down 5 ½ x 7 5/8 x 10 ¾ casing to surface. Pump 100 sacks cement Down 5 ½ x 7 5/8 x 10 ¾ casing to surface. Cut-off wellhead & anchors. <u>Clean location</u> . Install dry-hole marker.		
RDMO plugging equipment 10-28-201		
	Lability under	bond is retained pending receipt
	of C-103 (Subse	iquent Report of Well Plugging) sund at OCD Web Page under
	Forms, www.cm	nrd.state.nm.us/ocd.
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below- grade tank has been/will be constructed or closed according to NMOCD guidelines 🛛, a general permit 🗌 or an (attached) alternative OCD-approved plan 🗌.		
A land		
SIGNATURE		
Type or print name: E-m For State Use Only	ail address:	Telephone No. 432-563-3355
S And And		
APPROVED BY:		
	,	
	ſ	
		NOV 0 9 2011