

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr, Hobbs, NM 87240
District II
1301 W. Grand Ave, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S St. Francis Dr, Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

HOBBS OCS

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

NOV 14 2011

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☒

2. Name of Operator

XTO Energy, Inc.

3. Address of Operator

200 N. Loraine, Ste. 800 Midland, TX 79701

4. Well Location

Unit Letter K : 2080 feet from the South line and 1880 feet from the West line

Section 13 Township 20S Range 36E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

WELL API NO.

30-025-31112

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

Eunice Monument South Unit B

8. Well Number

881

9. OGRID Number

005380

10. Pool name or Wildcat

Eunice Monument; Grayburg-San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU PU, RIH w/2 3/8" notched collar on WS to CIBP @ 3680', circ w/9ppg mud (min 90 bbls).

2. 2B Spot balanced cmt plug (25 sx) from 3680-3520', WOC 4 hrs, tag TOC @ 3520' -> spot 25 sx cmt @ 2380'

3. Spot balanced cmt plug (25 sx) from 1150-1000', WOC 4 hrs, tag TOC @ 1000'.

4. Spot balanced cmt plug (33 sx) from 200' to surface. POOH LD notched collar & WS.

5. ND BOP RDMO PU, cut off WH & anchors, install dry hole marker, ~~re-seed and reclaim location.~~

The Oil Conservation Division

MUST BE NOTIFIED 24 Hours

Spud Date:

Prior to the beginning of operations

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sharon Hindman TITLE Regulatory Analyst DATE 11/11/2011

sharon.hindman@xtoenergy.com

Type or print name Sharon Hindman E-mail address: sharon.hindman@xtoenergy.com PHONE 432-620-6741

For State Use Only

APPROVED BY [Signature] TITLE STAFF MGR DATE 11-16-2011

Conditions of Approval (if any):

NOV 17 2011

WELL DATA SHEET

FIELD: Eunice Monument

WELL NAME: EMSUB #881

FORMATION: Grayburg/San Andres

LOC: 2080' FSL & 1880' FWL

TOWNSHIP: 20-S

RANGE: 36-E

SEC/UNIT: 13/K

COUNTY: Lea

STATE: NM

GL: 3551'

KB to GL: 14'

DF to GL:

CURRENT STATUS: TA'd

API NO: 30-025-31112

CHEVNO: KV8490

8-5/8" OD 32#, Csg set @ 1070'
w/ 750 sx cmt. TOC @ surf.
(12-1/4" hole)

5-1/2" OD, 17# K55 csg set @ 4000'
w/ 600 sx cmt. Cmt Circ.
TOC @ Surf. by Calc.
(7-7/8" Hole)

3715'-30'
3734'-38'
3778'-84'
3874'-82'
3886'-92'
3908'-16'

9-7-01 CIBP @ 3680'
Pkr Fl Circ'd

3764'-74'
3821'-23'
3830'-32'
3841'-44'
3870'-74'
3920'-30'
3925'-30'

Date Completed: 3-10-91
Initial Formation: Grayburg- Zones 3-6
FROM: 3764' TO: 3930'

Initial Production:
19 BOPD 323 BWPD
GOR 1368 cu ft / bbl

PBTD @ 3957'
TD @ 4000'

FILE: WBS881.XLS
CJH 02/5/02

WELL DATA SHEET

FIELD: Eunice Monument

WELL NAME: EMSUB #881

FORMATION: Grayburg/San Andres

LOC: 2080' FSL & 1880' FWL

TOWNSHIP: 20-S

RANGE: 36-E

SEC/UNIT: 13/K

COUNTY: Lea

STATE: NM

GL: 3551'


KB to GL: 14'

DF to GL:

CURRENT STATUS: TA'd

API NO: 30-025-31112

CHEVNO: KV8490



PBTD @ 3957'
TD @ 4000'

FILE: WBS881.XLS
JWP 10/26/2011