Submit 3 Copies To Appropriate District Office	State of New Mexico	Form C-103
District I	Energy, Minerals and Natural Resources	June 19, 2008 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District II	OIL CONSEDUATION DIVISION	30-025-20959
1625 N. French Dr., Hobbs, NM 88240 <u>District III</u> 1301 W Grand Ave., Artesia, NM 88210 <u>District IIII</u> 1000 Ric Prograp Rd. Artes. NM 87416	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Kilo Brazos Ku , Aziec, Mili 84710	Santa Fe, NM 87505	STATE FEE 6. State Oil & Gas Lease No.
District IV 1220 S St. Francis Dr., Santa Fe, NM 87505		6. State Off & Gas Lease Ivo.
SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		New Mexico CR State
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other SWD		8. Well Number 3
2. Name of Operator	C On water I I C	9. OGRID Number
COG Operating LLC / 3. Address of Operator		229137 10. Pool name or Wildcat
550 W. Texas Ave	e., Suite 100 Midland, TX 79701	SWD; Delaware 96100
4. Well Location Unit Letter <u>L</u> : 1980 feet from the <u>South</u> line and <u>660</u> feet from the <u>West</u> line		
Section 32	Township 19S Range 32E NMF	
Section 32	11. Elevation (Show whether DR, RKB, RT, GR, et	
	3529 GR	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK	PLUG AND ABANDON ☐ REMEDIAL WO	
TEMPORARILY ABANDON		RILLING OPNS. P AND A
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL CASING/CEME	NT JOB \square
DOWNI IOLE COMMININGLE		
OTHER:	OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.		
11/01/11 MIRU		
11/02/11 ND wellhead, NU BOP, released packer POOH w/ 139jts 2-7/8, J55 tubing, on/off tool, 4-1/2 arrow set packer, 2-3/8 x 6		
plastic coated sub, type F nipple, wireline re-entry guide. 11/03/11 Performed a daily function test on the BOP. RIH w/ nickel plated wireline re-entry guide w/ pump out plug, stainless steel		
inline nipple 1.78, 2-3/8 x 6 nickel plated sub, 4-1/2 AS-1X Packer, seal nipple 1.81, T-2 on/off tool, 2-7/8 x 2-3/8 X-over,		
140 jts 2-7/8 J55 yellow band IPC tbg. Hydo test @ 5000 psi above the slips. SDFN. 11/06/11 Performed a daily function test on the BOP. Spaced out packer, set 4-1/2 arrow set packer @ 4514. Circ 130 bbls of packer		
fluid. ND BOP, NU wellhead. Perform MIT, Pressure up on casing to 320 psi and held for 30 min, good test.		
Spud Date:	Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
V	so to it and and complete to the dest of my knowled	se und conor.
SIGNATURE	TITLE Lead Regulatory An	nalyst DATE 11/09/11
Type or print name Kanicia Castillo E-mail address: kcastillo@concho.com PHONE: 432-685-4332		
For State Use Only		
APPROVED BY Sometime TITLE STAFF NATE DATE 11-21-2011		
Conditions of Approval (if any):		DATE 1/- 2/- 601/ NOV 2 1 2011
		\

COG Operating LLC (MARBOB)

Lease & Well # 3002520959

New Mexico CR State #3 SWD

SPUD - 7/26/1964

Lea Co, NM Sec 32 T19S R32E 1980 FSL & 660 FWL

Elevation - 3543'



