Form 3160-5 (August 2007)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NOV 3 0 2011

HOBBS OCD

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. RECEIVED					NMLC031670B		
					· 6 If Indian, Allottee o	or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No NMNM71052X		
1. Type of Well					8. Well Name and No.		
☑ Oil Well ☐ Gas Well ☐ Other					WARREN UŅIT 3	93	
2. Name of Operator Contact: BRIAN MAIORINO CONOCOPHILLIPS COMPANY E-Mail: brian.d.maiorino@conocophillips.com					9. API Well No. 30-025-40285		
3a. Address 3300 NORTH "A" STREED BI MIDLAND, TX 79705	3b. Phone No. (include area code) Ph: 432-688-6913			10. Field and Pool, or Exploratory WAREN;BLINEBRY-TUBB			
4. Location of Well (Footage, Sec., T	i)			11. County or Parish, and State			
Sec 29 T20S R38E 1310FNL				LEA COUNTY, NM			
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATI	E NATURE OF	NOTICE, R	EPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
Notice of Intent ☐ Acidize		Deepen ,		☐ Production (Start/Resume)		☐ Water Shut-Of	
	☐ Alter Casing	☐ Fra	cture Treat	□ Reclam	ation	■ Well Integrity	
☐ Subsequent Report	Casing Repair	☐ New Construction ☐ Reco		□ Recomp	plete	Other O	
☐ Final Abandonment Notice	☐ Change Plans	🗖 Plu	g and Abandon	□ Tempor	rarily Abandon	Change to Origin PD	
	☐ Convert to Injection	☐ Plug Back ☐ Water		■ Water I	Disposal		
13. Describe Proposed or Completed Op If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f ConocoPhillips company resp Unit #393.	ally or recomplete horizontally, it will be performed or provide operations. If the operation repandonment Notices shall be fil in all inspection.)  ectfuly request to change	give subsurface the Bond No. c sults in a multipled only after all the the producti	e locations and measion file with BLM/BIA ole completion or rec- requirements, included	ared and true von.  A. Required sure ompletion in a ding reclamation.	ertical depths of all pertir bsequent reports shall be new interval, a Form 316 n, have been completed,	nent markers and zones filed within 30 days 50-4 shall be filed once	
1st lead slurry- 240 sx (91 bbl. Class C: Poz +5% NaCl,61 lb/ extender, 0.2% D046 defoame	sx D903 cmt, 28 lb/sx D1	132 extender	, 2 lb/sx D042 ex	tender, 6% I	D020		
2nd lead slurry- 750 sx (215 b Crete w/GasBlok + 100 lbs/sx 0.2% D013 retarder, 0.2% D0	BLEND, 0.5% D400 Gas	e & GasBlok, s Migratio, 5%	1.61cuft/sx, 5400 6 D154 extender	0' to 1468' Li 0.6% D202	te dispersant,		
Tail Slurry- 350 sx (85 bbls) 14	4.2 ppg, 1.36 cuft/sx, 540	0'-7138' Clas	ss H:Poz <sup>'</sup>				
14. I hereby certify that the foregoing is	Electronic Submission #	124190 verific PHILLIPS COM	ed by the BLM We PANY, sent to th	II Information ne Carlsbad	n System		
Name (Printed/Typed) BRIAN MAIORINO			Title AUTHORIZED RE		PRESENTATIVE	`	
Signature (Electronic S	<u>.</u>	Date 11/28/2011					
	THIS SPACE FO	OR FEDER	AL OR STATE	OFFICE U	SE		
Approved By			Title			Date	
Conditions of approval, if any, are attache	d Approval of this notice does	not warrant or	1 1110				
certify that the applicant holds legal or equivalent would entitle the applicant to conductive to conductive the applicant to conductive the a		Office	V	10			

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully the make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Additional data for EC transaction #124190 that would not fit on the form

## 32. Additional remarks, continued

+5% NaCl, 47 lb/sx D909 cmt, 39 lb/sx D132 extender, 0.2% D046 defoamer, 5 lb/sx D042 extender, 0.125 lb/sx D130 lost circ control agent, 0.3% D112 FLAC fluid loss

Total mixed Water = 213 bbls, Displacement = fresh city water with 250 ppm gluteraldehyde biocide

This will be a more dense cmt with less mix water. The use of GasBlok will prevent gas flow after cementing during cmt transition phase.