<u>District I</u> 1625 N. French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St. Francis Dr., Santa Fe, NM 87505 1 2011

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

DECRIFE Closed-Loop System, Below-Grade Tank, or

The district Clouded Book System, Seron Clause Land, Or						
Proposed Alternative Method Permit or Closure Plan Application						
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method						
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request						
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.						
Operator: Fasken Oil and Ranch, LTD. OGRID #: 151416						
Address: 303 W. Wall St., Ste. 1800, Midland, TX 79701-5116						
Facility or well name: Quail State "16" Com No. 3H						
API Number: 30 - 025 - 4036 OCD Permit Number: P1 - 03984						
U/L or Qtr/Qtr M Section 16 Township 20S Range 34E County. Lea						
Center of Proposed Design: Latitude N 32°43' 05.12" Longitude W 103°34' 23.38" NAD: 1927 1983						
Surface Owner Federal State Private Tribal Trust or Indian Allotment						
2.						
Temporary. Drilling Workover						
Permanent Emergency Cavitation P&A						
□ Unlined Liner type. Thickness 20 mil □ LLDPE ■ HDPE □ PVC □ Other						
✓ String-Reinforced						
Liner Seams: Welded ☐ Factory ☐ Other Volume: 34,000 bbl Dimensions: L 165' x W 165' x D 7'						
Closed-loop System: Subsection H of 19.15.17.11 NMAC						
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)						
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other						
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other						
Liner Seams:						
4.						
Below-grade tank: Subsection I of 19 15.17.11 NMAC						
Volume:bbl Type of fluid:						
Tank Construction material:						
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off						
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other						
Liner type: Thicknessmil						
5						
Alternative Method:						

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)						
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school,	hospital,					
institution or church) [X] Four foot height, four strands of barbed wire evenly spaced between one and four feet						
Alternate Please specify						
7.						
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)						
Screen Netting Other						
Monthly inspections (If netting or screening is not physically feasible)						
8.						
Signs: Subsection C of 19 15.17.11 NMAC						
☑ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
Signed in compliance with 19.15.3.103 NMAC	· -					
9. Administrative Approvals and Exceptions:						
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.						
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of	office for					
consideration of approval.						
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC						
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accep						
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate of the Santa Fe Environmental Bureau office for consideration of appropriate to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of approximately to the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bureau office for consideration of the Santa						
Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dryi						
above-grade tanks associated with a closed-loop system.	☐ Yes 🗵 No					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes 🗵 No					
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes X No					
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ NA					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes 🗵 No					
(Applies to permanent pits)	☐ NA					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes 🗵 No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	103 25 110					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☒ No					
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	L res Z No					
- Written confirmation or verification from the municipality; Written approval obtained from the municipality						
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🗵 No					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🗵 No					
Within an unstable area.	☐ Yes 🗵 No					
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map						
Within a 100-year floodplain FEMA map	☐ Yes 🗷 No					

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number:	
Previously Approved Design (attach copy of design) API Number:	
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: ☑ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Closed-loop System ☐ Alternative Proposed Closure Method: ☒ Waste Excavation and Removal ☐ Waste Removal (Closed-loop systems only) ☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Maste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13. Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if	
facilities are required.	more than two
Disposal Facility Name Disposal Facility Permit Number:	
Disposal Facility Name: Lea Land Disposal Facility Permit Number: Wm - OL	-0035
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future set Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	.C
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disconsidered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes 🗷 No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☒ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes 🗵 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes 🗷 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes 🗷 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes 🗷 No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🗷 No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🗷 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes 🗷 No
Within a 100-year floodplain FEMA map	☐ Yes 🗷 No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true,	accurate and complete to the best of my knowledge and belief.
Name (Print): Kim Tyson	Title: Regulatory Analyst
Signature: Rim Ym	Date: <u>11-18-2011</u>
e-mail address: kimt@forl.com	Telephone: <u>432-687-1777</u>
OCD Approval: ☐ Permit Application (including closure plan) ☐ Clos	
OCD Representative Signature: Janking, Env.	Specialist Approval Date: 11/22/11
OCD Representative Signature: Leoffrey Loling, Erro: Grantile: Environmental Spocialist	OCD Permit Number: P1-D3984
Closure Report (required within 60 days of closure completion): Subse Instructions: Operators are required to obtain an approved closure plan p. The closure report is required to be submitted to the division within 60 day section of the form until an approved closure plan has been obtained and	prior to implementing any closure activities and submitting the closure report. so of the completion of the closure activities. Please do not complete this
	Closure Completion Date:
22. Closure Method: Waste Excavation and Removal On-Site Closure Method A If different from approved plan, please explain.	Ilternative Closure Method Waste Removal (Closed-loop systems only)
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systemstructions: Please indentify the facility or facilities for where the liquidation two facilities were utilized.	stems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: s, drilling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	
Were the closed-loop system operations and associated activities performed Yes (If yes, please demonstrate compliance to the items below)	
Required for impacted areas which will not be used for future service and of Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	perations ·
24.	
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closures) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	
On-site Closure Location: LatitudeL	ongitude NAD:
Operator Closure Certification: I hereby certify that the information and attachments submitted with this clobelief. I also certify that the closure complies with all applicable closure required.	
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

Fasken Oil and Ranch, Ltd. Quail State "16" Com No. 3H SHL - 660' FSL and 330' FWL Sec. 16, T20S, R34E BHL - 660' FSL and 330' FEL Sec. 16, T20S, R34E Lea County, NM

RE: Form C-144 Attachment

Hydrogeologic Data: Per Geoffrey Leking, Environmental Engineer, OCD Hobbs groundwater is found at 135' beneath this section. A visual inspection of the immediate area has been made and there are no known water wells within a 1 mile radius of this drilling location.

Design Plan: Pit size will be approximately 165' X 165' X 7' double horseshoe design. A geotextile liner will be installed along with a 20 mil HDPE cross laminated liner.

Operating and Maintenance Plan: Pit will be monitored daily for proper fluid levels during drilling operations. A daily log will be kept indicating the fluid level in the pit. Any abnormal drop in fluid levels will be reported to the NMOCD district office. The pit will be de-watered immediately after drilling operations have been completed. The pit will be inspected weekly after de-watering and a log will be kept indicating the condition of the pit and any fluid level.

Closure Plan: After de-watering the pit will be left to dry through natural evaporation. Pit will be backfilled with topsoil that has been stripped and stockpiled. It will consist of the background thickness of topsoil or one foot of suitable material to establish vegetation. The drill cuttings will be dug out and hauled to an NMOCD approved disposal. At the current time the CRI disposal facility on the Lea Land Disposal Facility at Halfway Bar will be utilized for drill cuttings disposal. The permit number for each facility is shown on the attachment.

Maps: A topographic map is attached showing the surrounding area. FEMA reports that a 100 year flood plain map has not been constructed for this area. A visual inspection of the area does not indicate that flooding or standing water would occur.


An attachment is provided showing the pit design as drawn by Talon LPE.

Form C-102 is attached showing the pit location. The latitude and longitude for the pit is shown on the plat. These data reference the center of the pit.

The area will be revegitated with at least three native plant species, including at least one grass, but not including noxious weeds. This will be maintained through two growing seasons. The area will be revegitated to the natural state it was in before drilling operations started.

Waste Material Sampling Plan: Talon LPE will take a minimum of a 5 spot soil samples after the reserve pit is dug prior to lining. After drilling the well, Talon LPE will sample the pit contents and determine if the requirements for contaminants in the waste meet NMOCD standards. We will dig and haul the pit contents to CRI disposal facility on the Lea Land Disposal Facility. We will have Talon LPE take another 5 spot sample after the waste has been removed from the pit to verify that soil standards have been met.

A sign will be placed on the 4', 4 strand barb-wire fence identifying Fasken Oil and Ranch, Ltd. as the operator, the location of the pit, and providing an emergency phone number.



PETRA 11/17/2011 10 49 13 AM

	The state of the s	10	The second secon		E REPORT OF THE PROPERTY OF THE PARTY OF THE
19	GANDY MARLEY INC	10/06/1994 Chaves	aves	GANDY MARLEY LANDFARM	-4-11 S-31 E
28	OLD LOCO OIL CO	07/02/1985 Eddy		OLD LOCO TREATING PLANT	-19-17 S-31 E
43	Loco Hills Landfarm LLC	11/08/2004 Eddy	qλ	Loco Hills Landfarm	m-32-16 S-30 E
4	LOCO HILLS WATER DISPOSAL	10/30/1981 Eddy		LOCO HILLS WATER DISPOSAL	M-16-17 S-30 E
36	OK HOT OIL SERVICE INC	08/16/2000 Eddy		OK HOT OIL SERVICES INC	O-14-17 S-28 E
24	CHAPARRAL SWD	01/31/1995 Lea	8	CHAPARRAL TREATING PLANT	B-17-23 S-37 E
35	LEA LAND INC	01/05/2000 Lea		LEA LAND LANDFILL	-32-20 S-32 E
12	C&C LANDFARM INC	11/16/1992 Lea	а	C&C LANDFARM	B-3-20 S-37 E
13	ENVIRONMENTAL PLUS INC	02/15/1993 Lea	a	ENVIRONMENTAL PLUS LANDFARM	-14-22 S-37 E
15	GOO YEA LANDFARM INC	11/16/1992 Lea	в	GOO YEA LANDFARM	-14-11 S-38 E
23	J&L LANDFARM INC	05/10/1998 Lea	а	J&L LANDFARM	-9-20 S-38 E
25	GANDY CORP	06/27/1973 Lea	Э	Gandy Corp, Treating Plant	-11-10 S-35 E
56	JENEX OPERATING CO	09/21/1983 Lea	æ	JENEX TREATING PLANT	D-14-20 S-38 E
8	ARTESIA AERATION LLC	06/29/1999 Lea	а	ARTESIA AERATION LANDFARM	-7-17 S-32 E
32	SOUTH MONUMENT SURFACE WASTE FACILITY LLC	10/04/1999 Lea	æ	SOUTH MONUMENT LANDFARM	A-25-36 S-20 E
33	DOOM LANDFARM	04/03/2000 Lea	ro.	DOOM LANDFARM	g-5-25 S-37 E
34	DD LANDFARM INC	04/12/2000 Lea	æ	DD LANDFARM	-31-21 S-38 E
21	RHINO OILFIELD DISPOSAL INC	11/17/1997 Lea	e	RHINO OILFIELD LANDFARM	-34-20 S-38 E
4	COMMERCIAL EXCHANGE, INC.	11/01/2004 Lea	æ	Blackwater Oil Reclamation Facility	d-1-25 S-37 E
39	PITCHFORK LANDFARM LLC	10/30/2002 Lea	а	PITCHFORK LANDFARM	A-5-24 S-34 E
9	CONTROLLED RECOVERY INC	04/27/1990 Lea	В	CONTROLLED RECOVERY	-27-20 S-32 E
42	COMMERCIAL EXCHANGE, INC.	07/22/2004 Lea	g	Blackwater Landfarm	f-1-25 S-37 E
38	SAUNDERS LANDFARM LLC	10/28/2002 Lea	æ	SAUNDERS LANDFARM	M-7-14 S-34 E
41	LAZY ACE LANDFARM LLC	03/09/2004 Lea	a	LAZY ACE LANDFARM	M-22-20 S-34 E
က	SUNDANCE SERVICES, INC.	08/30/1977 Lea	æ	SUNDANCE PARABO	m-29-21 S-38 E
37	COMMERCIAL EXCHANGE, INC.	03/31/2003 Lea	83	COMMERCIAL SURFACE WM FACILITY	A-1-20 S-36 E
ဆ	T-N-T ENVIRONMENTAL INC	01/19/1987 Rio Arriba	o Arriba	TNT EVAP POND/LANDFARM	-8-25 N-3 W
+	ENVIROTECH INC	07/07/1992 San Juan	ın Juan	ENVIROTECH LANDFARM #2	-6-26 N-10 W
6	KEY FOUR CORNERS INC	04/02/1991 San Juan	ın Juan	KEY EVAP POND and Landfarm	E-2-29 N-12 W
10	JFJ LANDFARM LLC	07/22/2002 San Juan	ın Juan	JFJ Land Farm Crouch Mesa (Formerly Tierra)	J-2-29 N-12 W
វេ	DACINI DICEDOCAL INIO	acit ac2 C20 1121	4000	BACIN DISPOSAL EVAD BONID	1 2 20 N 44 1M

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 Phone (575) 393-6161 Fax: (575) 393-0720 DISTRICT II

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone (505) 478-3480 Fax: (505) 478-3482

API Number

State of New Mexico HOBBS OCD Energy, Minerals and Natural Resources Department

Form C-102 Revised August 1, 2011

Submit one copy to appropriate District Office

Pool Name

1301 W. Grand Avenue, Artesia, NM 88210 Phone (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410 NOV 2 1 2011
1220 South St. Francis Dr.
Santa Fo. No. 1000 Rio Brazos Rd., Aztec, NM 87410 NOV 2 1 2011

Pool Code

RECEIVED


COCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

37,570 Lea; Bone Spring									
Property Code		Property Name QUAIL STATE					Well Number 3H		
ogrid no 151416	FACUEN OIL AND DANION LTD		Elevat 364						
Surface Location									
UL, or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
М	16	20 S	34 E		660	SOUTH	330	WEST	LEA
Bottom Hole Location If Different From Surface									
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	16	20 S	34 E		660	SOUTH	330	EAST .	LEA
Dedicated Acres Joint or Infill Consolidation Code Order No.									
NO ALLOWADIE WILL DE ASSICNED TO THIS COMPLETION LINTIL ALL INTERESTS HAVE REEN CONSOLIDATED									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED

	OR A NON-STANDARD UNIT HAS BI	EEN APPROVED BY TH	E DIVISION
			OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and beltef, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
PIT PLAT	 	 	Lim Jum 11-18-2011
			kimt@forl.com Email Address SURVEYOR CERTIFICATION
SURFACE LOCATION Lat - N 32°43°03.81" Long - W 103°34'22.04" NMSPCE - N 571105.867 E 775635.788 (NAD-83)		PROPOSED BOTTOM HOLE LOCATION Lat - N 32°34'03.63" Long - W 103°33'27.84" NMSPCE - N 571121.786 E 780274.318 (NAD-83)	I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervison and that the same is true and correct to the best of my belief.
	Lat. N 32° 43' 05.12" Long. W 103° 34' 23.38"	+	Signature & Scal of Professional Survivia
330')		330'	Certificate No. Gary L. Jones 7977 BASIN SURVEYS 25265





12' Freeboad required

-

18" Anchor trench Plastic liner 20 mil. string reinforced LLDPE or equivalent

Firm, smooth, prepared subgrade

Liner Anchor

Site Detail



Date: 07/24/2008

Scale: 1" = 20

Drawn By: WDR

Fasken Oil And Ranch
Quail State "16" Com No. 3H
New Mexico
Pit Liner Detail