## District I 1625 N French Dr., Hobbs, NM 88240 HOBBS OCD

State of New Mexico
Energy Minerals and Natural Resources

Is and Natural Resources
Form C-144 CLEZ
July 21, 2008

1625 N French Dr., Hobbs, NM 88240 11 1301 W Grand Avenue, Artesia, NM 88210 DEC 0 6 2011 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505 RECEIVED

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

# Closed-Loop System Permit or Closure Plan Application (that only use above ground steel tanks or haul-off hur and propose to implement waste removal for closure)

Type of action: \(\simeq\) Permit \(\simeq\) Closure		
Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.		
lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.		
Operator: RESACA OPERATING COMPANY  OGRID #: 263848		
Address: 1331 LAMAR, SUITE 1450, HOUSTON, TX 77010-3039		
Facility or well name: COOPER JAL UNIT 108		
API Number: 30-025-11142 OCD Permit Number: P1 - 03 (85)		
U/L or Qtr/Qtr L Section 18 Township 24 SOUTH Range 37 EAST County: LEA		
Center of Proposed Design: Latitude 32.2155016° N Longitude 103.2076788° W NAD: \( \subseteq 1927 \subseteq 1983 \)		
Surface Owner.  Federal State Private Tribal Trust or Indian Allotment		
2.		
☐ Closed-loop System: Subsection H of 19 15.17.11 NMAC		
Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)		
☐ Above Ground Steel Tanks or ☐ Haul-off Bins		
3.  Standard Cost 10 15 17 11 NIMAC		
Signs: Subsection C of 19.15 17.11 NMAC		
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with-19:15:3:103-NMA€		
⊠ Signed in compliance with-19:13:5:103-NMA€		
4. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are		
attached.		
<ul> <li>✓ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>✓ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC</li> </ul>		
Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15.17.13 NMAC		
Previously Approved Design (attach copy of design) API Number.		
Previously Approved Operating and Maintenance Plan API Number:		
5. We sto Demond Closure For Closed here Sustains That Haller About County of LTD. J. H. J. (SP. O. L. (10.15.17.12.D.NMAC)		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17 13 D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two		
facilities are required.		
Disposal Facility Name: CONTROLLED RECOVERY INC. Disposal Facility Permit Number: NM-01-0006 (cuttings & mud)		
Disposal Facility Name. GANDY MARLEY INC. or PARABO Disposal Facility Permit Number: NM-01-0019 or NM-01-0003 (brine)		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below)  No		

**Operator Application Certification:** 

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Soil Backfill and Cover Design Specifications - - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Name (Print). BRIAN WOOD Title: CONSULTANT

Date: 6-19-11

e-mail address: brian@permitswest.com Telephone: (505) 466-8120

Required for impacted areas which will not be used for future service and operations:

•		
7. OCD Approval: Permit Application (including closure plan) Closure Plan (only)		
OCD Representative Signature:	OCD Permit Number: Pl-D3985	
Title:	OCD Permit Number: Pl-D3 985	
8.  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17 13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report.  The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, drilt two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number	
Disposal Facility Name	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or $\square$ Yes (If yes, please demonstrate compliance to the items below) $\square$ No	in areas that will not be used for future service and operations?	
Required for impacted areas which will not be used for future service and operation     Site Reclamation (Photo Documentation)   Soil Backfilling and Cover Installation   Re-vegetation Application Rates and Seeding Technique	ons:	
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature	Date:	
e-mail address:	Telenhone:	

DEC 0 6 2011

RECEIVED

# Resaca Oil Company Cooper Jal Unit Closed Loop System Plan Design, Operation & Maintenance, and Closure Plan

#### Design

The closed loop system plan (CLSP) uses above ground steel tanks, roll off bins, and overflow-frac tanks suitable for holding the cuttings and fluids from rig operations. These containers will be sufficient in volume to maintain a safe free board between disposal of liquids and solids. There will be no drying pad, temporary pit, below grade tank, or sump. (A document showing a schematic of a typical well pad and closed loop system (CLS) is attached.)

- Signage will comply with 19. 15. 3. 103. NMAC
- Frac tanks to store fresh water will be on location
- No fence is required for this above ground CLSP


#### Operation & Maintenance

- 1) The steel above ground tanks will contain liquids and solids to prevent the contamination of fresh water sources.
- 2) Liquids & solids will either be vacuumed out separately or hauled off in roll off bins. Disposal will occur at appropriate OCD licensed facilities on a periodic basis to prevent over topping. Solids will be trucked to Controlled Recovery's facility (NM-01-0006) in 27-20s-32e. Liquids will be trucked to --- the Gandy Marley facility (NM-01-0019) in -4-11s-31e or Sundance-Services NM-01-0003.
- 3) No hazardous waste, miscellaneous solid waste or debris will be discharged into or placed in the tanks. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tanks.
- 4) No waste will be disposed of or buried on location.
- 5) All of the operations will be inspected and a log will be signed daily during rig operations.
- 6) Upon discovery of a compromised closed loop tank, repairs will begin immediately. The OCD district office will be notified within 48 hours of discovery of any compromise.

#### Closure

- 1) The closed loop tanks will be closed in accordance with 19. 15. 17. 13. NMAC.
- 2) Cuttings and all remaining sludge will be transported to an appropriate OCD licensed facility immediately following completion of rig operations.
- 3) All remaining liquids will be transported to an appropriate OCD licensed facility.
- 4) Tanks will be removed from the location as part of the rig move.
- 5) At time of well plugging & abandonment, the entire well site will be reclaimed and re-vegetated to preexisting conditions when possible.





Closed Loop Drilling System: Mud tanks to right (1)


Hopper in air to settle out solids (2)

Water return pipe (3)

Shaker between hopper and mud tanks (4)

Roll offs on skids (5)

### Flow Chart for Drilling Fluids and Solids



Photos Courtesy of Gandy Corporation Oil Field Service

