Submit To Appropriate District Office Two Copies  District 1  1625 N French Dr., Hobbs, NM 88240  Submit To Appropriate District Office Two Copies Energy, Minerals and Natural Resources								Form C-105 Revised August 1, 2011 1. WELL API NO.										
District III 1000 Rio Brazos Rd , Aztec, NM 87410  Oil Conservation Division 1220 South St. Francis Dr.								30-025-40122  2 Type of Lease										
1220 S St Francis Dr., Santa Fe, NM 87505 REPLIAND																		
										5 Lease Name or Unit Agreement Name								
NE								NEW MEXICO 'R' NCT-4  6 Well Number										
#33, attach this and the plat to the C-144 closu					ill in boxes #1 through #9, #15 Date Rig Released and #32 and/or are report in accordance with 19 15.17 13.K NMAC)						7							
7 Type of Comp	oletion WELL [	∃ wo	RKOV	′ER □	☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR							≀ □ OTHER						
8. Name of Opera	ator												9 OGRID 4	323	•			
CHEVRON U.S. 10. Address of O 15 SMITH ROAL	perator D			•	-		<del></del>						11 Pool name or Wildcat VACUUM; BLINEBRY					
MIDLAND, TEX	(AS 7970 Unit Ltr		Section		Towns	hin	Range	Lot	Fact f		Feet from th	he	N/S Line Feet from		t from th	e   E/W 1	Line	County
Surface:	D	7		'	18-S	шр	35-E	Lot		990			NORTH	490			T	LEA
BH:			-					<del>                                     </del>	-	+		$\dashv$	· ··			1		
13. Date Spudded	1 14. D	ate T E	D. Read	ched	15 E	Date Rig	Released	<u> </u>	1	16. l	Date Comple	eted	(Ready to Proc	luce)		17. Elevations (DF and RKB		and RKB,
08-06-2011 18. Total Measur		08-1	6-2011		19 F	lug Bac	10-13-2011 k Measured Dep	pth		09-14-20 20 Was Directiona		4-20 ional	11	R		RT, GR, etc.) 3981' GR vpe Electric and Other Logs Run		
6500' 22 Producing Int				etion - T	6497 Top, Bot		ame	•		YES			T		<u> </u>	SGR,	SP,CAL,	CCL
BLINEBRY	5739-	5927'	·			0.40	INC DEC	ODE	) (D -			•		- 115				
CASING SI	7E	13	VEIGH	TIR/E	CASING RECORD (					HOLE SIZE			S SET IN WEIL)  CEMENTING RECORD   AMOUNT PI			PULLED		
CASING SIZE WEIGHT I  8.625 24								12.25				870 SX						
			17			6487'		<u> </u>			1150		SX					
24.					LINER RECORD				25			25	<u> </u> T	HRI	NG RE	CORD.		
SIZE	TOP			BOTTOM		Dire	SACKS CEM	ENT	SCRE	EEN		SIZ			EPTH SI		PACK	ER SET
												2 7	<u>'/8"</u>	60	098'			
26. Perforation	ranged (	ntorvol	l cigo	and nun	abor)		<u> </u>		27 4	CI	D CHOT	ED /	ACTURE CE	NATES	IT COL	meze	ETC	
					2-26, 5819-23, 5758-62, 5750-54,				DEPTH INTERVAL			r K.	RACTURE, CEMENT, SQUEEZE, ETC. AMOUNT AND KIND MATERIAL USED					
5749-53, 5739-43	3								5739	9-59	927		FRAC W/97,000 GALS YF 130ST					
								DDC	TO FT		CION		<u> </u>					
Date First Produc	rtion		11	Producti	ion Meti	nod (Fl					TION		Well Status	(Pro	d or Shi	ut_un)		
08-29-2011			Production Method (Flowing, gas lift, pumpin PUMPING												PROD			
Date of Test Hours Tested 11-21-2011 24 HRS		Choke Size			Prod'n For Test Period		Oıl - Bbl 97		1	Gas - MCF 62		Water - Bbl 72		Gas - Oil Ratio		Oil Ratio		
Flow Tubing Casing Pressure Press.		sure	Calculated 24- Hour Rate		24-	Oil - Bbl		G	Gas - MCF			Water - Bbl		Oil Gravity		PI - (Cor	r)	
29. Disposition of Gas (Sold, used for fuel,			iel, vent	vented etc.)								30 Test Witnessed By						
SOLD  31. List Attachments									•-				:					
SURVEY	nit was	uced at	t tha ····	all attac	مام مامد	with +L	a location of the	temmo	rapu wit	_								
32 If a temporary	-				-			-		ι.								
33 If an on-site b							Latitude				<del></del>		Longitude				NA	D 1927 1983
I hereby certing Signature	ty that ti ! VYJ≤P	ne try	torma Ut t	Lack	Prir	ted	h sides of this ENISE PINK	•			•		to the best of TORY SPE	•		Ü	-	
	)						110D I II 11X	~. C1 C			1000		1/1	V17 1	-10 I	Dute 1	₩ 1-7-4\	V x 1
E-mail Address <u>leakejd@chevron.com</u>										1	12							

NM R' NOT-4 #7

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southea	stern New Mexico	Northy	Northwestern New Mexico				
T. Anhy 1584	T. Canyon_	T. Ojo Alamo	T. Penn A"				
T. Salt_	T. Strawn_	T. Kirtland	T. Penn. "B"				
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"				
T. Yates 2890	T. Miss_	T. Pictured Cliffs	T. Penn. "D"				
T. 7 Rivers 3291	T. Devonian	T. Cliff House	T. Leadville				
T. Queen_	T. Silurian	T. Menefee	T. Madison				
T. Grayburg 4268	T. Montoya	T. Point Lookout	T. Elbert				
T. San Andres 4700	T. Simpson	T. Mancos	T. McCracken				
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte				
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite				
T. Blinebry	T. Gr. Wash	T. Dakota					
T.Tubb_	T. Delaware Sand	T. Morrison					
T. Drinkard	T. Bone Springs 5418	T.Todilto_					
T. Abo_	T	T. Entrada					
T. Wolfcamp	T.	T. Wingate					
T. Penn	T.	T. Chinle					
T. Cisco (Bough C)	T.	T. Permian					

1. Cisco (Bough C)	1.	I. Permian	
			OIL OR GAS SANDS OR ZONES
No. 1, from	to	No. 3, from	to
		No. 4, from	
	IMP	PORTANT WATER SANDS	
Include data on rate of	water inflow and elevation t	o which water rose in hole.	
No. 1, from	to	feet	***************************************
		feet	
		feet	
	LITHOLOGY R	ECORD (Attach additional sheet if	necessary)

From	То	Thickness In Feet	Lithology		From	То	Thickness In Feet	Lithology
							i	
				İ				

						 	 _
SRF	1583		ANHYDRITE	T			
1584	2889		DOLOMITE				1
2890	3290		DOLOMITE				ı
3291	4267		DOLOMITE	-			1
4268	4699		DOLOMITE				
4700	5417		LIME/DOLOMITE				
', ' '	• • • • • • • • • • • • • • • • • • •	· '					
5418	TD	,	LIME/DOLOMITE	-			ļ
3710	110		EINIE/BOBOWITE				١
							1
							1
				١			ļ
							1
	ĺ			1	l		ı
		]					

nm 'R' NOT-4#7