

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

March 4, 2004

HOBBES OCD

DEC 12 2011

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS) 1. Type of Well: <input checked="" type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		WELL API NO. 30 025 20780
2. Name of Operator McGowan Working Partners, Inc.		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE
3. Address of Operator P.O. Box 55809, Jackson MS 39296-5809		6. State Oil & Gas Lease No. B-2317
4. Well Location Unit Letter <u>P</u> : <u>660</u> feet from the <u>South</u> line and <u>560</u> feet from the <u>East</u> line Section <u>35</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>Lea</u>		7. Lease Name or Unit Agreement Name State 35 Unit
11. Elevation (Show whether DR, RKB, RT, GR, etc.) Elev. 4008' K.B. 14'		8. Well Number 36
9. OGRID Number 017643		10. Pool name or Wildcat Vacuum - Grayburg/San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB	
OTHER:		OTHER:	

13 Describe proposed or completed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. For Multiple Completions. Attach wellbore diagram of proposed completion or recompletion

(1.) Set bridge plug in 2-7/8" @ 4550', set 35' cement on top. (2.) Set bridge plug @ 4300'. (3.) Ran bond log, cement @ 2050' outside 2-7/8" casing. (4.) Shot 4 holes in 2-7/8" casing at top of cement @ 2050', circulated fluid. (5.) Cemented 9-5/8" casing to surface, cemented 13-3/8" casing to surface, circulated 5 barrels cement to surface. (6.) All waste (very little) material and mud was put back through the system. (7.) All deviations from original C-103 and Notice of Intent was given verbal approval from the OCD.

Spud Date: 01/27/64

Rig Release Date: 10/07/11

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit or an (attached) alternative OCD-approved plan.

SIGNATURE [Signature] TITLE Regulatory Manager DATE 12/07/11Type or print name Glenn Hepner E-mail address: glenn@mcgowanwp.com Telephone No. (601) 982-3444

(This space for State use)

APPROVED BY [Signature] TITLE Compliance Officer DATE 12/23/2011
Conditions of approval, if any

Well Bore Diagram

Well #

36

Lease

State 35

Unit

Field

Vacuum

Depth

- Elev 4008

K.B. 14'

13 3/8" 48# casing @ 320'

*CBL shows CEMENT OUTSIDE 2-7/8" TO 2050'

← PERFORATE @ 2050', CIRCULATE CEMENT TO SURFACE IN 9-5/8" CASING,
13-3/8" CASING AND INSIDE 2-7/8"

9 5/8" 32.2# casing @ 3520'

Grayburg / San Andres

4360-70, 74-4406

4417-4431, 4434-38

4482, 4492, 4542-50

4560-74
C.I.B.P. @ 5100'

Glorietta Perfs

5896-5964

C.I.B.P. @ 4300'

C.I.B.P. @ 4550' w/ 35' CEMENT ON TOP

Perfs 4639-49, 4660-70

5010' cement retainer

6075' cement retainer

2 7/8" 6.5# casing @ 6428'

TOC @ 8816'

Retainer @ 9289'

C.I.B.P. @ 9752

Perfs 9546-50, 9594-9604, 9864-72

C.I.B.P. @ 9995

Perfs 10034-44

4 1/2" 9.5, 11.6# casing @ 10334'

McGowan Working Partners, Inc.

1837 Crane Ridge Drive
P.O. Box 55809
Jackson, Mississippi 39296-5809
Telephone AC 601/982-3444
Fax AC 601/982-1879

7 December 2011

HOBBS OCD

DEC 12 2011

RECEIVED

State of New Mexico
Oil Conservation Division
District I Office
1625 N. French Drive
Hobbs, NM 88240

Re: Completed Form C-103
State 35 Unit No. 36
Vacuum Field, Lea County, NM

Ladies/Gentlemen,

Enclosed please find one (1) each completed original and two (2) each copies of form C-103 that are being submitted for subsequent report of remedial work for the above listed well along with a copy of the corresponding CBL that was completed during this workover. Also for your records is a wellbore schematic showing the current configuration of the well, please note that all deviations from previously submitted C-103, Notice of Intention to perform remedial work was verbally approved by the OCD.

If any additional information is required, or you have any questions or concerns please feel free to contact me at (601) 982-3444 (voice), (601) 982-0114 (fax), or glenn@mcgowanwp.com (e-mail).

Respectfully,



Glenn D. Hepner
Regulatory Officer

GDH
Enclosures