HOBBSOCD

Form 3160-5 (August 2007)

OCD-HOBBS

DEC 2DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010 5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

SUNDRYNOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter a	
Do not use this form for proposals to drill or to re-enter a	n
abandoned well. Use Form 3160-3 (APD) for such proposa	ls

abandoned well.	Use Form 3160-3 (APD) for su	ich proposals.			
SUBMIT IN TRIPLICATE – Other instructions on page 2.		7. If Unit of CA/Agreement, Name and/or No.			
1. Type of Well		NMNM101361X			
Ø Oil Well ☐ Gas Well Ø Other W Z W		•	8. Well Name and No. EAST SHUGART DELAWARE UNIT #018		
2. Name of Operator SM ENERGY COMPANY			9. API Well No. 30-025-37368		
3a. Address	3b. Phone No	o. (ınclude area code)	10. Field and Pool or Ex	ploratory Area	
3300 N "A" ST BLDG 7-200 MIDLAND TX 797q5 (432)688-1709			SHUGART DELAWARE, EAST		
4. Location of Well (Footage, Sec., T., (D) SEC 19 T18S R32E 200' FNL & 1025' FWL	R.M., or Survey Description)		11. Country or Parish, St	NM	
12. CHEC	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE OF NOT	ICE, REPORT OR OTHER	R DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
X Notice of Intent	Acidize Dee	· _	duction (Start/Resume)	Water Shut-Off Well Integrity	
Subsequent Report		_	complete nporarily Abandon	Other STEP RATE TEST	
Final Abandonment Notice .	Convert to Injection Plug	g Back Wa	ter Disposal		
following completion of the involve testing has been completed. Final determined that the site is ready for THIS IS TO NOTIFY YOU POSSIBLE PRESSURE IN UNIT #018 ON THURSDA	THAT SM ENERGY COMPAN'NCREASE FOR EXISTING INJECT OF THE STEP RATE TO SOLUTION OF THE SOL	multiple completion or recom fter all requirements, includin Y WILL BE DOING A ECTION PERMIT ON AM.	spletion in a new interval, a g reclamation, have been constructed STEP RATE TEST THE EAST SHUGALOW UP WITH A CONSTRUCTION BURE	TFORM 3160-4 must be filed once ompleted and the operator has TO DETERMINE ART DELAWARE 2108. PPROVED DEC 2 0 2011 J JD Whitlock Jr AU OF LAND MANAGEMENT	
14. I hereby certify that the foregoing is to	rue and correct. Name (Printed/Typed)			ARI SRAD FIELD OFFICE	
VICKIE MARTINEZ		Title ENGINEER TI	ECH II		
Signature VICIUI	llartinos	Date 12/07/2011			
	THIS SPACE FOR FEDI	ERAL OR STATE OF	FICE USE		
Approved by					
		Title	Da	ate	
	d. Approval of this notice does not warrant or itle to those rights in the subject lease which we thereon	certify	120		
	U.S C. Section 1212, make it a crime for any persentations as to any matter within its jurisdictions.		to make to any department	or agency of the United States any false,	

Conditions of Approval

SM Energy Company East Shugart Delaware Unit #018 API 3002537368

December 19, 2011

- 1. Prior BLM approval of a notice of intent (BLM Form 3160-5) is required for fracture treatment of injection wells. The operator will be required to tag fracture material with a tracer and run a tracer survey to verify that the fracture material is not placed out of zone. Results of the tracer to be reported on the workover subsequent sundry Form 3160-5.
- 2. Workover approval is good for 90 days (completion to be within 90 days of approval).
- 3. One year after fracture stimulation an injection profile tracer survey is to be run. Submit the survey report to this office in a subsequent sundry Form 3160-5.

General Conditions of Approval: Well with a Packer

- 1) Conduct a Mechanical Integrity Test of the tubing/casing annulus after a tubing, packer or casing seal is established. Repair that seal any time more than five barrels of packer fluid is replaced within 30 days.
 - a) The minimum test pressure should be 500 psig for 30 minutes or 300 psig for 60 minutes, with 200 psig differentials between tubing and casing pressure (at test time) but no more than 70% of casing burst pressure as described by Onshore Order 2.III.B.1.h. (The tubing or reservoir pressure may need to be reduced). An alternate method for a BLM approved MIT is to have the fluid filled system open to atmospheric pressure and have a loss of less than five barrels in 30 days witnessed by a BLM authorized officer.
 - b) Document the pressure test on a calibrated recorder chart registering within 25 to 85 per cent of its full range. Greater than 10% pressure leakoff will be viewed as a failed MIT. Less than 10% pressure leakoff will be evaluated site specifically and may restrict injection approval.
 - c) At least 24 hours before the test: In Eddy County email Paul R. Swartz <u>paul_swartz@blm.gov</u>, (phone 575-200-7902). If there is no response phone 575-361-2822. In Lea County email Andy Cortez <u>andy_cortez@blm.gov</u>, (phone 575-393-3612 or 575-631-5801). Note the contact notification method, time, & date in your subsequent report.
 - d) Submit a subsequent Sundry Form 3160-5 relating the MIT activity. Include a copy of the recorded MIT pressure chart. List the name of the BLM witness, or the notified person and date of notification. NMOCD is to retain the original recorded MIT chart.
 - e) Use of tubing internal protection, on/off tubing equipment just above the packer, and a profile nipple installation is required. The setting depths and descriptions of each are to be included in the subsequent sundry. List (by date) descriptions of daily activity of any previously unreported wellbore workover.
 - f) Submit the original subsequent sundry with three copies to BLM Carlsbad.



- 2) Compliance with a NMOCD Administrative Order is required, submit documentation of that authorization.
 - a) Approved injection pressure compliance is required.
 - b) If injection pressure exceeds the approved pressure you are required to reduce that pressure and notify the BLM within 24 hours.
 - c) When injection pressure is within 50 psig of the maximum pressure, install automation equipment that will prevent exceeding that maximum.
 - i) Submit a subsequent report (Sundry Form 3160-5) describing the installed automation equipment within 30 days.
- 3) Other unexplained significant variations of rate or pressure to be reported within 5 days of notice.
- 4) The casing/tubing annulus is required to be monitored for communication with injection fluid or loss of casing integrity.
- 5) The annulus is to be maintained full of packer fluid at atmospheric pressure. Installation of equipment that will display on site, continuous open to the air fluid level is required. A BLM inspector may request verification of this fluid level at any time.
- 6) **Submit a subsequent report (Sundry Form 3160-5)** describing the installation of packer fluid level monitoring equipment within 30 days of beginning injection.
- 7) The operator shall keep monthly records documenting that the casing annulus is fluid filled. A suggested format for these records is available from the BLM Carlsbad Field Office. Copies of those records shall be furnished at the request of a BLM authorized officer.
- 8) Loss of packer fluid above five barrels per month requires notification of the BLM authorized officer within 5 days.
- 9) Gain of annular fluid requires notification within 24 hours. Cease injection and maintain a production casing pressure of Opsia. Notify the BLM's authorized officer (Paul R. Swartz <u>paul swartz@blm.gov</u> phone 575-200-7902). If there is no response phone 575-361-2822.
- 10) Also submit to this office a (Sundry Form 3160-5) Notice of Intent (NOI) for planned well work involving a formation change, casing repair/replacement, and injection well fracture treatment for approval by BLM and NMOCD. Verbal approval for the plan may be given by a BLM authorized officer, with the NOI filed within five business days. Packer and tubing repair (normal maintance procedures) do not require a NOI, but a subsequent sundry needs to be filed. http://www.blm.gov/nm/st/en/prog/energy/oil_and_gas.html (§3162.3-2 subsequent well operations).
- 11) Submit a (Sundry Form 3160-5) subsequent report (daily reports) describing all wellbore activity and Mechanical Integrity Test as per item 1) above. Include the date(s) of the well work, and the setting depths of required equipment: tubing, one on/off tool, one profile nipple, and a single packer.

PRS 121911

Use of Form 3160-5 "Sundry Notices and Reports on Wells"

§ 43 CFR 3162.3-2 Subsequent Well Operations.

- a) A proposal for further well operations shall be submitted by the operator on Form 3160–5 for approval by the authorized officer prior to commencing operations to redrill, deepen, perform casing repairs, plug-back, alter casing, perform nonroutine fracturing jobs, recomplete in a different interval, perform water shut off, commingling production between intervals and/or conversion to injection. If there is additional surface distubance, the proposal shall include a surface use plan of operations. A subsequent report on these operations also will be filed on Form 3160–5. The authorized officer may prescribe that each proposal contain all or a portion of the information set forth in §3162.3–1 of this title.
- (b) Unless additional surface disturbance is involved and if the operations conform to the standard of prudent operating practice, prior approval is not required for routine fracturing or acidizing jobs, or recompletion in the same interval; however, a subsequent report on these operations must be filed on Form 3160–5.
- (c) No prior approval or a subsequent report is required for well cleanout work, routine well maintenance, or bottom hole pressure surveys.

[47 FR 47765, Oct. 27, 1982. Redesignated and amended at 48 FR 36583–36586, Aug. 12, 1983, further amended at 52 FR 5391, Feb. 20, 1987; 53 FR 17363, May 16, 1988; 53 FR 22847, June 17, 1988]

§ 43 CFR 3160.0-9 (c)(1) Information collection.

(c)(1) The information collection requirements contained in part 3160 have been approved by the Office of Management and Budget under 44 U.S.C. 3507 and assigned the following Clearance Numbers:

Operating Forms

Form No.	Name and filing date		
3160–3	Application for Permit to Drill, Deepen, or Plug Back—Filed 30 days prior to planned action	1004-0136	
3160–4	With Completion of Recompletion Report and Log—Due 30 days after well completion	1004–0137	
3160–5	Sundry Notice and Reports on Wells—Subsequent report due 30 days after operations completed	1004–0135	

The information will be used to manage Federal and Indian oil and gas leases. It will be used to allow evaluation of the technical, safety, and environmental factors involved with drilling and producing oil and gas on Federal and Indian oil and gas leases. Response is mandatory only if the operator elects to initiate drilling, completion, or subsequent operations on an oil and gas well, in accordance with 30 U.S.C. 181 et seq.

§ 3162.4-1 (c) Well records and reports.

Not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160–5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed.

NM Fed Regs & Forms - http://www.blm.gov/nm/st/en/prog/energy/oil_and_gas.html

