Form 3160-5 (August 2007)

New Mexico Oil Conservation Division, District I

UNITED STATES 1625 N. French Drive DEPARTMENT OF THE INTERIORS, NATORES OCD

BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137

Expires: July 31, 2010

5.	Lease S	Serial	No	•		
	1.0	`- ()	162	24	86	
					<u> </u>	
_	101-1:-	- A 1	1 - 44 5		Ť.::.	0.00

Do not use this t	form for proposals	to drill or to re-enter a APD) for such proposa	n Is.	6. If Indian, Allottee of	r Tribe Name	
SUBMI	T IN TRIPLICATE - Othe	r instructions on page 2.	IVED	7. If Unit of CA/Agree	ement, Name and/or No),
1 Type of Well Gas V	Vell X Other	T.: c		8. Well Name and No	n Sand Unit #8 <u>35</u>	
2. Name of Operator Celero Energy II, LP				9. API Well No. 30-005-00996		
3a. Address		3b. Phone No. (include area co	ode)	10. Field and Pool or	Exploratory Area	
400 W. Illinois, Ste. 1601 Midland TX 79701 (432)686-1883			Caprock; Queen			
 Location of Well (Footage, Sec., T, UL: H, Sec 5, T14S, R31E 1989' FNL & 330' FEL 	11. Country or Parish, State Chaves NM					
	CK THE APPROPRIATE BO	OX(ES) TO INDICATE NATUR	RE OF NOTI	CE, REPORT OR OTH	ER DATA	
TYPE OF SUBMISSION		T	YPE OF ACT	ΓΙΟΝ		
X Notice of Intent	Acidize Alter Casing	Decpen Fracture Treat	_	duction (Start/Resume) lamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon		omplete iporarily Abandon	Other	
Final Abandonment Notice	Convert to Injection	Plug Back	☐ Wat	er Disposal		
13. Describe Proposed or Completed Of the proposal is to deepen direction Attach the Bond under which the following completion of the involvesting has been completed. Final determined that the site is ready for Request 1 year temporary this time is not needed. He pilot CO2 project to the Eather 1. POOH w/ injection to the Eather 1. POOH w/ injection to the Eather 1. RIH w/ CIPB & set ② 2. RIH w/ to the Eather 2	hally or recomplete horizonta work will be performed or proved operations. If the operat Abandonment Notices must or final inspection.) abandon status. Su owever, the well may ast is successful. & pkr. 2634'. Dump bail 35'	ally, give subsurface locations and rovide the Bond No. on file with ion results in a multiple completion be filed only after all requirements bject well is in a part of a have future utility as ar of cmt on CIBP.	d measured a BLM/BIA. I ion or recomp ints, including the Capro in injection	and true vertical depths of Required subsequent repletion in a new intervag reclamation, have been the Queen field water the process of the p	of all pertinent markers ports must be filed with I, a Form 3160-4 must I n completed and the open where water inject	and zones. in 30 days be filed once erator has
				APPROVED F	OR <u>3</u> MON PR 1 ² 2012	ITH PERIO


Conditions of approval, if any, are attached. Approval of this notice does not warran hat the applicant holds legal or equitable title to those rights in the subject lease which the applicant to conduct the applicant to c		Date				
Approved by /S/ DAVID R. GLASS	PETROLEUM ENGINEER	AAL JAN	1 1 2 2012			
THIS SPACE FOR FE	DERAL OR STATE OFFICE USE					
Signature Lisa Hunt	Date 12/16/2011	Date 12/16/2011				
Lisa Hunt	Title Regulatory Analyst	Regulatory Analyst				
14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)						

fictitious or fraudulent statements cur

CONDITIONS OF APPROVAL

JAN 2 4 2012





CELERO ENERGY DATE: Dec. 13, 2011 FIELD: Caprock MWM BY: **DQSU** (formerly Trigg Federal #35) LEASE/UNIT: WELL: 835 COUNTY: Chaves STATE: **New Mexico** Location: 1989' FNL & 330' FEL, Sec 5H, T14S, R31ECM KB = SPUD: 04/30/59 COMP: 05/59 GL = **CURRENT STATUS: Injector** API = 30-005-00996 Original Well Name: Federal Trigg #35-5 11" 8-5/8" 24# J-55 @ 107' w/50 sx. Calc'd TOC at surface 7-7/8" Calc'd TOC @ 2356'; enlargement = 15%, yld = 1.26 ft3/sk CIBP at 2634' w/ 35' of cement Top of Queen @?': Queen: 2684' - 2698' (4 spf) (05-59) 4-1/2" 9.5# J-55 @ 2730' w/100 sx PBTD - ' TD - 2730'

BUREAU OF LAND MANAGEMENT

Roswell Field Office 2909 West Second Street Roswell, New Mexico 88201 575-627-0272

Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporary abandoned well is defined as a completion that is not capable of production in paying quantities but may have value as a service well. Pursuant to 43 CFR 3162.3-4(c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
- A. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging.
- B. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leakoff.
- C. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
- D. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- E. Contact the BLM Roswell Field Office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Chaves and Roosevelt County, during office hours call (575) 420-2832 or after office hours call (575) 627-0205.

Wells that successfully pass the casing integrity test will be approved for Temporary Abandonment (TA) status for a 12 month period provided by the operator.

- 1. Submits a subsequent Sundry Notice (Form 3160-5) requesting TA approval.
- 2. Attaches a clear copy of the original pressure test chart.
- 3. Provided justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.
- 4. Describes the temporary abandonment procedure.

The TA status could be extended without another casing integrity test provided there was no leak-off during the test and the test was witnesses by a BLM representative.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Ref: IM: NM-95-022 (12/16/1994)