HOBBSOCD	
JAN 5	Form C 102
Office	Form C-103 May 27, 2004
District 1 1625 N. French Dr., Hobbs, NM 8824 District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1220 South St. Francis Dr.	WELL API NO.
1301 W. Grand Ave., Artesia, NM 88210	30-041-20924
1000 Bio Brazo, R.d. Azter, NM 87410	STATE XX FEE
District IV 1220 S. St. Francis Dr., Snnta Fe, NM	6. State Oil & Gas Lease No.
87505	LH 6324 0000
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name . Mesa 26 State
1. Type of Well: Oil Well 🔲 Gas Well 🛣 Other	8. Well Number 1
2. Name of Operator GeoSurveys, Inc.	9. OGRID Number 220247
3. Address of Operator	10. Pool name or Wildcat
218 South Leggett Drive, Abilene, Texas 79605	Wildcat (Montoya)
4. Well Location Unit Letter L:1400 [feet from the S line and 1100 [feet from the W line]	
Section 26 Township 2N Range 29E NMPM CountyRoosevelt	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
Pit or Below-grade Tank Application 🗋 or Closure 🗖	
Pit typeDepth to GroundwaterDistance from nearest fresh water wellDistance from nearest surface water Pit Liner Thickness: mil Below-Grade Tank: Volume bbls: Construction Material	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK DUID PLUG AND ABANDON 🔂 REMEDIAL WORK DUID ALTERING CASING D	
PULL OR ALTER CASING DIMULTIPLE COMPL CASING/CEMENT JOB	
 Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion 	
or recompletion.	51/2@ 7010
Set CIBP in 5 ¹ / ₂ " @ 6900', top with 35' cement.	
Cut $5\frac{1}{2}$ " at free point(estimate 5,000'), pull $5\frac{1}{2}$ " cas:	
Spot 40 sack plug (Class C w/ 2% CC)at 5050'-4950'. T	
Spot 75 sack plug (C w/ 2% CC) at 2765'-2665'. WOC and tag. Perf at 1100', squeeze w/ 25 sx, WOC and tag. If unable to squeeze, spot plug	
1200'-1100' (27 sx).	
Perf at 430', squeeze w/ 50 sx, WOC and tag.	
Perf at 60', circulate cement.	
We expect to begin closing the pits at the same time we get a pulling unit,	
which is estimated to be about 45 days.	
USE MUD LADEN FLUID BETWEEN PLUGS.	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below- grade tank has been/will be constructed or closed according to NMOCD guidelines [], a general permit [] or an (attached) alternative OCD-approved plan [].	
SIGNATURE alinn A magney TITLE President DATE 1-24-2012	
Type or print name E-mail address: Telephone No.	
Mal	
APPROVED BY: <u>I CALLEY STOWN</u> TITLE OMPLIANCE SALE DATE 1/31/LOIZ Conditions of Approval (if any):	
4	
	FEB 0 1 2012

.

. .

••