

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
LC-069052
6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

LEGACY RESERVES OPERATING LP

3a. Address

P O BOX 10848
MIDLAND, TX 79702

3b. Phone No. (include area code)

432-689-5200

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

467' FNL & 990' FWL, UNIT LETTER D, SEC 31, T24S, R38E

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.
ELLIOTT 31 FEDERAL #6

9. API Well No.
30-025-24097

10. Field and Pool or Exploratory Area
DOLLARHIDE; TUBB-DRINKARD


11. Country or Parish, State
LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DOWNHOLE
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	COMMINGLE
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

----- PLEASE SEE ATTACHED -----



DHC-4425

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

D. PATRICK DARDEN, P.E.

Title SENIOR ENGINEER

Signature

Date 11/01/2011

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

ELLIOTT 31 FEDERAL #6

Subsequent Report – Sundry

Reactivate Devonian and Downhole Commingle with Tubb-Drinkard

08/08/11

MIRU PU. POH w/rods & pump. ND WH. Rel TAC. NU BOP. POH w/2-3/8" prod tbg.

08/10/11

Drill out cmt @ ~6648'. Drill out CIBP @ ~6675'. RIH to 8047'. Lost bit cones in well SD MO PU. PU needed elsewhere. Will return to well when PU is available.

09/19/11 – 09/26-11

MIRU PU. Mill out bit cones. Wash down to 8260'. Run bit & scraper to 8260'.

09/28/11 – 9/29/11

Set pkr @ 8053'. Acid frac Devonian zone w/6k gals 15% delayed X-Linked acid.

09/30/11 – 10/03/11

Swabbed Devonian perms – averaged 9 BOPD. No gas.

10/04/11

Set RBP @ 6747'. Set pkr @ 6488'. Acidized Tubb Drinkard perms w/2k gals 15% NEFE HCl.

10/05/11

Swabbed Tubb-Drinkard perms – averaged 36 BOPD. Strong gas.

10/06/11 - 10/07/11

Rel pkr. RIH & latch onto RBP. Rel RBP & POH LD WS, pkr & RBP. PU & RIH w/SN, TAC & new 2-3/8" prod tbg. Set SN @ 8226' & TAC @ 6530'. RIH w/pmp & rods. Turn well over to prod dept.

10/10/11

RWTP with Devonian and Tubb-Drinkard zone DHC.

From Swab results the following is zone allocation:

<u>Zone</u>	<u>Oil</u>	<u>Gas</u>
Devonian	20%	0%
Tubb-Drinkard	80%	100%



ELLIOTT 31 FED #6

LOCATION: 467' FNL & 990' FWL, Sec 31, T24S, R38E

Current Wellbore Condition

FIELD: Dollarhide (Tubb Drinkard)

COUNTY: Lea

STATE: New Mexico

GL: 3121'

KB: 3134'

SPUD DATE: 4/11/72

LATEST UPDATE: 10/21/2011

BY: DP Darden

API No: 30-025-24097

