Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD	Habbs
-----	-------

FORM APPROVED OMB NO 1004-0135 Expires. July 31, 2010

	Expires.	July	31,	
Lease Seri	al No.			•

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. HOBBS OCD			6.	NMLC06358 If Indian, Allotte	
SUBMIT IN TR	IPLICATE - Other instruc		l	If Unit or CA/A	greement, Name and/or No
1 Type of Well	<u> </u>	FEB 17	2012	Well Name and I	No.
Oil Well Gas Well Go	her	,		SOUTHERN C	ALIFORNIA 29 FEDERAL 1
Name of Operator CIMAREX ENERGY COMPA	Contact. NY OF C @ -Mail: zfarris@cir	ZENO FARRIS RECEIV		API Well No 30-025-3985	3-00-\$1
3a. Address 600 NORTH MARIENFELD S MIDLAND, TX 79701		3b. Phone No (include area of Ph: 432-620-1938 Fx: 432-620-1940		Field and Pool, LUSK (WHKNOWN	or Exploratory one Spring 5
4 Location of Well (Footage, Sec.,	T, R, M, or Survey Description	i)	11	County or Paris	sh, and State
Sec 29 T19S R32E SWNW 1	980FNL 375FWL			LEA COUNT	Y, NM
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE C	F NOTICE, REPO	RT, OR OTH	IER DATA
TYPE OF SUBMISSION		TYPE	OF ACTION		
A	Acidize	Deepen	Production (Start/Resume)	☐ Water Shut-Off
Notice of Intent	Alter Casing	Fracture Treat	Reclamation		☐ Well Integrity
☐ Subsequent Report	Casing Repair	New Construction	Recomplete		Other
Final Abandonment Notice	Change Plans	Plug and Abandon	_	Abandon	ь
_	Convert to Injection	Plug Back	₩ater Dispo		
	inal inspection.) do requests approval for c	lisposal of produced water ation.		·	ed, and the operator has
14 Thereby certify that the foregoing is	true and correct.	30956 verified by the BLM	Mall Information Sys	tom	
Commi	For CIMAREX ENI	ERGY COMPANY OF CO, s	ent to the Hobbs		
Name(Printed/Typed) ZENO FA			AGER OPERATION	•	
,					
' Signature (Electronic S			1/2012		
	THIS SPACE FO	R FEDERAL OR STAT	E OFFICE USE		
Approved By DUNCAN WHITLOG		TitleLEAD F	ET		Date 02/15/2012
Conditions of approval, if any, are attache certify that the applicant holds legal or equivinch would entitle the applicant to conduct the conduction of the	utable title to those rights in the		s CFO		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

WATER PRODUCTION & DISPOSAL INFORMATION

In order to process your disposal request, the following information must be completed:

Nan	ne(s) of all formation(s) producing water on this lease.
Bon	e Spring
Amo	ount of water produced from all formations in barrels per day.
<u>58 b</u>	pd
Atta	ch a current water analysis of produced water from all zones showing at least the total dissolved
solic	ls, pH, and the concentrations of chlorides and sulfates.
How	water is stored on the lease.
1	500 bbl tank .
How	water is moved to the disposal facility.
F	lowline
Iden	tify the disposal facility by:
A.	Facility Operator's Name: Cimarex Energy Co of Colorado
В.	Name of facility or well name and number: <u>LWDU WF Project R-10863 and WFX-738</u>
C.	Type of facility or well (WDW, WIW), etc.: WIW
D.	Location by ¼ ¼, Section, Township, and Range: NWSW, SWNE 20, SENW 21, NENE,
	NWSE, 29 all in 19S-32E
Atta	ch a copy of the state-issued permit for the Disposal Facility.

Submit 1 original and 5 copies within the required time frame with 3160-5. This form may be used as an attachment to the sundry notice.

NEW MEXICO ENLAGY, MINERALS & NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION 2040 South Pacheco Street Santa Fe, New Maxico 87605 (505) 827-7131

June 12, 1998

Pioneer Natural Resources U.S.A., Inc. Attention: Todd M. Yocham P. O. Box 3178 Midland, Texas 79702-3178

Mexico.

Re:

Addendum to Division Order R-10863 issued in Case 11704 and dated August 28,

1997 authorizing Parker and Parsley Development, L. P's (now Pioneer Natural Resources U.S.A., Inc.) Lusk West (Delaware) Unit Waterflood Project in Sections 20, 21, and 29, Township 19 South, Range 32 East, NMPM, Lea County, New

Dear Mr. Yocham:

Subsequent to the Division's review of: (i) the records in Case 11704; (ii) your supplemental information filed in January, March, and April, 1998; and, (iii) the well records on file in Hobbs and Santa Fe: Pioneer Natural Resources U.S.A., Inc. ("Pioneer") has provided sufficient data and explanation to satisfy the requirements pursuant to Ordering Paragraph No. (4) of the order; therefore, Pioneer is hereby authorized to commence it's the Lusk West (Delaware) Unit Waterflood Project with all other provisions of Order No. R-10863 remaining in effect.

Attached is a supplemental listing of the original wells approved by Order No. R-10863 showing for all of the wells approved for injection the Unit well name and number designations and, if applicable, API Numbers, well location changes, and actual injection intervals. Since Order No. R-10863 was issued two of these original wells will not be utilized as injection wells: (i) the Southern California Federal Well No. 4 (API No. 30-025-20877) located 1650 feet from the South line and 990 feet from the East line (Unit I) of Section 29, Township 19 South, Range 32 East, NMPM, Lea County, New Mexico, will remain a Strawn producing well; and, (ii) the Southern California Federal Well No. 12, a new well to have been drilled 660 feet from the South line and 1980 feet from the East line (Unit O) of said Section 29, which was subsequently drilled as the Lusk West Delaware Unit Well No. 915 (API No. 30-025-34130) 450' FSL & 2000' FEL (Unit I) of said Section 29 was junked and abandoned. Both of these wells will be omitted from the attached supplemental listing.

The operator of the Lusk West (Delaware) Unit Waterflood Project shall remain liable, pursuant to the rules and regulations of the New Mexico Oil Conservation Division, for any possible escape of injected waters into other formations or onto the surface from injection, production, or plugged and abandoned wells.

ometriy

Michael E. Stogner

Chief Hearing Officer/Engineer

cc: New Mexico Oil Conservation Division - Hobbs Lori Wrotenbery, Director - NMOCD, Santa Fe

File: Case 11704

David R. Catanach, UIC Director - NMOCD, Santa Fe

Lusk West Delaware Unit Well No. 014 (API No. 30-025-34173) 1980' FS & WL (Unit K) of Section 20 Proposed Injection Interval: 6445' to 6457' Max. Surface Injection Pressure: 1289 psig.

Lusk Mest Delaware Unit Well No. 909 (API No. 30-025-34283) 1980' FSL & 940' FEL (Unit I) of Section 29 Proposed Injection Interval: 6452' to 6464' Max. Surface Injection Pressure: 1290 psig.

Lusk West Delaware Unit Well No. 915-Y
(API No. 30-025-34269)
450' FSL & 2050' FEL (Unit O) of Section 29
Injection Interval: 6434' to 6456'
Max. Surface Injection Pressure: 1287 psig.

All in Township 19 South, Range 32 East, NMPM, West Lusk Delaware Unit Area, Lea County, New Mexico.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the West Lusk Delaware unitized injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the wells, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of the casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing or packer.

The injection wells or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on each injection well to no more than 0.2 psi per foot of depth to the uppermost injection perforation.

The Director of the Division may authorize an increase in injection pressures upon a proper showing by the operator of the wells that such higher pressures will not result in migration of the injected fluid from the West Lusk Delaware unitized interval (see Division Order No. R-10863, issued in Case 11704 and dated August 28, 1997) that is within the designated and Undesignated West Lusk-Delaware Pool from approximately 6400 feet to 6450 feet.

The operator shall immediately notify the supervisor of the Hobbs district office of the Division of the failure of the tubing, casing or packer in the wells and shall take such steps as may be timely and necessary to correct such failure or leakage.

Administrative Order No. WFX-738 Pioneer Natural Resources U.S.A., Inc. June 12, 1998 Page 3

The subject wells shall be governed by all provisions of Division Order No. R-10863 and Rules 702-706 of the Division Rules and Regulations not inconsistent herewith.

PROVIDED FURTHER THAT, jurisdiction is hereby retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject wells, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

DONE at Santa Fe, New Mexico, on this 12th day of June, 1998.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

LORI WROTENBER

Director

SEAL

cc: New Mexico Oil Conservation Division - Hobbs U. S. Bureau of Land Management - Carlsbad

File: Case 11704

OIL CONSERVATION DIVISION 2040 South Pachaca Street Santa Fe, New Mexico 87305 (505) 827-7731

ADMINISTRATIVE ORDER NO. WFX-738

APPLICATION OF PIONEER NATURAL RESOURCES U.S.A., INC. TO EXPAND ITS WATERFLOOD PROJECT IN THE WEST LUSK-DELAWARE POOL IN LEA COUNTY, NEW MEXICO.

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Order No. R-10863, issued in Case 11704 and dated August 28, 1997, Pioneer Natural Resources U.S.A., Inc. has made application to the Division on December 9, 1997 and January 15 and 26, 1998, for authorization to expand its Lusk West (Delaware) Unit Waterflood Project in the designated and Undesignated West Lusk-Delaware Pool in Lea County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

- (1) The application has been filed in due form.
- (2) Satisfactory information has been provided that all offset operators have been duly notified of the application.
 - (3) No objection has been received within the waiting period as prescribed by Rule 701(B).
- (4) The proposed injection wells are eligible for conversion to injection under the terms of Rule 701.
- (5) The proposed expansion of the above referenced Lusk West (Delaware) Unit Waterflood Project will not cause waste nor impair correlative rights.
 - (6) The application should be approved.

IT IS THEREFORE ORDERED THAT:

The applicant, Pioneer Natural Resources U.S.A., Inc., be and the same is hereby authorized to inject water into the unitized interval (see Division Order No. R-10863, issued in Case 11704 and dated August 28, 1997) that is within the designated and Undesignated West Lusk-Delaware Pool from approximately 6400 feet to 6450 feet through 2-7/8 or 2-3/8 inch plastic lined tubing set in a packer located approximately 100 feet above the uppermost injection perforations in the four following described wells for purposes of secondary recovery to wit:

Lusk West Delaware Unit Well No. 903 (API No. 30-025-34172) 990' FNL & 1880' FWL (Unit C) of Section 29 Injection Interval: 6438' to 6444' Max. Surface Injection Pressure: 1288 psig. Addendum To Exhibit "A" Case No. 11704 Order No. R-10863

Pianeer Natural Resources USA, Inc. Water Injection Wells Lusk West Delaware Unit Waterflood Project Area Township 19 South, Range 32 East, NMPM, West Lusk-Delaware Pool, Lea County, New Mexico.

Well-Name and Number						
Wen team than the series	API Number	Footage Location	Unit	Section	Injection Interval	Type of Well
Lusk Deep Unit "A" Well #17 (Now the Lusk West Delaware Unit #001)	30-025-30518	330' FN & EL	A	20	6476-6484	Conversion
Lusk Deep Unit "A" Well #12 (Now the Lusk West Delaware Unit #007)	30-025-24869	1660' FNL & 2300' FEL	G	20	6446-6467	Conversion
Lusk Deep Unit "A" Well #14 (Now the Lusk West Delaware Unit #015)	30-025-30490	330' FSL - 1980' FEL	0	20	6452-6459	Conversion
Lusk Deep Unit "A" Well #20 (Now the Lusk West Delaware Unit #009)	30-025-30524	2310' FSL & 660' FEL	I	20	6469-6487	Conversion
Mobil Federal Well #1 (Now the Lusk West Delaware Unit #105)	30-025-30439	1650' FNL & 330' FWL	Е	21	6469-6479	Conversion
Amoco Federal Well #2 (Now the Lust West Delaware Unit #103)	30-025-30572	990' FNL & 1650' FWL	С	21	6489-6503	Conversion
Mobil Federal Well #4 (Now the Lusk West Delaware Unit #111)	30-025-30791	2310' FSL - 1650' FWL	ĸ	21	6468-6476	Conversion
S. A. Bowman Federal Well #5 (Now the Lusk West Delaware Unit #911)	30-025-30165	2310' FSL & 2160' FWL	ĸ	29	6431-6446	Conversion
Southern California Federal Well #6 (Now the Lusk West Delaware Unit #913)	30-025-30094	990' FSL & 660' FWL	М	29	6389-6399	Conversion
Southern California Federal Well #10 (Now the Luxk West Delaware Unit #907)	30-025-34 <u>132</u>	2200' FNL - 1650' FEL 1980' FN & EL	G	29	6434 - 6451	New Drill
Southern California Federal Well #11 (Now the Lück West Delaware Unit #901)	30-025-34131	330' FN & EL 660' FN & EL	A	29	6474 - 6478	New Drill

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. All above ground structures on the lease shall be painted Shale Green (5Y 4/2), or as per approved APD stipulations. This is to be done within 90 days, if you have not already done so.
- 6. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 7. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 8. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 9. Disposal at any other site will require prior approval.
- 10. Subject to like approval by NMOCD.

6/17/2011