

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
October 13, 2009

**HOBBS OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FEB 16 2012

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30- 025-05567
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No. E 3289
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name .NM CE State
4. Well Location Unit Letter <u>F</u> : <u>1685</u> feet from the <u>north</u> line and <u>1652</u> feet from the <u>west</u> line Section <u>6</u> Township <u>19S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number <u>2</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3730</u>		9. OGRID Number 16696
		10. Pool name or Wildcat Euromont Yates TR Qn

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3989' PBTD-2740' Perfs-2788-3840' CIBP-2740'  
8-5/8" 24# csg @ 1460' w/ 900sx, 12-1/4" hole, TOC-Surf-Circ  
4-1/2" 11.6# csg @ 3989' w/ 400sx, 6-3/4" hole, TOC-1092'-Calc  
1. RIH & tag CIBP @ 2740', M&P 25sx cmt  
2. M&P 25sx cmt @ 2150-2000' WOC-Tag  
3. Perf @ 1570', sqz 55sx cmt to 1410' WOC-Tag  
4. Perf @ 300', sqz 105sx cmt to surface  
10# MLF between plugs

The Oil Conservation Division Must be notified  
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 2/15/12

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY [Signature] TITLE STAFF MGR DATE 2-20-2012  
Conditions of Approval (if any):

FEB 21 2012

OXY USA Inc. - Current  
NM State CE #2  
API No. 30-025-05567

12-1/4" hole @ 1460'  
8-5/8" csg @ 1460'  
w/ 900sx-TOC-Surf-Circ

2/07-CIBP @ 2740'

Perfs @ 2788-2864'

6-3/4" hole @ 3989'  
4-1/2" csg @ 3989'  
w/ 400sx-TOC-1092'-Calc

Perfs @ 3625-3840'

10/04-CR @ 3900' w/ 10' cmt

Perfs @ 3911-3948' sqz w/ 150sx

TD-3989'

OXY USA Inc. - Proposed  
NM State CE #2  
API No. 30-025-05567

105sx @ 300'-Surface


55sx @ 1570-1410' WOC-Tag

25sx @ 2150-2000'-WOC-Tag

25sx @ 2740'

2/07-CIBP @ 2740'

10/04-CR @ 3900' w/ 10' cmt



12-1/4" hole @ 1460'  
8-5/8" csg @ 1460'  
w/ 900sx-TOC-Surf-Circ

6-3/4" hole @ 3989'  
4-1/2" csg @ 3989'  
w/ 400sx-TOC-1092'-Calc