

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87424
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-27345
1. Type of Well: Oil Well ☐ Gas Well ☒ Other Injection ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator ConocoPhillips Company		6. State Oil & Gas Lease No. B-1482-3
3. Address of Operator 3300 N "A" St Midland, TX 79705		7. Lease Name or Unit Agreement Name East Vacuum GB-SA Unit Tract 2720
4. Well Location Unit Letter B : 50' feet from the North line and 2500' feet from the East line Section 27 Township 17S Range 35E NMPM County LEA		8. Well Number 600
11. Elevation (Show whether DR, RKB, RT, GR, etc) 3937' GR		9. OGRID Number 217817
		10. Pool name or Wildcat Vacuum; Grayburg-San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: repair csg failure ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1/5/12 MIRU. NDWH & NUBOP. Tag sand on bridge plug & circ sand off of plug & release plug and TOO H w/plug and LD. TIH & release 2nd plug & TOO H
1/11/12 TIH & tag @ 4357', circ clean to 4721' 1/13/12.
1/12/12 Dug out surf csg, cut prod & cut off surf csg made repairs.
1/17/12 RIH w/138 jts, 2 3/8", 437#, J-55 tbg set tbg @ 4334' & pkr @ 4326'.
1/18/12 PTcsg to 550#/30 mins- test good. NDBOP & NUWH. RR Attached is the MIT chart.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Rhonda Rogers

TITLE Staff Regulatory Technician

DATE 02/14/2012

Type or print name Rhonda Rogers

E-mail address: rogers@conocophillips.com

PHONE: (432)688-9174

For State Use Only

APPROVED BY

Staff MGR


TITLE

Staff MGR

DATE 2-20-2012

Conditions of Approval (if any):

FEB 21 2012



CONOCO Phillips
EUGENE 2720-600
1-20-2012
NABERS well SERVICES
MAC Mc WILLIAMS
TRK #424
1000 # CHART RECORDER
CAL DATE 1-19-2012
60 MIN. TIMER