

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
FEB 1 4 2012
RECEIVED
CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-11647
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name South Langlie Jal Unit
8. Well Number 15
9. OGRID Number 160825
10. Pool name or Wildcat Jalmat Tansil Yates Seven Rivers

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐ TA'd Injector ☒

2. Name of Operator
BC Operating, Inc.

3. Address of Operator
P.O. Box 50820 Midland, Texas 79710

4. Well Location
Unit Letter C : 990 feet from the North line and 1980 feet from the West line
Section 17 Township 25S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3118' DF

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMPLETION DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING JOBS ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions, include a wellbore diagram of proposed completion or recompletion.

Proposed Procedure: 3167'
RIH & set CIBP @ 2710'. Circ plugging mud & spot 25 sx on top of CIBP.
Spot 40 sx @ 1212' & tag. POOH to 2880'. SPOT 30sx. TAG at 2703' or better (liner top and base of salt)
Spot 15 sx from 60' to surface. DV-Tool & TOS
Install PA marker & clean & level location per OCD regulations.

Will notify OCD 24 hours prior to commencing plug & abandon operations.
Perf at 206'. Attempt to Sgz. Cmt to surface. Fill inside & outside 7" CSG.

Spud Date: 02/26/52 Rig Release Date: 03/16/52

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Pam Stevens TITLE Regulatory Analyst DATE 02/09/2012

Type or print name Pam Stevens E-mail address: pstevens@bcoperating.com PHONE: 432-684-9696

For State Use Only
APPROVED BY: Mark Whitman TITLE Compliance Officer DATE 2-21-2012
Conditions of Approval (if any):

FEB 21 2012

Current

LOG ZERO = 8' Above G.L.

G.L. = 3110'

10 3/4", 32' to 156'

(Cont'd. w/ 150 sys. w/ swt. vels.)

HOLE SIZES

13" 0 - 156'

8 3/4" 156 - 2830'

6 1/4" 2830 - 3217'

4 1/4" 3217 - 3380'

7", 20' SET TO 2830'

(Cont'd. w/ 200 sys. out shoe)
& 200 sys. OUT STAGE COLLAR @ 1162')

5 1/2", 15.5' FLUSH JOINT LINE

From 2753 - 3217'

(Cont'd. w/ 50 sys. out btm. & SQED.)
top w/ 20 sys.

SOUTH LANGLE TAIL UNIT, 15-WNW

(Formerly So. Cal. Pet. Corp., WOODWORTH B, #3)

JALMAT (OIL) POOL

LEA CO., NEW MEXICO

CRC 11/15/76

"QUEEN" OPEN-HOLE (163')

TD = 3380'

Proposed

LOG ZERO: 8' Above G.L.

G.L. = 3110'

60'

10 3/4" 32° to 156' 206'
(Cmt'd. w/ 150 sys. w/ surf. vels.)

SOUTH LANSIE JAL UNIT, 15-WNW

(Formerly So. Cal. Pet. Corp., WOODWORTH B, #3)

JALMAT (OIL) POOL

LEA CO., NEW MEXICO

HOLE SIZES

13" 0-156'

8 3/4" 156-2830'

6 1/4" 2830-3217'

4 1/4" 3217-3380'

CRC 11/15/76

(25 SX)

25 SX @ 1205'

(25 SX)

25 SX @ 2700'

7", 20° SET TO 2830'
(Cmt'd. w/ 200 sys. out stage)
& 200 sys. out stage collar @ 1162')

5 1/2", 15.5° FLUSH JOINT LINE
from 2753-3217'

CLCR @ 3050'

(Cmt'd. w/ 50 sys. out b/w. & 50 sys.
top w/ 20 sys.)

(40 SX)

"QUEEN" OPEN-HOLE (163')

TD = 3380'