

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr. Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised August 1, 2011

WELL API NO 30-025-20135
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name MESA QUEEN UNIT
8. Well Number #7
9. OGRID Number 25482
10. Pool name or Wildcat MESA QUEEN

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPLN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator STATE OF NM formerly XERIC OIL & GAS	
3. Address of Operator 1625 N. FRENCH DRIVE HOBBS NM 88240	
4. Well Location Unit Letter F 1980 feet from the FNL line and 1980 feet from the FEL line Section 16 Township 16S Range 32E NMPM County LEA	
11. Elevation (Show whether DR, RKB, RT, GR, etc)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 19.15.7.14 NMAC For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion

SEE ATTACHED PLUGGING PROCEDURE

Spud Date

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief

SIGNATURE Maxey G. Brown TITLE COMPLIANCE OFFICER DATE 2-22-2012

Type or print name MAXEY G. BROWN E-mail address. PHONE

For State Use Only

APPROVED BY [Signature] TITLE STAFF MGR DATE 2-23-2012
Conditions of Approval (if any)

FEB 23 2012

State of New Mexico formerly XERIC OIL & GAS

LEASE NAME MESA QUEEN #7 API 30-0 25 - 20135

Section 16 -T 16 S-R 32 E FROM 1980 N / 3 L, 1980 E / W L.

SPECIAL NOTE—Mud Laden Fluid will consist of 9.5# brine with 12.5# Salt Gel per BBL (25 sacks of gel/ per 100 BBLs Brine). All cement plugs will be 25 sacks of cement or 100', whichever is greater. **Unless otherwise specified in the approved procedure**, cement plugs shall consist of class "C" for depths to 7500'. Class "H" will be used for plugs deeper than 7500'.

1. MIRU plugging unit. Lay down production equipment.
2. Set CIBP @ 3350 '. Circulate MLF. Spot 25 sxs cmt on CIBP.
3. Spot 25 sxs cmt @ 2500 '.
4. Perf @ 1260 '. Sqz w/ 25 sxs cmt. WOC and TAG.
5. Perf @ 424 '. Sqz w/ sufficient volume to circ cmt to surface inside/outside of csg strings.
6. Cutoff wellhead and anchors, install marker.


-----SPECIAL NOTES-----

PLUGGING & ABANDONMENT WORKSHEET

(2 STRING CSNG)

OPERATOR STATE OF NM FORMERLY XERIC OIL & GAS
LEASENAME MESA QUEEN UNIT

WELL # 7
SECT 16 TWN 16 RNG 32
FROM 1980 N/S L 1980 E/W L
TD: FORMATION @ TD
PBDT: FORMATION @ PBDT



PERFS:

3408' - 3410'
3412' - 3414'

TD 3463

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE					
INTMED 1					
INTMED 2					
PROD					
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @		TOP - BOTTOM		
INTMED 1			PERFS		
INTMED 2			OPENHOLE		
PROD					

*REQUIRED PLUGS DISTRICT I

RUSTLER (ANYTD)	
YATES	
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
OLORIETA	
GLINEBRY	
TUGS	
ORISKANY	
ABO	
WC	
PERRI	
STRAWN	
ATOKA	
MOORE	
MISS	
DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	35 SX5	6400'
PLUG #2	SHOE	50 SX5	5350'-5450'
PLUG #3	CIBP/35'		4800'
PLUG #4	CIBP	25 SX5	4800'
PLUG #5	STUB	50 SX5	3600'-3700'
PLUG #6	REINR SQZ	200 SX5	400'
PLUG #7	SURF	10 SX5	0-10'
PLUG #1			
PLUG #2	SET CIBP @ 3350		
PLUG #3	CAP W/ 25 SX5		
PLUG #4			
PLUG #5	SPOT 25 SX5 @ 2500'		
PLUG #6			
PLUG #7	PERF @ 1260' -		
PLUG #8	SQZ 25 SX5		
PLUG #9	WOC & TAG		
PLUG #10			
PLUG #1	PERF @ 424'		
PLUG #2	CIRC CMT TO		
PLUG #3	SURF INSIDE		
PLUG #4	& OUT		
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			