Submit Copy To Appropriate District State of New Mexico Office	Form C-103			
District 1 – (575) 393-6161	Revised August 1, 2011			
1625 N French Dr., Hobbs, NM 88240 District II – (575) 748-1283 FED 27-90453 VORDALA TROOM BY VICEOUX	WELL API NO. 30-025-30954			
RILE From St. America NIM 89210 FED ZWIZUWNSERVATION DIVISION	5. Indicate Type of Lease			
District IV – (505) 334-6178 District IV – (505) 476-3460 District IV – (505) 476-3460	STATE FEE			
	6. State Oil & Gas Lease No.			
1220 S St Francis Dr., Santa Fe, NM 87505	E-3290			
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name			
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	Mexico 'U'			
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				
1 Type of Well: Oil Well 🔀 Gas Well 🗌 Other	8. Well Number 3			
2. Name of Operator State of New Mexico formerly XERIC Oil & Gas	9. OGRID Number			
3. Address of Operator	10. Pool name or Wildcat			
1625 N. French Drive Hobbs, NM 88240	Hobbs G-SA			
4. Well Location				
Unit Letter B: 590 feet from the North line and 2	310 feet from the East line			
Section 8 Township 195 Range 38E	NMPM County Lea			
11. Elevation (Show whether DR, RKB, RT, GR, etc.)				
	0.1			
12. Check Appropriate Box to Indicate Nature of Notice,	Report or Other Data			
NOTICE OF INTENTION TO: SUBS	SEQUENT REPORT OF:			
PERFORM REMEDIAL WORK PLUĞ AND ABANDON 💢 REMEDIAL WORK				
TEMPORARILY ABANDON	LING OPNS.□ P AND A □			
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT	JOB			
DOWNHOLE COMMINGLE				
OTHER: OTHER:	П			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and	give pertinent dates, including estimated date			
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Con	ipletions: Attach wellbore diagram of			
proposed completion or recompletion.				
SEE Atlached				
JEE ATIACUC				
Sand Date.				
Spud Date: Rig Release Date:				
I hereby certify that the information above is true and complete to the best of my knowledge				
mile of the me information above is true and complete to the best of my knowledge	and helief			
- NA O	and belief.			
Mainth.	011:			
SIGNATURE Mayey Shown TITLE Compliance	and belief. Officer DATE 2/27/2012			
	Officer DATE 2/27/2012			
Type or print name E-mail address:	011:			
	Officer DATE 2/27/2012 PHONE:			
Type or print name E-mail address:	Officer DATE 2/27/2012			

State of New Mexico formerly Xeric Oil & Gas Corp Mexico 'U' No. 3

Set CIBP at 4000' and cap w/ 25 sx cmt.

Circulate hole w/ 9.5 ppg brine w/ 25 sx salt gel per 100 bbls.

Perforate at 2600'.

Squeeze w/ 25 sx cmt. WOC and Tag.

Perforate at 1582'.

Squeeze w/ 25 sx cmt. WOC and Tag.

Perforate at 200'.

Circulate cmt to surface.

Cut off wellhead and install dry hole marker.

LU	GGING & ABANDO	OPERATOR	RKSHI	E	[.\n/.[_	(3 STRII	NG CS	NG)
		OPERATOR	1 27876	04	10140	rrury	ALTIC	_ U1 , 0d S
	111	LEASENAMI	NIEX	ı CC	.0.	WELL	at.	
		OFOT	D	718	K I		# PMG '	785
		SECT		TW		271. 7	EWY (38E
	111	FROM	590 (iy 3		2310 (GIVV L	
		TD:	4300		FOR	MATION	@ ID	777
	j <u>j</u> į	PBTD:			FOR	NOITAN	@ PB	10
		r	0.1776			7700		
	85/8		SIZE		ET@			ERMINED BY
		SURFACE 85/		1546'		Surface	CITC.	
	@1546'	INTMED 1						
	TOC CIRC	INTMED 2		\ <u></u>				
		PROD	5/2	_	30U'			
			SIZE	1	OP	BOT	TOC	DETERMINED BY
		LINER 1						
		· LINER 2						
			CUT &	PUL	L.@			- BOTTOM
		INTMED 1				PERFS	4055	- 4280
	@ \	INTMED 2				OPENHOLE		•
	TOC	PROD						
	Z	* REQUIRED PL	UGS DISTRI	πI		<u> </u>		
	1	RUSTLER (ANBIYD)	1582	*	PLUG	TYPE	SACKS	DEPTH
		WATER B. SALT	2604]	PLUG .	CMINT	
		QUEEN	3460		EXAMPLES	1 2 2 2	1	
		GRAYBURG	3869		PLUGEI	OH	25 \$30\$	9850
			2001		rws#2	SHOE	50 SXS	8700'-8800'
		- ZAN ANDRES	 	1		CIBP/35'	30 200	5300
				*	eman.	CIBP	25 5555	5300
		CAPITAX REEF		1	rwors	 	50.505	1600'-1700'
		 	-		PLUG#4	STUB	 	-{
		OETVAVIE	-		PLUD 86	RETHR SO2	200 505	
		BELL CANYON	 		PLU017	SURF	10.505	0-10'
		CHERKYCANYON	 	1	PLUCO PL	 	 	
		BELDETY CARYON	 	1	rc03#2	ļ	 	<u> </u>
	56"156	BOHE SPELING	-{	4	WXXX43	 	-	-
ł	L 3/2/13/3/				PLUG#4	 	 	-
	@ 4300	OLORIETA	 	┨*	runs s	 	-	
	100	SUNCERY		4	PLUD 66	<u> </u>	-}	
	5½"15.5, @ 4300' TOC (525 SX) CALC 670% 2514'	8901	 	4	PLUGET		 	
	CM C CTOTO	DRINKARD .	J	4	PLUGES	 	 	
	7511	ABO .		-	KW389			
	4217	 	-	-	SETTLE 10	 		
		wc_		-{	SENDS	_		
		PENON	_	4	PLUD #	- 	-	
		STRAWN		-{		-		
	A	ATOKA		-	 	-		
	TD 4300	WOLSON	 	4	}	-	-	
	10 1300	1022		4				
		OKNOKAN	_	4	 		_	(税
	·	1	<u>u</u>	L	<u></u>			