Form 3160-5 (August 2007) 1.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO 1004-0135

	Expires:	July	31,	,
Lease Seri				_

Do not use this form for proposals to drill or to re-enter an	SUNDRY NOTICES AND REPORTS ON WELL	S "IOPRS O
	Do not use this form for proposals to drill or to re-ent	er an

SUNDRY	NOTICES AND REPO	RTS ON WI	ELLS	o OCD	NMLC059001	
abandoned we	is form for proposals to II. Use form 3160-3 (AF	PD) for such p	proposats 2 3	2012	6 If Indian, Allottee	or Tribe Name
	IPLICATE - Other instru				7 If Unit or CA/Agra MCA UNIT/NM	eement, Name and/or No. 70987A
1 Type of Well	, INJECTION /	 	- CIV	ED	8 Well Name and No MCA UNIT 489	
Orl Well Gas Well Oth Name of Operator	her INJECTION Contact	BRIAN MAIC	PINO		9. API Well No.	
CONOCOPHILLIPS COMPAN	NY E-Mail: brian.d.ma				30-025-39432	
3a Address 3300 N "A" ST. BLDG #6 MIDLAND, TX 79705		Ph: 432-68	o. (include area code 38-6913	e)	10. Field and Pool, or MALJAMAR;GI	Exploratory RAYBURG/SA
4. Location of Well (Footage, Sec., 1 Sec. 88 T17S R32E 660FNL 1	1	n)			11 County or Parish, LEA COUNTY,	1/
43						
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATE	NATURE OF I	NOTICE	E, REPORT, OR OTHE	R DATA
TYPE OF SUBMISSION			TYPE O	F ACTIO	N	
Notice of Intent	☐ Acidize	□ Deep	pen	□ Pro	duction (Start/Resume)	☐ Water Shut-Off
_	☐ Alter Casing	☐ Frac	ture Treat	□ Rec	clamation	☐ Well Integrity
Subsequent Report	☐ Casing Repair	. D New	Construction	□ Rec	complete	Other
☐ Final Abandonment Notice	Change Plans	☐ Plug	and Abandon	□ Ten	nporarily Abandon	_
	Convert to Injection	-	Back	_	ter Disposal	
13 Describe Proposed or Completed Ope If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed Final Ab determined that the site is ready for fi	ally or recomplete horizontally, rk will be performed or provide operations If the operation re bandonment Notices shall be fil	give subsurface the Bond No or sults in a multipl	locations and meast a file with BLM/BIA e completion or reco	ared and tr A Require ompletion	ue vertical depths of all perticed subsequent reports shall be	nent markers and zones. e filed within 30 days 60-4 shall be filed once
11/10/2010 MIRU 11/11/2010 Dropped standing scanner, pooh with tbg scanni scraper, tagged td @4275' point 1/12/2010 spotted 500 gals 1 stands and flushed 25 bbls 10 hole with tbg pkr and pumpout bbls of water w/pkr fluid and bmin, held good. POOH w/50 jt 11/17/2010 notified NMOCD (lw/NP on/off tool x2.00' 124 jts 7.11' & 1.11'& 1-2/8" IPC jt x 3	ng, ran in hole w/tbg and oh to top of perfs 15% HCl folowed w/21.5 I #brine @3500'. POOH w to plug. set pkr @3891' cm iocide. tested csg to 550 s laying down. M. Brown) of impending of 2-3/8" BB40P IPC tbg X 10.95', latch onto 1.78" XN	bit and obls of flush. pith tbg. Ran in c well w/110 psi for 35 esg test. pick t 10.00', v seal	pooch with 12 n up and TIH		FEB 1 8 /s/ JD WH BUREAU OF LAND N CARLSBAD FIEL	2012 nitlock Jr
		112654 verified PHILLIPS CO	I by the BLM Wel IPANY, sent to t	II Informa he Hobb	ation System s	
Name(Printed/Typed) BRIAN MA	IORINO		Title AUTHO	RIZED F	REPRESENTATIVE	
Signature (Electronic S	ubmission)		Date 07/11/20	011		
	THIS SPACE FO	R FEDERA	L OR STATE (OFFICE	USE	
Approved Byonditions of approval, if any, are attached	d Approval of the		Title			Date
continuous or approval, it any, are attached ertify that the applicant holds legal or equi- which would entitle the applicant to condu-	itable title to those rights in the	subject lease	Office			

Title 18 U.S.C. Section 1001 and Title 43 U S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

FAILURE TO SUBMIT NOI TO CONVERT

FEB 2 7 2012

Additional data for EC transaction #112654 that would not fit on the form

32. Additional remarks, continued

nipple @ 3891' 11/18/2010 pressure test csg to 550 psi for 30 min. pressure tbg to 1000 psi to shear pump out plug. RDMOPU


pkr set @ 3891' Top Perf @ 3914'

Schematic - Current

District PERMIAN		Field Name MALJAMAR	API / UWI 3002539432		County LEA		ite/Province W MEXICO
Original Spud Date 8/1/2009	Surfa Secti		t/West Distance (ft) 1,110 00	East/West Refe FE	rence	North/South Distance (ft) 660.00	North/South Reference FNL
		Well Co	nfig: VERTICAL - Origi	nal Hole, 7/1/2/	11 10:45:30	A N /	
ftKB (MD)	incl	. Vven co	niig. VEITHOAL - Ongi	Schem	atic - Actual	~101	
12		and A or A in recommendation from anymore but in a decomposition	s von en me sem e sprak skalenmakonskrieke vinnen ever-modus				and the Annual A
12		257 G. 2 1815 25 25 25 2 2 1 2 2 2 5 12 2 7 10 17 5 2 2				P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CONTRACTOR OF THE STATE
43							
61							
90							
950	0.5						
982	0.5						
984	0.5						,
985	0.5						
1,029	0.5						
1,030	0.5						
1,030	0.5						
1,040	0 5						
3,808	0.2		(
3,848	0.2		¥				
3,897	02			7 7 T	Z //		
3,899	0.2		lt				
3,907	02		¥.				
3,907	0.2		(F				
3,914	0.2		#			3,914-3,9	23
3,923	0.2					7,7	
3,938	0.2					3.938-3,9	40
3,940	02					,	
3,947 3,961	0.2 0.2	MATERIA DE LA CONTRACTOR DE LA CONTRACTO	· · · · · · · · · · · · · · · · · · ·			~~~~~~~~~~~ 3;947-3;9	810000000000000000000000000000000000000
3,972	0.2						
3,984	0.2					3,972-3,9	84
3,988	0.2		F				
3,990	0.2					3,988-3,9	90
3,997	0.2						
4,007	0.2					3,997-4,0	07
4,018	0.2						
4,023	02					4,018-4,0	23
4,090	0.3						
4,096	0.3					4,090-4,09	96
4,098	0.3		#			4,098-4,10	22
4,103	0.3					4,098-4,10	J
4,111	0.3					4,111-4,12)1
4,123	0.3		·			4,111-4,12	2.0
4,128	0.3					4,128-4,13	36
4,136	0.3					1,140 7,10	
4,140	0.3					4,140-4,15	52
4,152	03			7 =		1,10 1,10	-
4,154	0.3					4,154-4,16	66
4,166	0.3						
4,275 4,282	0.3 0.3					PBTD, 4,2	75
4,282	0.3			7			
4,288	0.3		V				
4,200	0.3		IS.				
4,323	0.3						
7,044	U.U	i					

Page 1/1

Report Printed: 7/1/2011



Meorge Livers
MENARA SERVICES
CH - 8-5-10
M-22 T-22

.

-

Order of the Authorized Officer

Conoco Phillips Company MCA Unit 489 API 3002539432

January 23, 2012

Well with a Packer - Operations

- 1) Conduct a Mechanical Integrity Test of the tubing/casing annulus after a tubing, packer or casing seal is established. Repair that seal any time more than five barrels of packer fluid is replaced within 30 days.
 - a) The minimum test pressure should be 500 psig for 30 minutes or 300 psig for 60 minutes, with 200 psig differentials between tubing and casing pressure (at test time) but no more than 70% of casing burst pressure as described by Onshore Order 2.III.B.1.h. (The tubing or reservoir pressure may need to be reduced). An alternate method for a BLM approved MIT is to have the fluid filled system open to atmospheric pressure and have a loss of less than five barrels in 30 days witnessed by a BLM authorized officer.
 - b) Document the pressure test on a calibrated recorder chart registering within 25 to 85 per cent of its full range. Greater than 10% pressure leakoff will be viewed as a failed MIT. Less than 10% pressure leakoff will be evaluated site specifically and may restrict injection approval.
 - c) At least 24 hours before the test: In Eddy County email Paul R. Swartz <u>paul_swartz@blm.gov</u>, (phone 575-200-7902). If there is no response phone 575-361-2822. In Lea County email Andy Cortez <u>andy_cortez@blm.gov</u>, (phone 575-393-3612 or 575-631-5801). Note the contact notification method, time, & date in your subsequent report.
 - d) Submit a subsequent Sundry Form 3160-5 relating the MIT activity. Include a copy of the recorded MIT pressure chart. List the name of the BLM witness, or the notified person and date of notification. NMOCD is to retain the original recorded MIT chart.
 - e) Use of tubing internal protection, tubing on/off equipment just above the packer, and an in line tubing check valve below the packer or between the on/off tool and packer is required. The setting depths and descriptions of each are to be included in the subsequent sundry. List (by date) descriptions of daily activity of any previously unreported wellbore workover.
 - f) Submit the original subsequent sundry with three copies to BLM Carlsbad.
- 2) Compliance with a NMOCD Administrative Order is required, submit documentation of that authorization.
 - a) Approved injection pressure compliance is required.
 - b) If injection pressure exceeds the approved pressure you are required to reduce that pressure and notify the BLM within 24 hours.
 - c) When injection pressure is within 50 psig of the maximum pressure, install automation equipment that will prevent exceeding that maximum.
 - i) Submit a subsequent report (Sundry Form 3160-5) describing the installed automation equipment within 30 days
- 3) Other unexplained significant variations of rate or pressure to be reported within 5 days of notice.
- 4) The casing/tubing annulus is required to be monitored for communication with injection fluid or loss of casing integrity.

- 5) The annulus is to be maintained full of packer fluid at atmospheric pressure. Installation of equipment that will display on site, continuous open to the air fluid level is required. A BLM inspector may request verification of this fluid level at any time.
- 6) **Submit a subsequent report (Sundry Form 3160-5)** describing the installation of packer fluid level monitoring equipment within 30 days of beginning injection.
- 7) The operator shall keep monthly records documenting that the casing annulus is fluid filled. A suggested format for these records is available from the BLM Carlsbad Field Office. Copies of those records shall be furnished at the request of a BLM authorized officer.
- 8) Loss of packer fluid above five barrels per month requires notification of the BLM authorized officer within 5 days.
- 9) Gain of annular fluid requires notification within 24 hours. Cease injection and maintain a production casing pressure of Opsia. Notify the BLM's authorized officer (Paul R. Swartz <u>paul swartz@blm.gov</u> phone 575-200-7902). If there is no response phone 575-361-2822.
- 10) Also submit to this office a (Sundry Form 3160-5) Notice of Intent (NOI) for planned well work involving a formation change, casing repair/replacement, and injection well fracture treatment for approval by BLM and NMOCD. Verbal approval for the plan may be given by a BLM authorized officer, with the NOI filed within five business days. Packer and tubing repair (normal maintance procedures) do not require a NOI, but a subsequent sundry needs to be filed. http://www.blm.gov/nm/st/en/prog/energy/oil and gas.html (see CFR § 3162.3-2 43 & CFR § 3160.0-9 (c)(1)).
 - a) Submit a (Sundry Form 3160-5) subsequent report (daily reports) describing all wellbore activity and Mechanical Integrity Test as per item 1) above. Include the date(s) of the well work, and the setting depths of required equipment: internally corrosive protected tubing, tubing on/off equipment just above the packer, and an in line tubing check valve below the packer or between the on/off tool and packer is required. The setting depths and descriptions of each are to be included in the subsequent sundry. List (by date) descriptions of daily activity of any previously unreported wellbore workover.

PRS

Use of Form 3160-5 "Sundry Notices and Reports on Wells"

§ 43 CFR 3162.3-2 Subsequent Well Operations.

- a) A proposal for further well operations shall be submitted by the operator on Form 3160–5 for approval by the authorized officer prior to commencing operations to redrill, deepen, perform casing repairs, plug-back, alter casing, perform nonroutine fracturing jobs, recomplete in a different interval, perform water shut off, commingling production between intervals and/or conversion to injection. If there is additional surface disturbance, the proposal shall include a surface use plan of operations. A subsequent report on these operations also will be filed on Form 3160–5. The authorized officer may prescribe that each proposal contain all or a portion of the information set forth in §3162.3–1 of this title.
- (b) Unless additional surface disturbance is involved and if the operations conform to the standard of prudent operating practice, prior approval is not required for routine fracturing or acidizing jobs, or recompletion in the same interval; however, a subsequent report on these operations must be filed on Form 3160–5.
- (c) No prior approval or a subsequent report is required for well cleanout work, routine well maintenance, or bottom hole pressure surveys.

[47 FR 47765, Oct. 27, 1982. Redesigned and amended at 48 FR 36583–36586, Aug. 12, 1983, further amended at 52 FR 5391, Feb. 20, 1987; 53 FR 17363, May 16, 1988; 53 FR 22847, June 17, 1988]

§ 43 CFR 3160.0-9 (c)(1) Information collection.

(c)(1) The information collection requirements contained in part 3160 have been approved by the Office of Management and Budget under 44 U S.C. 3507 and assigned the following Clearance Numbers:

Operating Forms

Form No.	. Name and filing date .	
3160–3	Application for Permit to Drill, Deepen, or Plug Back—Filed 30 days prior to planned action	1004–0136
3160–4	With Completion of Recompletion Report and Log—Due 30 days after well completion	1004–0137
3160–5	Sundry Notice and Reports on Wells—Subsequent report due 30 days after operations completed	1004–0135

The information will be used to manage Federal and Indian oil and gas leases. It will be used to allow evaluation of the technical, safety, and environmental factors involved with drilling and producing oil and gas on Federal and Indian oil and gas leases. Response is mandatory only if the operator elects to initiate drilling, completion, or subsequent operations on an oil and gas well, in accordance with 30 U.S.C. 181 et seq.

§ 3162.4-1 (c) Well records and reports.

Not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160–5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed.

NM Fed Regs & Forms - http://www.blm.gov/nm/st/en/prog/energy/oil and gas.html