Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD
MAR 23 2012
RECEIVED

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
July 17, 2008

1. WELL API NO. 30-025-39905
2. Type of Lease ☐ STATE ☒ FEE ☐ FED/INDIAN
3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:

☒ **COMPLETION REPORT** (Fill in boxes #1 through #31 for State and Fee wells only)

☐ **C-144 CLOSURE ATTACHMENT** (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name: WH Laughlin
6. Well Number: 012

7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☒ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator: Apache Corporation
9. OGRID: 873
10. Address of Operator: 303 Veterans Airpark Lane, Suite 3000, Midland, TX 79705
11. Pool name or Wildcat: Blinebry/Tubb/Drinkard/Monument; Abo, SE

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	E	9	20S	37E		1650	N	330	W	Lea
BH:										

13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released	16. Date Completed (Ready to Produce)	17. Elevations (DF and RKB, RT, GR, etc.)
01/03/2011	01/18/2011	01/20/2011	01/31/2012	3550' GR

18. Total Measured Depth of Well	19. Plug Back Measured Depth	20. Was Directional Survey Made?	21. Type Electric and Other Logs Run
7692'	6948'	No	

22. Producing Interval(s), of this completion - Top, Bottom, Name
Blinebry 6146'-6356'; Tubb 6448'-6692'; Drinkard 6818'-6904'; Abo 6987'-7213'

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	1175'	17-1/2"	1010 sx Class C	
8-5/8"	32#	4800'	11"	625 sx Class C	
5-1/2"	17#	7692'	7-7/8"	1150 sx Class C	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-7/8"	6850"	

26. Perforation record (interval, size, and number)
Blinebry 6146'-6356' (1 SPF, 37 holes) Producing
Tubb 6448'-6692' (1 SPF, 40 holes) Producing
Drinkard 6818'-6904' (2 SPF, 54 holes) Producing
Abo 6987'-7213' (CIBP set @ 6948')

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
Blinebry 6146'-6356'	2500 gal acid,15,498 gal SS30,41,160 gal 6#;153,872# sand; 5880 gal gel
Tubb 6448'-6692'	4500 gal acid, 15,540 gal SS-30, 36,918 gal 6#; 134,429# sand
Drinkard 6818'-6904'	5000 gal 15% NEFE acid

28. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod or Shut-in)
01/31/2012	Pumping	Producing

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
02/18/2012	24			26	197	163	7577

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)
						40.1

29. Disposition of Gas (Sold, used for fuel, vented, etc.): Sold
30. Test Witnessed By: Apache Corporation

31. List Attachments: C-103, C-104

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:
Latitude Longitude ☐ NAD 1927 ☐ 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature: Reesa Holland
Printed Name: Reesa Holland
Title: Sr. Staff Engr Tech
Date: 03/22/2012
E-mail Address: Reesa.Holland@apachecorp.com

DHC-4502

MAR 26 2012

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 2518'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 2758'	T. Devonian	T. Cliff House	T. Leadville
T. Queen 3233'	T. Silurian	T. Menefee	T. Madison
T. Grayburg 3524'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 3913'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 5119'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock 5227'	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry 5787' (marker)	T. Gr. Wash	T. Dakota	
T.Tubb 6331' (marker)	T. Delaware Sand	T. Morrison	
T. Drinkard 6649'	T. Bone Springs	T.Todilto	
T. Abo 6962'	T. Rustler 1114'	T. Entrada	
T. Wolfcamp	T. Tansill 2370'	T. Wingate	
T. Penn	T. Penrose 3336'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....

No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology