VIUDUA Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

OCD Hobbis

FORM APPROVED OMB NO. 1004-0135

	Expires:	July	31,	2
Lease Seri	al No.			

6. If Indian, Allottee or Tribe Name

5.	Lease Serial No.		
	NMNM14497A	~	

SUNDKIN	OTICES AND	J KEPUK IS	ON MELLO	
Do not use this	form for prop	osals to drill	or to re-enter	an
the male me al swell	11 f 2d/	CA 2 /ADD1 5-		-1-

abandoned well. Use form 3160-3 (APD) for such proposals

ļ			
7	If Unit or CA/Agreement	Name and/or	NΛ

				1	
. SUBMIT IN TRI	PLICATE - Other instru	ctions on reverse side.	0 2012	7. If Unit or CA/Agre	ement, Name and/or No.
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Oth	ner	WAI)	V 2012	8 Well Name and No DILLON 31 FED	
2 Name of Operator EOG RESOURCES, INC.	Contact. E-Mail: stan_wag	STAN WAGNER RECE		9. API Well No. 30-025-00000	<u> </u>
^{3a} Address P.O. BOX 2267 MIDLAND, TX 79702		3b. Phone No (include area code Ph: 432-686-3689	s)	ام 10. Field and Pool, or المر RED HILLS	Exploratory Bone Spring Upper Shale
4 Location of Well (Footage, Sec., 7 Sec 31 T24S R34E NWNE 29		n)		11. County or Parish, LEA COUNTY,	and State
12. CHECK APPR	ROPRIATE BOX(ES) T	O INDICATE NATURE OF	NOTICE, RI	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION		
Notice of Intent Subsequent Report Final Abandonment Notice	☐ Acidize ☐ Alter Casing ☐ Casing Repair ☐ Change Plans	☐ Deepen ☐ Fracture Treat ☐ New Construction ☐ Plug and Abandon	Reclam		□ Water Shut-Off □ Well Integrity □ Other Change to Original A

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones Attach the Bond under which the work will be performed or provide the Bond No on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

☐ Plug Back

☐ Plug and Abandon

EOG Resources requests an amendment to our APD for this well to reflect a change in casing.

Change Plans

Convert to Injection

Casing changes are as follows:

Final Abandonment Notice

From 11-3/4", 43#, H40 STC to 13-3/8", 54.5#, J55 STC From 8-5/8", 32#, J55/HCK55 LTC to 9-5/8", 40#, J55/HCK55 LTC From 5-1/2", 20#, HCP110 NSCC to 5-1/2", 17#, P110 or HCP110 LTC

SEE ATTACHED FOR CONDITIONS OF APPROVAL

■ Water Disposal

Temporarily Abandon

14. Thereby certify that the foregoing is true and correct. Electronic Submission #133542 verified For EOG RESOURCES,			
Name (Printed/Typed) STAN WAGNER	Title	REGULATORY ANALYST	
Signature (Electronic Submission)	Date	03/21/29APPROVED	
THIS SPACE FOR FEDERA	L OR S	TATE OFFICE USE	=
Approved By	Title	MAH 2 o ZUIZ /s/ Chris Walls Date	_
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	BUREAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE	

Title 18 U S C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

EOG RESOURCES, INC. DILLON 31 FED COM NO. 2H REVISED 3/27/12

CASING PROGRAM - NEW

See COA

Hole Size	Interval 12		Weight	Grade	Conn	DF _{min} Collapse	DF _{min} Burst	DF _{min} Tension
17.5"	0 – 1200'	13.375"	54.5#	J55	STC	1.125	1.25	1.60
12.25"	0 - 4000'	9.625"	40#	J55	LTC	1.125	1.25	1.60
12.25"	4000'-5150'	9.625"	40#	HCK55	LTC	1.125	1.25	1.60
8.75"	0'-16,566'	5.5"	17#	P110 or HCP110	LTC	1.125	1.25	1.60

Cementing Program: See COA

	I NT.	137.	7711	
Donat	No.	Wt.	Yld	
Depth	Sacks	lb/gal	Ft ³ /ft	Slurry Description
1,200'	500	13.5	1.73	Lead: Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5%
				CaCl ₂ + 0.25 lb/sk Cello-Flake
	200	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake +
·				0.2% Sodium Metasilicate
5,150'	800	12.7	2.22	Lead: Class 'C' + 1.50% R-3 + 0.25 lb/sk Cello-Flake +
		•		2.0% Sodium Metasilicate + 10% Salt + 0.005 lb/sk Static
			,	Free
	200	14.8	1.32	Tail: Class 'C' + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static Free
BH Plug	150	18.0	0.90	Class H + 0.005 lbs/sx Static Free + 5% Salt + 1.2% CD31
11,900'-			0.50	+ 0.005 gps FP-6L
12,200'				
KO Plug	300	18.0	0.90	Class H + 0.005 lbs/sx Static Free + 5% Salt + 1.2% CD31
600'				+ 0.005 gps FP-6L
16,566'	200	10.8	3.68	Lead: 60:40:0 Class 'C' + 15.00 lb/sk BA-90 + 4.00% MPA-
,				5 + 3.00% SMS + 5.00% A-10 + 1.00% BA-10A + 0.80%
				ASA-301 + 2.90% R-21 + 8.00 lb/sk LCM-1 + 0.005 lb/sk
			-	Static Free
	250	11.8	2.38	Middle: 50:50:10 Class 'H' + 0.80% FL-52 + 0.45% ASA-
				301 + 0.40% SMS + 2.00% Salt + 3.00 lb/sx LCM-1 +
				0.20% R-21 + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static
	1			Free
	2000	14.2	1.28	Tail: 50:50:2 Class 'H' + 0.65% FL-52 + 0.20% CD-32 +
			1	0.15% SMS + $2.00%$ Salt + $0.10%$ R-3 + 0.005 lb/sk Static
			İ	Free

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

Dillon 31 Fed Com #2H
Pitchfork Ranch
Lea County, New Mexico
Revised 3/27/12
Proposed Wellbore

280' FNL 2370' FEL Section 31 T-24-S, R-34-E

API: 30-025-

KB: 3,526.5' GL: 3,496.5'

Bit Size: 17-1/2"

13-3/8", 54.5#, J-55, ST&C

0' - 1200'

Bit Size: 12-1/4"

9-5/8", 40#, J-55 , LT&C 0' - 4000' 9-5/8", 40#, HCK55, LT&C 4000' - 5150'

> Kick off Plug 8650' -- 9250' Dressed off to KOP @ ±8954'

Bit Size: 8-3/4"

5-1/2", 17#, P-110 or HCP-110, LTC @ 0' - 16,566'

250' Cement Plug On BTM
TVD Vertical Well: 12,200'

KOP: 8,954'

TOC: 4650'

Bit Size: 8-3/4"

Laterai: 16,566' MD, 9,509' TVD

BH Location: 2310' FNL & 2190' FEL

Section 6 T-25-S, R-34-E