Form 3160-5 (August 2007)

Signature

Approved By

(Electronic Submission)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

OCD Hobbs

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No.

Do not use the abandoned we	NOTICES AND REPC is form for proposals to II. Use form 3160-3 (AP PLICATE - Other instru	odrill or to re-enter an PD) for such proposals. HOBBS	7. If Unit or CA/A 2012 8. Well Name and	greement, Name and/or No. No.
Oil Well Gas Well Otl		STAN WAGNER	DILLON 31 FE	
EOG RESOURCES, INC.	E-Mail: stan_wagi	ner@eogresources.com RECEI	VED 30-025 <u>-</u> 0900	**
P.O. BOX 2267 MIDLAND, TX 79702		3b. Phone No (include area code) Ph: 432-686-3689	10. Field and Pool WCRED HILLS	Bone Spring Upper She
4. Location of Well (Footage, Sec., 7 Sec 31 T24S R34E NENE 59	C., R., M., or Survey Description OFNL 1310FEL	n)	11. County or Pari	sh, and State
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATE NATURE OF N	OTICE, REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION		TYPE OF	ACTION	
Notice of Intent	□ Acidize	Deepen	☐ Production (Start/Resume)	
☐ Subsequent Report	☐ Alter Casing ☐ Casing Repair	☐ Fracture Treat ☐ New Construction	Recomplete	☐ Well Integrity ☑ Other
Final Abandonment Notice	Change Plans	Plug and Abandon	☐ Temporarily Abandon	Change to Original A
	Convert to Injection	Plug Back	☐ Water Disposal	
13. Describe Proposed or Completed Oplif the proposal is to deepen direction: Attach the Bond under which the worfollowing completion of the involved testing has been completed. Final Aldetermined that the site is ready for f	ally or recomplete horizontally rk will be performed or provide l operations. If the operation re pandonment Notices shall be fi	, give subsurface locations and measue the Bond No on file with BLM/BIA esults in a multiple completion or reco	red and true vertical depths of all p Required subsequent reports shale morphetion in a new interval, a Form	ertinent markers and zones. If be filed within 30 days 3160-4 shall be filed once
EOG Resources requests an	amendment to our APD fo	or this well to reflect a change	in casing.	
Casing changes are as follows	s :			
From 11-3/4", 43#, H40 STC t From 8-5/8", 32#, J55/HCK55 From 5-1/2", 20#, HCP110 NS	LTC to 9-5/8", 40#, J55/I	HCK55 LTC		
		SE: CO	E ATTACHED FOR NDITIONS OF APPR	ROVAL
14. I hereby certify that the foregoing is	Electronic Submission #	133544 verified by the BLM Well RESOURCES, INC., sent to the F	Information System lobbs	1/1/
Name (Printed/Typed) STAN WA	GNER	Title REGULA	ATORY ANALYST	
		ı		,

Conditions of approval, if any, are attached Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. CARLSBAD FIELD OFFICE Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Date

Title

Office

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

03/21/2012

MAR 2 8 2012

BUREAU OF LAND MANAGEMENT

Chris Walls Hate

EOG RESOURCES, INC. **DILLON 31 FED COM NO. 3H REVISED 3/27/12**

CASING PROGRAM - NEW

Hole Size	1255 Interval	OD	Weight	Grade	Conn	DF _{min} Collapse	DF _{min} Burst	DF _{min} Tension
17.5"	0 - 1,195'	13.375"	54.5#	J55	STC	1.125	1.25	1.60
12.25"	0 - 4000'	9.625"	40#	J55	LTC	1.125	1.25	1.60
12.25"	4000'-5150'	9.625"	40#	HCK55	LTC	1.125	1.25	1.60
8.75"	0'-16,237'	5.5"	17#	P110 or HCP110	LTC	1.125	1.25	1.60

Cementing Program: See CoA

	No.	1174	321.1	
D 41		Wt.	Yld	
Depth	Sacks	lb/gal	Ft ³ /ft	Slurry Description
1,195	500	13.5	1.73	Lead: Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5%
				CaCl ₂ + 0.25 lb/sk Cello-Flake
	200	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate
5,150'	800	12.7	2.22	Lead: Class 'C' + 1.50% R-3 + 0.25 lb/sk Cello-Flake + 2.0% Sodium Metasilicate + 10% Salt + 0.005 lb/sk Static Free
	200	14.8	1.32	Tail: Class 'C' + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static Free
16,237'	200	10.8	3.68	Lead: 60:40:0 Class 'C' + 15.00 lb/sk BA-90 + 4.00% MPA-
]			5 + 3.00% SMS + 5.00% A-10 + 1.00% BA-10A + 0.80%
				ASA-301 + 2.90% R-21 + 8.00 lb/sk LCM-1 + 0.005 lb/sk Static Free
	250	11.8	2.38	Middle: 50:50:10 Class 'H' + 0.80% FL-52 + 0.45% ASA-
				301 + 0.40% SMS + 2.00% Salt + 3.00 lb/sx LCM-1 +
				0.20% R-21 + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static
				Free
	2000	14.2	1.28	Tail: 50:50:2 Class 'H' + 0.65% FL-52 + 0.20% CD-32 +
		•		0.15% SMS + 2.00% Salt + 0.10% R-3 + 0.005 lb/sk Static
				Free

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

HOBBS OCD

MAR 3 0 2012

RECEIVED

KB: 3,518.7' GL: 3,488.7'

Dillon 31 Fed Com #3H
Pitchfork Ranch
Lea County, New Mexico
Revised 3/27/12
Proposed Wellbore

API: 30-025-

1310' FEL Section 31 T-24-S, R-34-E

590' FNL

Bit Size: 17-1/2"

13-3/8", 54.5#, J-55, STC 0' - 1195"

Bit Size: 12-1/4"

9-5/8", 40#, J-55, LT&C 0' - 4000' 9-5/8", 40#, HCK55, LT&C 4000' - 5150'

Bit Size: 8-3/4"

5-1/2", 17#, P-110 or HCP110, LTC @ 0' - 16,237'

TOC: 4650' KOP: 8,972 Bit Size: 8-3/4"

Lateral: 16,237' MD, 9,507' TVD

BH Location: 2310' FNL & 1310' FEL

Section 6 T-25-S, R-34-E