

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

OCD Hobbs

HOBBS OCD

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

MAR 30 2012

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM14497A ✓
2. Name of Operator EOG RESOURCES, INC.		6. If Indian, Allottee or Tribe Name
3a. Address P.O. BOX 2267 MIDLAND, TX 79702		7. If Unit or CA/Agreement, Name and/or No
3b. Phone No (include area code) Ph: 432-686-3689		8. Well Name and No. DILLON 31 FED COM 4H ✓
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 31 T24S R34E NENE 250FNL 430FEL		9. API Well No. 30-025-00000 40494 ✓
10. Field and Pool, or Exploratory W. CRED HILLS; Bone Spring Upper shale		11. County or Parish, and State LEA COUNTY, NM ✓

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Change to Original APD
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

EOG Resources requests an amendment to our APD for this well to reflect a change in casing.

Casing changes are as follows:

From 11-3/4", 43#, H40 STC to 13-3/8", 54.5#, J55 STC
From 8-5/8", 32#, J55/HCK55 LTC to 9-5/8", 40#, J55/HCK55 LTC
From 5-1/2", 20#, HCP110 NSCC to 5-1/2", 17#, P110 or HCP110 LTC

**SEE ATTACHED FOR
CONDITIONS OF APPROVAL**

14. I hereby certify that the foregoing is true and correct. Electronic Submission #133543 verified by the BLM Well Information System For EOG RESOURCES, INC., sent to the Hobbs	
Name (Printed/Typed) STAN WAGNER	Title REGULATORY ANALYST
Signature (Electronic Submission)	Date 03/21/2012
THIS SPACE FOR FEDERAL OR STATE OFFICE USE	
Approved By	Title
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	
Office	
<div style="border: 2px solid black; padding: 5px; text-align: center;"> APPROVED MAR 28 2012 /s/ Chris Walls BUREAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE </div>	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

APR 02 2012

EOG RESOURCES, INC.
DILLON 31 FED COM NO. 4H
REVISED 3/27/12

CASING PROGRAM - NEW

See COA

Hole Size	¹²⁴⁵ Interval	Csg OD	Weight	Grade	Conn	DF _{min} Collapse	DF _{min} Burst	DF _{min} Tension
17.5"	0 - 1185'	13.375"	54.5#	J55	STC	1.125	1.25	1.60
12.25"	0 - 4000'	9.625"	40#	J55	LTC	1.125	1.25	1.60
12.25"	4000'-5150'	9.625"	40#	HCK55	LTC	1.125	1.25	1.60
8.75"	0'-16,586'	5.5"	17#	P110 or HCP110	LTC	1.125	1.25	1.60

Cementing Program: *See COA*

Depth	No. Sacks	Wt. lb/gal	Yld Ft ³ /ft	Slurry Description
1,185'	500	13.5	1.73	Lead: Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5% CaCl ₂ + 0.25 lb/sk Cello-Flake
	200	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate
5,150'	800	12.7	2.22	Lead: Class 'C' + 1.50% R-3 + 0.25 lb/sk Cello-Flake + 2.0% Sodium Metasilicate + 10% Salt + 0.005 lb/sk Static Free
	200	14.8	1.32	Tail: Class 'C' + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static Free
16,586'	200	10.8	3.68	Lead: 60:40:0 Class 'C' + 15.00 lb/sk BA-90 + 4.00% MPA-5 + 3.00% SMS + 5.00% A-10 + 1.00% BA-10A + 0.80% ASA-301 + 2.90% R-21 + 8.00 lb/sk LCM-1 + 0.005 lb/sk Static Free
	250	11.8	2.38	Middle: 50:50:10 Class 'H' + 0.80% FL-52 + 0.45% ASA-301 + 0.40% SMS + 2.00% Salt + 3.00 lb/sx LCM-1 + 0.20% R-21 + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static Free
	2000	14.2	1.28	Tail: 50:50:2 Class 'H' + 0.65% FL-52 + 0.20% CD-32 + 0.15% SMS + 2.00% Salt + 0.10% R-3 + 0.005 lb/sk Static Free


Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

Dillon 31 Fed Com #4H
Pitchfork Ranch
Lea County, New Mexico
Revised 3/27/12
Proposed Wellbore

250' FNL
430' FEL
Section 31
T-24-S, R-34-E

API: 30-025-

KB: 3,513.9'
GL: 3,483.9'



Lateral: 16,586' MD, 9,520' TVD

BH Location: 2310' FNL & 430' FEL
Section 6
T-25-S, R-34-E