

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED
APR 04 2012

WELL API NO.	30-025-32779
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	WEST TEXAS YATES SEVEN RIVERS UNIT
8. Well Number	613
9. OGRID Number	147179
10. Pool name or Wildcat	Teas, Yates - LOVING, DELAWARE, EAST 7 PUS - W
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	3300' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Chesapeake Operating, Inc.

3. Address of Operator
P.O. Box 18496
Oklahoma City, OK 73154

4. Well Location
Unit Letter L : 2310 feet from the SOUTH line and 990' feet from the WEST line
Section 16 Township 20S Range 33E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3300' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please find our intent to P&A this well. Attached is the P&A procedure, actual and proposed well-bore diagram, and NMOC's C-144 (CLEZ) pit permit.

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bryan Arrant TITLE Regulatory Specialist II DATE 04/03/2012

Type or print name Bryan Arrant E-mail address: bryan.arrant@chk.com PHONE: (405)935-3782

For State Use Only

APPROVED BY: [Signature] TITLE STAFF MGR DATE 4-5-2012

Conditions of Approval (if any):

APR 05 2012

Chesapeake Energy, Inc.
P.O. Box 18496
Oklahoma City, OK 73154-0496

Well: W.T.U # 613

P&A Procedures

1. Locate well. MIRU & P&A equip.
2. MI spot 2 3/8 W.S. Reverse pit.
3. Bleed off well. ND W.H. NU BOP.
4. Tally in hole w/ 2 3/8 W.S. Tag existing CIBP, cmt plug @ 2888'.
5. Circ. hole w/ 9.5 M.L.F 9.5 P.P.G.
6. Spot 25sx of cmt 50' below 7''. Shoe @ 2830' WOC and Tag.

7B

7. POOH w/ Tbg, Perf & Sqz 65sx @ 1300' to 1100'.

Perf & sqz 25sx cmt @ 950' WOC - Tag

8. Perf 4 1/2 Csg @ 400', Sqz 70sx of Cmt @ 400' to Surface.
9. Verify cmt to Surface, in and out 4 1/2 x 7'' annulus.
10. ND BOP cut off W.H. Install properly dry hole maker.
11. Rig down P&A equip. Clean up loc. and M.O.

Current Wellbore Schematic

WELL (PN): WTU 613 (890163)
 FIELD OFFICE: HOBBS
 FIELD: WEST TEAS
 STATE / COUNTY: NEW MEXICO / LEA
 LOCATION: SEC 16-20S-33E, 2310 FSL & 990 FWL
 ROUTE: HOB-NM-ROUTE 04- RANDALL GLADDEN
 ELEVATION: GL: 3,533.0 KB: 3,539.0 KB Height: 6.0
 DEPTHS: TD: 3,300.0

Chesapeake
 API #: 3002532779
 Serial #:
 SPUD DATE: 12/20/1994
 RIG RELEASE: 12/28/1994
 FIRST SALES:
 Current Status: T/A

