
Submit 1 Copy To Appropriate District	State of New Mexico	Form C-103
District I – (575) 393-6161 —	State of New Mexico Energy, Minerals and Natural Resources OIL CONSERVATION DIVISION	October 13, 2009
1625 N. French Dr , Hobbs, NM 65740BS OC		WELL API NO.
District II - (575) 748-1283	OIL CONSERVATION DIVISION	30-025-23535
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178		Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	1	STATE FEE 🛛 🖊
District IV - (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S St. Francis Dr., Santa Fe, NM 87505 <b>RECEIV</b>	àD :-}	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A		7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-104) FOR SUCH		Mattern
PROPOSALS.)		
1. Type of Well: Oil Well  Gas Well  Other		8. Well Number 2
2. Name of Operator		9. OGRID Number
OXY USA Inc.		16696
3. Address of Operator		10. Pool name or Wildcat
P.O. Box 50250 Midland, TX 79710		Pennose Skelly GB
4. Well Location	1	THEORE SEEVEN CT.
Unit Letter K : 19	feet from the South line and	1783 feet from the west line
Section 30		3.7. (D) (
		NMPM County Lea
	. Elevation (Show whether DR, RKB, RT, GR, et	
	3499' GR	
,		
12. Check App	ropriate Box to Indicate Nature of Notice	e, Report or Other Data
NOTICE OF INTE	NTION TO	DOMO(1919 - 1999 - 1999 - 1999
NOTICE OF INTE		BSEQUENT REPORT OF:
•	LUG AND ABANDON K REMEDIAL WC	
		RILLING OPNS. P AND A
	ULTIPLE COMPL	NT JOB - 🗔
DOWNHOLE COMMINGLE		
OTHER:		
	OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of		
proposed completion or recomp	letion	ompletions. Attach wellbore diagram of
rr		
TD-6012' PBTD-3960' Perfs-3717-3921'		
12-3/4" 48# csg @ 312' w/ 250sx, 17-1/2" hole, TOC-Surf-Circ		
8-5/8" 24# csg @ 2658' w/ 250sx, 11" hole, TOC-1576'-Calc		
5-1/2" 15.5# csg @ 6012' w/ 450sx, 7-7/8" hole, TOC-3150'-TS		
1. RIH & set CIBP @ 3670', M&P 40sx cmt to +/-3400'		
2. Perf @ 2708', sqz 35sx cmt to 2608' WOC-Tag		
3. Perf @ 2400', sqz 35sx cmt to 2300' WOC-Tag		
4. Perf 5-1/2" & 8-5/8" @ 1230', sqz 65sx cmt to 1130' WOC-Tag		
5. Perf 5-1/2" & 8-5/8" @ 362', sqz 290sx cmt to Surface		
	etween plugs	
1	~ · · -	
	· · · · · · · · · · · · · · · · · · ·	
Smud Data	The Oil Conserva	ation Division Must be notified
Spud Date:	Rig Rele The Oil Conserva	the beginning of plugging operations.
	Z4 flours prior to	
	•	
I hereby certify that the information abov	e is true and complete to the best of my knowled	ge and belief.
	<u>-</u>	
SIGNATURE SIGNATURE	: TITLE Regulatory Advisor	DATE Ylulia
-		
Type or print nameDavid Stewart	E-mail address: david_stewart@c	oxy.com PHONE:432-685-5717
For State Use Only	1	
5/62	11/	م در الم
APPROVED BY:	TITLE SITT MA	DATE 4-12-2017
Conditions of Approval (if any):		7 76
/ //// /	•	•

OXY USA Inc. - Current Mattern #2 API No. 30-025-23535



CIBP @ 4010' w/ 50' cmt

RTTS Tool & fish @ 5840'

OXY USA Inc. - Proposed Mattern #2 API No. 30-025-23535

290sx @ 362'-Surface

65sx @ 1230-1130' WOC-Tag

35sx @ 2400-2300' WOC-Tag

35sx @ 2708-2608' WOC-Tag

CIBP @ 3670' w/ 40sx to 3400'

CIBP @ 4010' w/ 50' cmt

RTTS Tool & fish @ 5840'

