
	New Mexico	Form C-103
Office District I – (575) 393-6161 Energy, Minerals	and Natural Resources	October 13, 2009
1625 N. French Dr., Hobbs, NM 8824440BBS OCD		WELL API NO.
<u>District II</u> - (5/5) /48-1283	VATION DIVISION	30-025-33544
811 S. First St., Artesia, NM 88210 OIL CONSER District III = (505) 334-6178	h Ct. Francia Du	5. Indicate Type of Lease
District III – (505) 334-6178 1000 Rio Brazos Rd, Aztec, NM 874APR 1 1 2012 1220 Sout.	n St. Francis Dr.	STATE FEE 🗸
<u>District IV</u> = (505) 476-3460	e, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM		
87505 RECEIVED SUNDRY NOTICES AND REPORTS O	MY WELL C	7 7 77 77 77 77
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEE		7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FOR		Mattern
PROPOSALS.)		
1. Type of Well: Oil Well Gas Well Other		8. Well Number 4
2. Name of Operator	/	9. OGRID Number
OXY USA Inc.		16696
3. Address of Operator		10. Pool name or Wildcat
P.O. Box 50250 Midland, TX 79710		Penrose Skelly GB
4. Well Location		recourse specific D
Unit Letter < : 2310 feet from the	south line and	2310 feet from the west line
	,	
11. Elevation (Show w	hether DR, RKB, RT, GR, etc.	
	91 GR	
12. Check Appropriate Box to In	ndicate Nature of Notice,	Report or Other Data
NOTICE OF INTENTION TO		
NOTICE OF INTENTION TO:		SEQUENT REPORT, OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON	· ·	
TEMPORARILY ABANDON CHANGE PLANS	COMMENCE DR	
PULL OR ALTER CASING MULTIPLE COMPL	CASING/CEMEN	TJOB - 🗔
DOWNHOLE COMMINGLE		
OTUED		
OTHER:	OTHER:	
13. Describe proposed or completed operations. (Clearl	y state all pertinent details, an	d give pertinent dates, including estimated date
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7	y state all pertinent details, an	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
13. Describe proposed or completed operations. (Clearl	y state all pertinent details, an	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7	y state all pertinent details, an	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion.	y state all pertinent details, an 7.14 NMAC. For Multiple Con	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
 Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-3690 	y state all pertinent details, an 7.14 NMAC. For Multiple Conf.	mpletions: Attach wellbore diagram of -
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-3698 8-5/8" 24# csg @ 1257' w/ 62	ly state all pertinent details, an 7.14 NMAC. For Multiple Con - 0-3883' 10sx, 12-1/4" hole, TOC-Surf-Ci	mpletions: Attach wellbore diagram of - irc
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-3699 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818',	y state all pertinent details, an 7.14 NMAC. For Multiple Con 9-3883' 9-3883' 9-3883' 9-3883' 9-3883' 9-3883' 9-3883' 9-3883' 9-3883' 9-3883' 9-3883'	mpletions: Attach wellbore diagram of - irc
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25	y state all pertinent details, an 7.14 NMAC. For Multiple Con - 0-3883' 0sx, 12-1/4" hole, TOC-Surf-Ci DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490'	mpletions: Attach wellbore diagram of - irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369(8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC	y state all pertinent details, an 7.14 NMAC. For Multiple Con 0-3883' Posx, 12-1/4" hole, TOC-Surf-Ci DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490'	mpletions: Attach wellbore diagram of - irc
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-3690 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12	ly state all pertinent details, and 7.14 NMAC. For Multiple Conf. 1.14 NMAC. For Multiple Conf.	mpletions: Attach wellbore diagram of - irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su	ly state all pertinent details, and 7.14 NMAC. For Multiple Conf. 1.14 NMAC. For Multiple Conf.	mpletions: Attach wellbore diagram of - irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-3690 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12	ly state all pertinent details, an 7.14 NMAC. For Multiple Co. 7.14 NMAC. For Multiple Co. 9.3883' 9.0sx, 12-1/4" hole, TOC-Surf-Ci. DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 07' WOC-Tag rface	irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su	ly state all pertinent details, an 7.14 NMAC. For Multiple Co. 7.14 NMAC. For Multiple Co. 9.3883' 9.0sx, 12-1/4" hole, TOC-Surf-Ci. DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 07' WOC-Tag rface	irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su	ly state all pertinent details, an 7.14 NMAC. For Multiple Co. 7.14 NMAC. For Multiple Co. 9.3883' 9.0sx, 12-1/4" hole, TOC-Surf-Ci. DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 07' WOC-Tag rface	irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.14 NMAC. For Multiple Con 9.3883′ 10sx, 12-1/4" hole, TOC-Surf-Ci, DVT @ 4181′ w/ 2025sx, 7-7, sx cmt to +/-3490′ DC-Tag 07′ WOC-Tag rface The Oil Conservation of the control of the Conservation of the control o	irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su 10# MLF between plugs	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.14 NMAC. For Multiple Con 9.3883' 9.0sx, 12-1/4" hole, TOC-Surf-Ci, DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 07' WOC-Tag rface The Oil Conserving 24 hours prior to	irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su 10# MLF between plugs	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.14 NMAC. For Multiple Con 9.3883′ 10sx, 12-1/4" hole, TOC-Surf-Ci, DVT @ 4181′ w/ 2025sx, 7-7, sx cmt to +/-3490′ DC-Tag 07′ WOC-Tag rface The Oil Conservation of the control of the Conservation of the control o	irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su 10# MLF between plugs	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.14 NMAC. For Multiple Con 9.3883' 9.0sx, 12-1/4" hole, TOC-Surf-Ci, DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 07' WOC-Tag rface The Oil Conserving 24 hours prior to	irc /8" hole, TOC-1400'-TS
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-3699 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Sur 10# MLF between plugs Spud Date: Rig	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.14 NMAC. For Multiple Con 8.25 Cox, 12-1/4" hole, TOC-Surf-Ci DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 07' WOC-Tag rface The Oil Conservation of	irc /8" hole, TOC-1400'-TS ation Division Must be notified the beginning of plugging operations.
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su 10# MLF between plugs	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.14 NMAC. For Multiple Con 8.25 Cox, 12-1/4" hole, TOC-Surf-Ci DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 07' WOC-Tag rface The Oil Conservation of	irc /8" hole, TOC-1400'-TS ation Division Must be notified the beginning of plugging operations.
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-3699 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Sur 10# MLF between plugs Spud Date: Rig	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.14 NMAC. For Multiple Con 8.25 Cox, 12-1/4" hole, TOC-Surf-Ci DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 07' WOC-Tag rface The Oil Conservation of	irc /8" hole, TOC-1400'-TS ation Division Must be notified the beginning of plugging operations.
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su 10# MLF between plugs Spud Date: Rig	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.14 NMAC. For Multiple Con 9.3883′ 9.0sx, 12-1/4" hole, TOC-Surf-Cit. DVT @ 4181′ w/ 2025sx, 7-7, sx cmt to +/-3490′ DC-Tag 07′ WOC-Tag rface The Oil Conserving to 24 hours prior to 24 hours prior to 3.2888888888888888888888888888888888888	irc /8" hole, TOC-1400'-TS ation Division Must be notified the beginning of plugging operations.
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Su 10# MLF between plugs Spud Date: Rig	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.14 NMAC. For Multiple Con 8.25 Cox, 12-1/4" hole, TOC-Surf-Ci DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 07' WOC-Tag rface The Oil Conservation of	irc /8" hole, TOC-1400'-TS ation Division Must be notified the beginning of plugging operations.
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-3690 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Sur 10# MLF between plugs Spud Date: Rig	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.15 NMAC. ToC-Surf-Cit. DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 7.15 OC-Tag 7.15 OC-T	irc /8" hole, TOC-1400'-TS ation Division Must be notified of the beginning of plugging operations. The and belief. DATE \(\lambda
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WG 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Sur 10# MLF between plugs Spud Date: Rig I hereby certify that the information above is true and completed signal and co	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.15 NMAC. ToC-Surf-Cit. DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 7.15 OC-Tag 7.15 OC-T	irc /8" hole, TOC-1400'-TS ation Division Must be notified the beginning of plugging operations.
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-3690 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WC 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Sur 10# MLF between plugs Spud Date: Rig	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.15 NMAC. ToC-Surf-Cit. DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 7.15 OC-Tag 7.15 OC-T	irc /8" hole, TOC-1400'-TS ation Division Must be notified of the beginning of plugging operations. The and belief. DATE \(\lambda
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' W(3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Sur 10# MLF between plugs Spud Date: Rig I hereby certify that the information above is true and completed or print name David Stewart E-materials For State Use Only	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.15 NMAC. For Multiple Con 7.15 NMAC. ToC-Surf-Ci. DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 7.15 NMAC. Tag 7.15 NMAC	irc /8" hole, TOC-1400'-TS ation Division Must be notified of the beginning of plugging operations. The and belief. DATE \(\lambda
13. Describe proposed or completed operations. (Clearl of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. TD-7147' PBTD-5450' Perfs-369' 8-5/8" 24# csg @ 1257' w/ 62 5-1/2" 15.5-17# csg @ 6818', 1. RIH & set CIBP @ 3640', M&P 25 2. M&P 35sx cmt @ 2675-2425' WG 3. Perf @ 1307', sqz 35sx cmt to 12 4. Perf @ 300', sqz 110sx cmt to Sur 10# MLF between plugs Spud Date: Rig I hereby certify that the information above is true and completed signal and co	y state all pertinent details, an 7.14 NMAC. For Multiple Con 7.15 NMAC. For Multiple Con 7.15 NMAC. ToC-Surf-Ci. DVT @ 4181' w/ 2025sx, 7-7, sx cmt to +/-3490' DC-Tag 7.15 NMAC. Tag 7.15 NMAC	irc /8" hole, TOC-1400'-TS ation Division Must be notified of the beginning of plugging operations. The and belief. DATE \(\lambda

OXY USA Inc. - Current Mattern #4 API No. 30-025-33544



12-1/4" hole @ 1257' 8-5/8" csg @ 1257' w/ 620sx-TOC-Surf-Circ

Perfs @ 3690-3883'

CIBP @ 5500' w/ 50' cmt

CIBP @ 6775' w/ 50' cmt

Perfs @ 5527-5959'-1999 sqz w/ 250sx cmt

7-7/8" hole @ 6818' 5-1/2" csg @ 6818' DVT @ 4181' w/ 2025sx-TOC-1400'-TS

Perfs @ 6652-6679'-1999 sqz w/ 100sx cmt

OH @ 6818-7147'

OXY USA Inc. - Proposed Mattern #4 API No. 30-025-33544

API No. 30-025-33544 110sx @ 300'-Surface 12-1/4" hole @ 1257' Perf @ 300' 8-5/8" csg @ 1257' w/ 620sx-TOC-Surf-Circ 35sx @ 1307-1207' WOC-Tag Perf @ 1307' 35sx @ 2675-2425' WOC-Tag CIBP @ 3640' w/ 25sx cmt to 3490' Perfs @ 3690-3883' CIBP @ 5500' w/ 50' cmt 1 1 Perfs @ 5527-5959'-1999 sqz w/ 250sx cmt 7-7/8" hole @ 6818' 5-1/2" csg @ 6818' DVT @ 4181'

CIBP @ 6775' w/ 50' cmt

Perfs @ 6652-6679'-1999 sqz w/ 100sx cmt

w/ 2025sx-TOC-1400'-TS

OH @ 6818-7147'

TD-7147'